



## U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE 0  
SBAS SERVICE PROVIDER IDENTIFIER 0  
AIRPORT IDENTIFIER KPUC  
RUNWAY RW36  
APPROACH PERFORMANCE DESIGNATOR 0  
ROUTE INDICATOR  
REFERENCE PATH DATA SELECTOR 0  
REFERENCE PATH IDENTIFIER (APPROACH ID) W36A  
LTP/FTP LATITUDE 393617.7595N  
LTP/FTP LONGITUDE 1104518.7525W  
LTP/FTP ELLIPSOIDAL HEIGHT +17544  
FPAP LATITUDE 393742.4000N  
FPAP LONGITUDE 1104442.4400W  
THRESHOLD CROSSING HEIGHT (TCH) 00047.0  
TCH UNITS SELECTOR (METERS OR FEET USED) F  
GLIDEPATH ANGLE (GPA) 03.00  
COURSE WIDTH AT THRESHOLD 106.75  
LENGTH OFFSET 0216  
HORIZONTAL ALERT LIMIT (HAL) 40.0  
VERTICAL ALERT LIMIT (VAL) 0.0

CRC REMAINDER

6E58D7E8

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE K2  
LTP ORTHOMETRIC HEIGHT +17714  
FPAP ORTHOMETRIC HEIGHT +17714

QUALITY  
CHECKED

CITY AND STATE

PRICE, UT

ELEVATION: 5957

THRE: 5812

AIRPORT NAME:

CARBON COUNTY RGNL/BUCK DAVIS FIELD

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 36, AMDT 1

25 AUG 2011

SUP:

AMDT: ORIG

DATED: 12/25/2003

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY  
6  
CHECKED

CITY AND STATE PRICE, UT	ELEVATION: 5957	THRE: 5812	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:	SUP:	
	AIRPORT NAME:			RNAV (GPS) RWY 36, AMDT 1	AMDT:	ORIG
	CARBON COUNTY RGNL/BUCK DAVIS FIELD			25 AUG 2011	DATED:	12/25/2003

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY  
6  
CHECKED

CITY AND STATE  PRICE, UT	ELEVATION: 5957      THRE: 5812	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:	SUP:
	AIRPORT NAME:		RNAV (GPS) RWY 36, AMDT 1	AMDT:      ORIG
	CARBON COUNTY RGNL/BUCK DAVIS FIELD		25 AUG 2011	DATED:      12/25/2003