

QUALITY
2
CHECKED

ILS - STANDARD

INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

*LOC ONLY

CHART NOTE: VDP NA WITH PORT LAVACA ALTIMETER SETTING.

CHART NOTE: FOR INOPERATIVE MALSR, WHEN USING PORT LAVACA ALTIMETER SETTING, INCREASE S-ILS 13L

CAT E VISIBILITY TO 3/4 MILE AND S-LOC 13L CAT C/D/E VISIBILITY TO 1 1/8 MILE.

QUALITY
2
CHECKED

CITY AND STATE

VICTORIA, TX

ELEVATION: 115

THRE: 115

AIRPORT NAME:

VICTORIA RGNL

FACILITY
IDENTIFIER:

I-VCT

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

ILS OR LOC/DME RWY 13L, AMDT 12

31 MAY 2012

SUP: ILS OR LOC/DME
RWY 12L

AMDT: 11

DATED: 11/18/2010

FLIGHT STANDARDS SERVICES - FAR PART 97.25

ARINC PACKET - 424-18 - LOC

FLIGHT STANDARDS SERVICES - FAR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
1
CHECKED

CITY AND STATE VICTORIA, TX	ELEVATION: 115	THRE: 115	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP: ILS OR LOC/DME RWY 12L
	AIRPORT NAME: VICTORIA RGNL			ILS OR LOC/DME RWY 13L, AMDT 12	AMDT: 11
			I-VCT	31 MAY 2012	DATED: 11/18/2010

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

LOC STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - FAR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - LOC

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	PSX	PSX	010		IF		FB					
	PSX	VCT	020		TF		FB				AA 02200	
	PSX	VCT	030	IAF	PI	R	FB		263.5()	015.0	AA 02200	
		XUWOX	010	FACF	IF		FB				AA 02200	
		HEMKU	020	FAF	CF		FB		128.0()	006.0	AA 01700	
		HUSAM	021	SDF	CF		FB		128.0()	003.2	AA 00660	
		RW13L	030	MAP	CF		FO		128.0()	001.6	AT 00168	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		128.5()		AA 02100	
	VCT	050		DF	L	FO				AA 02100	
	VCT	060		HM	R	FO		128.5()	001.0	AA 02100	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	PSX	N284551.93	W0961822.25	N2845.866	W09618.371
	VCT	N285401.15	W0965844.16	N2854.019	W09658.736
	IVCT (DME)	N285038.16	W0965429.78	N2850.636	W09654.496
	HEMKU	N285504.74	W0970005.34	N2855.079	W09700.089
	HUSAM	N285254.46	W0965723.37	N2852.908	W09657.390
	XUWOX	N285908.09	W0970508.38	N2859.135	W09705.140
	RW13L	N285149.50	W0965602.68	N2851.825	W09656.045
	IVCT (LOC)	N285036.27	W0965431.76	N2850.605	W09654.529

RUNWAY DATA	THRESHOLD	ELEVATION	TCH
RWY			
RW13L	00115		53

CITY AND STATE
VICTORIA, TX

ELEVATION: 115 THRE: 115
AIRPORT NAME:
VICTORIA RGNL

FACILITY
IDENTIFIER:
I-VCT

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
ILS OR LOC/DME RWY 13L, AMDT 12
31 MAY 2012

SUP: ILS OR LOC/DME
RWY 12L
AMDT: 11
DATED: 11/18/2010

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible][illegible][illegible]

	1	2	3	4	5	6	7	8	9	0	1	2	3
ILS	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890

SJSAP KVCTK4IIVCT1	011150RW13LN28503627W0965431761285N28514546W0965551031847 10400366300800405300111												

[illegible]

CITY AND STATE VICTORIA, TX	ELEVATION: 115 THRE: 115 AIRPORT NAME: VICTORIA RGNL	FACILITY IDENTIFIER: I-VCT	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: ILS OR LOC/DME RWY 13L, AMDT 12 31 MAY 2012	<div style="text-align: right;">ILS OR LOC/DME RWY 12L</div> SUP: SUP AMDT: 11 DATED: 11/18/2010
--------------------------------	--	-----------------------------------	--	--

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

ILS STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - FAR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP KVCTK4SVCT K&D

0 18018002225

M

CITY AND STATE
VICTORIA, TX

ELEVATION: 115 THRE: 115
AIRPORT NAME:
VICTORIA RGNL

FACILITY
IDENTIFIER:
I-VCT

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
ILS OR LOC/DME RWY 13L, AMDT 12
31 MAY 2012

SUP: ILS OR LOC/DME
RWY 12L
AMDT: 11
DATED: 11/18/2010

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
ILS STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - ILS

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	PSX	PSX	010		IF		FB					
	PSX	VCT	020		TF		FB				AA 02200	
	PSX	VCT	030	IAF	PI	R	FB		263.5()	015.0	AA 02200	
		XUWOX	010	FACF	IF		FB				AA 02200 GI 01700	
		HEMKU	020	FAF	CF		FB		128.0()	006.0	GI 01700 GS 01700	
		RW13L	030	MAP	CF		FO		128.0()	004.8	AT 00168	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		128.5()		AA 02100	
	VCT	050		DF	L	FO				AA 02100	
	VCT	060		HM	R	FO		128.5()	T01.0	AA 02100	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	PSX	N284551.93	W0961822.25	N2845.866	W09618.371
	VCT	N285401.15	W0965844.16	N2854.019	W09658.736
	IVCT (DME)	N285038.16	W0965429.78	N2850.636	W09654.496
	HEMKU	N285504.74	W0970005.34	N2855.079	W09700.089
	XUWOX	N285908.09	W0970508.38	N2859.135	W09705.140
	RW13L	N285149.50	W0965602.68	N2851.825	W09656.045
	IVCT (LOC)	N285036.27	W0965431.76	N2850.605	W09654.529

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW13L	00115	53

CITY AND STATE VICTORIA, TX	ELEVATION: 115 THRE: 115	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP: ILS OR LOC/DME RWY 12L
	AIRPORT NAME: VICTORIA RGNL	I-VCT	ILS OR LOC/DME RWY 13L, AMDT 12 31 MAY 2012	AMDT: 11
				DATED: 11/18/2010