



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV (RNP) - STANDARD,**  
**INSTRUMENT APPROACH PROCEDURE, - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

FROM	TO	COURSE AND DISTANCE	ALTITUDE
IDEAR	HSBRO (TF) (FB) (RNP 1.00)	227.23 / 3.00	1400
HHIGH (IF)	NABAH (TF) (FB) (RNP 1.00)	047.17 / 3.60	3900
NABAH	HSBRO (RF) (FB) (RNP 1.00)	(2.55 NM RADIUS CCW CFFGZ) / 8.01	1400
HSBRO (FAF)	RW23 (MAP) (TF) (FO)	227.20 / 4.10	
RW23 (MAP)	WIKIT (TF) (FB) (RNP 1.00)	227.17 / 5.83	
WIKIT	STUFY (RF) ((FB) (RNP 1.00)	(3.50 NM RADIUS CW CFFHC) / 8.90	
STUFY	FOSTY (TF) (FO) (RNP 1.00)	012.84 / 9.97	2500

**NOTES, (CONT.):**

CHART PLANVIEW NOTE AT COFIE : MAX 210 KIAS.

CHART PLANVIEW NOTE: RADAR REQUIRED.

CHART PLANVIEW NOTE ADJACENT TO SEABE: RF REQUIRED.

CHART PLANVIEW NOTE ADJACENT TO JEEET: RF REQUIRED.

CHART PLANVIEW NOTE ADJACENT TO HHIGH: RF REQUIRED.

CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.

CHART PROFILE NOTE: SEE PLANVIEW FOR MULTIPLE IF LOCATIONS.

CHART NOTE: FOR INOPERATIVE MALSR, INCREASE RNP 0.30 ALL CATS VISIBILITY TO 1 1/4.

CHART NOTE: GPS REQUIRED.

CITY AND STATE

PROVIDENCE, RI

ELEVATION: 55

THRE: 44

AIRPORT NAME:

THEODORE FRANCIS GREEN STATE

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (RNP) Z RWY 23, ORIG  
20 SEPTEMBER 2012

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KPVDK6FH23-Z	AFED	ED	010FEDE	DK6EA0E	B	IF			18000		A	FS
SUSAP	KPVDK6FH23-Z	AFED	ED	020IDE	ARK6EA0E		010TF		+ 02300			A	FS
SUSAP	KPVDK6FH23-Z	AFED	ED	030HSB	ROK6EA0EE		010TF		+ 01400			A	FS
SUSAP	KPVDK6FH23-Z	AHHIGH		010HHIGH	K6EA0E	B	IF		+ 05000	18000		A	FS
SUSAP	KPVDK6FH23-Z	AHHIGH		020NABA	HK6EA0E		010TF		+ 03900	210		A	FS
SUSAP	KPVDK6FH23-Z	AHHIGH		030HSB	ROK6EA0EE	L010RF		+ 01400			CFFGZ	K6EAA	FS
SUSAP	KPVDK6FH23-Z	AJEEET		010JEEET	K6EA0E	B	IF			18000		A	FS
SUSAP	KPVDK6FH23-Z	AJEEET		020COF	IEK6EA0E		010TF		+ 03000	210		A	FS
SUSAP	KPVDK6FH23-Z	AJEEET		030HSB	ROK6EA0EE	R010RF		+ 01400			CFFHB	K6EAA	FS
SUSAP	KPVDK6FH23-Z	ASEABE		010SEABE	K6EA0E	B	IF		+ 05000	18000		A	FS
SUSAP	KPVDK6FH23-Z	ASEABE		020NOSU	HK6EA0E		010TF		+ 03800	210		A	FS
SUSAP	KPVDK6FH23-Z	ASEABE		030COF	IEK6EA0E	R010RF		+ 03000		210		CFFHB	K6EAA-FS
SUSAP	KPVDK6FH23-Z	ASEABE		040HSB	ROK6EA0EE	R010RF		+ 01400			CFFHB	K6EAA	FS
SUSAP	KPVDK6FH23-Z	H		020HSB	ROK6EA1E	F	IF		+ 01400	18000		RW23	K6PGA FS
SUSAP	KPVDK6FH23-Z	H		020HSB	ROK6EA2W					A031			FS
SUSAP	KPVDK6FH23-Z	H		030RW23	K6PGOGY	M	031TF		00095		-300		A FS
SUSAP	KPVDK6FH23-Z	H		040WIKI	TK6EA0E	M	010TF						A FS

SUP:	
AMDT:	<b>NONE</b>
DATED:	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
RNAV (RNP) STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP KPVDK6FH23-Z H 050STUFYK6EA0E R010RF 0035002272 01280089 CFFHC K6EAA FS  
SUSAP KPVDK6FH23-Z H 060FOSTYK6EA0EY 010TF + 02500 A FS  
SUSAP KPVDK6FH23-Z H 070FOSTYK6EA0EE L HM 05700040 + 02500 A FS

1 2 3 4 5 6 7 8 9 0 1 2 3  
RUNWAY 1234567890123456789012345678901234567890123456789012345678901234567890123456789012

SUSAP KPVDK6GRW23 0071662272 N41434970W071251554+0100 -0016200044000051150IIARJ1

1 2 3 4 5 6 7 8 9 0 1 2 3  
MSA 1234567890123456789012345678901234567890123456789012345678901234567890123456789012

SUSAP KPVDK6SRW23 K6PG 0 18018002625 M

QUALITY  
CHECKED

CITY AND STATE  
PROVIDENCE, RI

ELEVATION: 55 THRE: 44  
AIRPORT NAME:  
THEODORE FRANCIS GREEN STATE

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
RNAV (RNP) Z RWY 23, ORIG  
20 SEPTEMBER 2012

SUP:  
AMDT: NONE  
DATED:

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (RNP) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (RNP)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	FEDED	FEDED	010		IF		FB					
	FEDED	IDEAR	020		TF		FB	1.0			AA 02300	
	FEDED	HSBRO	030		TF		FB	1.0			AA 01400	
	HHIGH	HHIGH	010		IF		FB				AA 05000	
	HHIGH	NABAH	020		TF		FB	1.0			AA 03900	AB 210
	HHIGH	HSBRO	030		RF	L	FB	1.0		008.0	AA 01400	
	JEEET	JEEET	010		IF		FB					
	JEEET	COFIE	020		TF		FB	1.0			AA 03000	AB 210
	JEEET	HSBRO	030		RF	R	FB	1.0		005.3	AA 01400	
	SEABE	SEABE	010		IF		FB				AA 05000	
	SEABE	NOSUH	020		TF		FB	1.0			AA 03800	AB 210
	SEABE	COFIE	030		RF	R	FB	1.0		002.6	AA 03000	AB 210
	SEABE	HSBRO	040		RF	R	FB	1.0		005.3	AA 01400	
		HSBRO	020	FAF	IF		FB				AA 01400	
		RW23	030	MAP	TF		FO	0.3			AT 00095	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	WIKIT	040		TF		FB	1.0				
	STUFY	050		RF	R	FB	1.0		008.9		
	FOSTY	060		TF		FO	1.0			AA 02500	
	FOSTY	070		HM	L	FO		057.0 (042.0T)	004.0	AA 02500	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	CFFGZ	N414556.22	W0711927.58	N4145.937	W07119.460
	CFFHB	N414837.71	W0712510.22	N4148.629	W07125.170
	CFFHC	N414045.24	W0713321.15	N4140.754	W07133.353
	COFIE	N415107.67	W0712507.53	N4151.128	W07125.126
	FEDED	N415424.50	W0711620.74	N4154.408	W07116.346
	FOSTY	N415035.46	W0713831.34	N4150.591	W07138.522
	HHIGH	N414131.73	W0711908.27	N4141.529	W07119.138
	HSBRO	N414717.82	W0712220.59	N4147.297	W07122.343
	IDEAR	N414950.20	W0712012.26	N4149.837	W07120.204
	JEEET	N415110.38	W0712946.90	N4151.173	W07129.782
	NABAH	N414434.62	W0711634.63	N4144.577	W07116.577
	NOSUH	N414957.59	W0712759.91	N4149.960	W07127.999
	SEABE	N414644.52	W0713042.26	N4146.742	W07130.704
	STUFY	N414037.20	W0713801.19	N4140.620	W07138.020
	WIKIT	N413853.42	W0712923.94	N4138.890	W07129.399
	RW23	N414349.70	W0712515.54	N4143.828	W07125.259

QUALITY  
CHECKED

CITY AND STATE <b>PROVIDENCE, RI</b>	ELEVATION: <b>55</b>	THRE: <b>44</b>	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: <b>THEODORE FRANCIS GREEN STATE</b>		<b>RNAV</b>	<b>RNAV (RNP) Z RWY 23, ORIG</b> <b>20 SEPTEMBER 2012</b>	AMDT: <b>NONE</b>
	DATED:				

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV (RNP) STANDARD INSTRUMENT APPROACH PROCEDURE**  
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW23	00044	51

9/25/12  
1  
CHECKED

CITY AND STATE  
PROVIDENCE, RI

ELEVATION: **55**      THRE: **44**  
AIRPORT NAME:  
THEODORE FRANCIS GREEN STATE

FACILITY  
IDENTIFIER:  
  
RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
**RNAV (RNP) Z RWY 23, ORIG**  
20 SEPTEMBER 2012

SUP:  
AMDT: **NONE**  
DATED: