

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION							ILS - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.29							Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.						
TERMINAL ROUTES										MISSED APPROACH										
FROM			TO			COURSE AND DISTANCE			ALTITUDE		ILS: DA LOC: 5.95 MILES AFTER TKH NDB									
BARNE INT/HEZ 25.00 DME			TKH NDB			343.98 / 22.55			2100		CLIMB TO 1000 THEN CLIMBING LEFT TURN TO 2100 DIRECT TKH NDB AND HOLD.									
										ADDITIONAL FLIGHT DATA: FAS OBST: 284 AAO 321445N/0910104W CHART (CFBXL) AT 320842.64N/0910126.56W CHART CIRCLING ICON.										
1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)																				
2. HOLD S TKH NDB, LT, 357.14 INBOUND, 2100 FT. IN LIEU OF PT (IAF)																				
3. FAC: 357.14 FAF: TKH NDB DIST FAF TO MAP: 5.95 THLD: 5.95																				
4. MIN. ALT: TKH NDB 2100																				
5. DIST TO THLD FROM OM: - MM: - IM: - 150 HAT: - 100 HAT: - GS ANT: 973																				
6. MIN GS INCPT: 2100 GS ALT AT: TKH NDB 2062 OM: - MM: - IM: -																				
7. GS ANGLE: 3.00 TCH: 49.3																				
8. MSA FROM: TKH NDB 2100										MAG VAR: 2E				EPOCH YEAR: 1995						
MINIMUMS																				
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A X													
CATEGORY ==>		A			B			C			D			E						
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA					
S-ILS 36	286	1/2	200	286	1/2	200	286	1/2	200	286	1/2	200								
S-LOC 36	540	1/2	454	540	1/2	454	540	7/8	454	540	7/8	454								
CIRCLING	540	1	454	540	1	454	720	1 3/4	634	720	2	634								
NOTES: CHART NOTE: ADF REQUIRED. CHART PLANVIEW NOTE: ADF REQUIRED. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE VICKSBURG MUNI, MS ALTIMETER SETTING AND INCREASE S-ILS 36 DA TO 309 FEET; INCREASE ALL MDA 40 FEET AND VISIBILITY CATS C AND D 1/4 MILE.																				
CITY AND STATE TALLULAH, LA			ELEVATION: 86 TDZE: 86 AIRPORT NAME: VICKSBURG TALLULAH RGNL				FACILITY IDENTIFIER: I-TVRR		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: ILS OR LOC RWY 36, ORIG 15 SEPTEMBER 2016				SUP: AMDT: NONE DATED							

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
ILS - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE  
TALLULAH, LA

ELEVATION: 86      TDZE: 86  
AIRPORT NAME:  
VICKSBURG TALLULAH RGNL

FACILITY  
IDENTIFIER:  
I-TVV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:  
ILS OR LOC RWY 36, ORIG  
15 SEPTEMBER 2016

SUP:  
AMDT:      NONE  
DATED:

## U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

## ILS STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

## ARINC SUMMARY - KTVR

## ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
BARNE	010	BARNE	IF	FB										E
BARNE	020	TKH	TF	FO								AA 02100		NY
BARNE	030	TKH	HF	FO		357.1	ITVR		L			AA 02100		NE A
	010	CFBXL	IF	FB			ITVR					AA 02100 GI 02100		E I
	020	TKH	CF	FB		357.0	ITVR	3.00		TKH		GI 02100 GS 02062		N F
	030	RW36	CF	FO		357.0	ITVR	3.00				AT 00135		GY M
	040		CA	FB		357.1						AA 01000		M
	050	TKH	DF	FO					L			AA 02100		NY
	060	TKH	HM	FO		357.1			L			AA 02100		NE

## POINTS

POINT NAME	LATITUDE	LONGITUDE
TKH	N321443.14	W0910132.97
BARNE	N315247.62	W0905507.91
CFBXL	N320842.64	W0910126.56
ITVR (LOC)	N322140.40	W0910140.29

## RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW36	N322041.04	W0910139.24	00086	49.3

QUALITY  
12  
CHECKED

CITY AND STATE  
TALLULAH, LA

ELEVATION: 86 TDZE: 86  
AIRPORT NAME:  
VICKSBURG TALLULAH RGNL

FACILITY  
IDENTIFIER:  
I-TVR

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
ILS OR LOC RWY 36, ORIG  
15 SEPTEMBER 2016

SUP:

AMDT: NONE

DATED:

## U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

## LOC STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

## ARINC SUMMARY - KTVR

## ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
BARNE	010	BARNE	IF	FB										E
BARNE	020	TKH	TF	FO								AA 02100		NY
BARNE	030	TKH	HF	FO		357.1	ITVR		L			AA 02100		NE A
	010	CFBXL	IF	FB			ITVR					AA 02100		E I
	020	TKH	CF	FB		357.0	ITVR			TKH		AA 02100		N F
	030	RW36	CF	FO		357.0	ITVR	3.11				AT 00135		GY M
	040		CA	FB		357.1						AA 01000		M
	050	TKH	DF	FO					L			AA 02100		NY
	060	TKH	HM	FO		357.1			L			AA 02100		NE

## POINTS

POINT NAME	LATITUDE	LONGITUDE
TKH	N321443.14	W0910132.97
BARNE	N315247.62	W0905507.91
CFBXL	N320842.64	W0910126.56
ITVR (LOC)	N322140.40	W0910140.29

## RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW36	N322041.04	W0910139.24	00086	49.3

QUALITY  
12  
CHECKED

CITY AND STATE  
TALLULAH, LA

ELEVATION: 86 TDZE: 86  
AIRPORT NAME:  
VICKSBURG TALLULAH RGNL

FACILITY  
IDENTIFIER:  
  
I-TVR

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
ILS OR LOC RWY 36, ORIG  
15 SEPTEMBER 2016

SUP:  
AMDT: NONE  
DATED: