

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.												
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO		COURSE AND DISTANCE			ALTITUDE		LNAV: RW04							
ALDAN (IAF)		DIVTY (FB)		090.01 / 12.95			3000		CLIMB TO 3000 DIRECT HARVY AND HOLD.							
WUMVA (IAF)		DIVTY (FB)		045.41 / 9.29			3000									
YITUP (IAF)		DIVTY (FB)		355.15 / 7.98			3000									
DIVTY (IF)		KARBY (FB)		035.65 / 6.00			2000									
KARBY (FAF)		RW04 (MAP) (FO)		035.68 / 5.00			3000		ADDITIONAL FLIGHT DATA: HOLD SW, RT, 033.00 INBOUND. FAS OBST: 609 AAO 363121N/0783730W KARBY TO RW04: 3.00/40 CHART CIRCLING ICON.							
RW04 (MAP)		819 MSL		035.68												
819 MSL		HARVY (FO)														
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																
2. PROFILE STARTS AT DIVTY _____																
3. FAC: 035.68 FAF: KARBY DIST FAF TO MAP: 5.00 THLD: 5.00																
4. MIN. ALT: DIVTY 3000, KARBY 2000																
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR																
8. MSA FROM: RW04 2600										MAG VAR: 8W			EPOCH YEAR: 1995			
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A		STANDARD @										
CATEGORY =====>		A		B			C			D			E			
		DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
CIRCLING		920	1	501	980	1	561		NA			NA				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ALDAN ON V136 NORTHBOUND. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT WUMVA ON V454 SOUTHWEST BOUND. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT YITUP ON V3 SOUTHBOUND. (SEE FORM 8260-10)																
CITY AND STATE CLARKSVILLE, VA		ELEVATION: 419 TDZE: AIRPORT NAME: LAKE COUNTRY REGIONAL			FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS)-A, ORIG 15 OCTOBER 2015					SUP: AMDT: NONE DATED				

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CHASE CITY ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET.

CHART NOTE: NIGHT LANDING: RWY 22 NA.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.

QUALITY
10
CHECKED

CITY AND STATE
CLARKSVILLE, VA

ELEVATION: 419 TDZE:
AIRPORT NAME:
LAKE COUNTRY REGIONAL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS)-A, ORIG
15 OCTOBER 2015

SUP:
AMDT: NONE
DATED: PAGE

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																																																																				
<div style="margin-bottom: 10px;">ARINC SUMMARY - W63</div> <div style="margin-bottom: 10px;">ROUTES</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION & VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION & VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>ALDAN</td><td>010</td><td>ALDAN</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>ALDAN</td><td>020</td><td>DIVTY</td><td>TF</td><td>FB</td><td>1.0</td><td>090.0</td><td></td><td></td><td></td><td></td><td></td><td>AA 03000</td><td></td><td>EE B</td></tr> <tr><td>WUMVA</td><td>010</td><td>WUMVA</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>WUMVA</td><td>020</td><td>DIVTY</td><td>TF</td><td>FB</td><td>1.0</td><td>045.4</td><td></td><td></td><td></td><td></td><td></td><td>AA 03000</td><td></td><td>EE B</td></tr> <tr><td>YITUP</td><td>010</td><td>YITUP</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>YITUP</td><td>020</td><td>DIVTY</td><td>TF</td><td>FB</td><td>1.0</td><td>355.2</td><td></td><td></td><td></td><td></td><td></td><td>AA 03000</td><td></td><td>EE B</td></tr> <tr><td></td><td>010</td><td>DIVTY</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 03000</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>KARBY</td><td>TF</td><td>FB</td><td>0.5</td><td>035.7</td><td></td><td></td><td></td><td>RW04</td><td></td><td>AA 02000</td><td></td><td>E F</td></tr> <tr><td></td><td>030</td><td>RW04</td><td>TF</td><td>FO</td><td>0.3</td><td>035.7</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AT 00407</td><td></td><td>GY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>035.7</td><td></td><td></td><td></td><td></td><td></td><td>AA 00819</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>HARVY</td><td>DF</td><td>FO</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 03000</td><td></td><td>EY</td></tr> <tr><td></td><td>060</td><td>HARVY</td><td>HM</td><td>FO</td><td></td><td>033.0</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 03000</td><td></td><td>EE</td></tr> </tbody> </table> <div style="margin-top: 10px;">POINTS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>ALDAN</td><td>N362352.56</td><td>W0785602.86</td></tr> <tr><td>DIVTY</td><td>N362539.60</td><td>W0784009.67</td></tr> <tr><td>HARVY</td><td>N364446.20</td><td>W0782818.98</td></tr> <tr><td>KARBY</td><td>N363058.89</td><td>W0783642.45</td></tr> <tr><td>WUMVA</td><td>N361816.59</td><td>W0784709.07</td></tr> <tr><td>YITUP</td><td>N361751.92</td><td>W0783757.65</td></tr> </tbody> </table> <div style="margin-top: 10px;">RUNWAYS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr> <td>RW04</td> <td>N363525.01</td> <td>W0783349.30</td> <td>00367</td> <td></td> </tr> </tbody> </table>															TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	ALDAN	010	ALDAN	IF	FB										E A	ALDAN	020	DIVTY	TF	FB	1.0	090.0						AA 03000		EE B	WUMVA	010	WUMVA	IF	FB										E A	WUMVA	020	DIVTY	TF	FB	1.0	045.4						AA 03000		EE B	YITUP	010	YITUP	IF	FB										E A	YITUP	020	DIVTY	TF	FB	1.0	355.2						AA 03000		EE B		010	DIVTY	IF	FB								AA 03000		E I		020	KARBY	TF	FB	0.5	035.7				RW04		AA 02000		E F		030	RW04	TF	FO	0.3	035.7		3.00				AT 00407		GY M		040		CA	FB		035.7						AA 00819		M		050	HARVY	DF	FO								AA 03000		EY		060	HARVY	HM	FO		033.0			R			AA 03000		EE	POINT NAME	LATITUDE	LONGITUDE	ALDAN	N362352.56	W0785602.86	DIVTY	N362539.60	W0784009.67	HARVY	N364446.20	W0782818.98	KARBY	N363058.89	W0783642.45	WUMVA	N361816.59	W0784709.07	YITUP	N361751.92	W0783757.65	RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW04	N363525.01	W0783349.30	00367	
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																																																																																		
ALDAN	010	ALDAN	IF	FB										E A																																																																																																																																																																																																																																		
ALDAN	020	DIVTY	TF	FB	1.0	090.0						AA 03000		EE B																																																																																																																																																																																																																																		
WUMVA	010	WUMVA	IF	FB										E A																																																																																																																																																																																																																																		
WUMVA	020	DIVTY	TF	FB	1.0	045.4						AA 03000		EE B																																																																																																																																																																																																																																		
YITUP	010	YITUP	IF	FB										E A																																																																																																																																																																																																																																		
YITUP	020	DIVTY	TF	FB	1.0	355.2						AA 03000		EE B																																																																																																																																																																																																																																		
	010	DIVTY	IF	FB								AA 03000		E I																																																																																																																																																																																																																																		
	020	KARBY	TF	FB	0.5	035.7				RW04		AA 02000		E F																																																																																																																																																																																																																																		
	030	RW04	TF	FO	0.3	035.7		3.00				AT 00407		GY M																																																																																																																																																																																																																																		
	040		CA	FB		035.7						AA 00819		M																																																																																																																																																																																																																																		
	050	HARVY	DF	FO								AA 03000		EY																																																																																																																																																																																																																																		
	060	HARVY	HM	FO		033.0			R			AA 03000		EE																																																																																																																																																																																																																																		
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																																																																														
ALDAN	N362352.56	W0785602.86																																																																																																																																																																																																																																														
DIVTY	N362539.60	W0784009.67																																																																																																																																																																																																																																														
HARVY	N364446.20	W0782818.98																																																																																																																																																																																																																																														
KARBY	N363058.89	W0783642.45																																																																																																																																																																																																																																														
WUMVA	N361816.59	W0784709.07																																																																																																																																																																																																																																														
YITUP	N361751.92	W0783757.65																																																																																																																																																																																																																																														
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																																																																												
RW04	N363525.01	W0783349.30	00367																																																																																																																																																																																																																																													
CITY AND STATE <div style="text-align: center;">CLARKSVILLE, VA</div>					ELEVATION: 419 TDZE: AIRPORT NAME: <div style="text-align: center;">LAKE COUNTRY REGIONAL</div>					FACILITY IDENTIFIER: <div style="text-align: center;">RNAV</div>		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <div style="text-align: center;">RNAV (GPS)-A, ORIG 15 OCTOBER 2015</div>			SUP: <hr/> AMDT: NONE <hr/> DATED:																																																																																																																																																																																																																																	

