

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LPV: DA LNAV/VNAV: DA LNAV: RW05 CLIMB TO 3000 DIRECT ZASIT AND ON TRACK 015.51 TO IBEBE AND HOLD. ADDITIONAL FLIGHT DATA: HOLD N, RT, 195.73 INBOUND. CHART FAS OBST: 312 TREES 310753N/0832742W FAS OBST: 450 AAO 310433N/0833048W DISTANCE TO THLD FROM 301 HAT: 0.80 NM. WAAS CHANNEL # 42506 REFERENCE PATH ID: W05A CHART MOULTRIE AWOS-3 LTP HAE: 43.5 M											
WUBSU (IAF)	ARGYL (NOPT) (FB)	126.55 / 9.05	2000												
ARGYL (IF/IAF)	UBEDY (FB)	051.25 / 6.04	2000												
UBEDY (FAF)	RW05 (MAP) (FO)	051.30 / 5.41													
RW05 (MAP)	534 MSL	051.30													
534 MSL	ZASIT (FB)														
ZASIT	IBEBE (FO)	015.51 / 15.11	3000												
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD SW ARGYL, RT, 051.25 INBOUND, 2000 FT. IN LIEU OF PT (IAF) 3. FAC: <u>051.30</u> FAF: <u>UBEDY</u> DIST FAF TO MAP: <u>5.41</u> THLD: <u>5.41</u> 4. MIN. ALT: <u>ARGYL 2000, UBEDY 2000</u> 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: <u>2000</u> GS ALT AT: <u>UBEDY 2000</u> OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: <u>3.00</u> TCH: <u>45.5</u> 34:1 IS CLEAR 8. MSA FROM: <u>RW05 2500</u>				MAG VAR: 4W EPOCH YEAR: 2000											
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT			ALTERNATE: N A <input type="checkbox"/> X <input type="checkbox"/>												
CATEGORY =====>	A		B		C		D		E						
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	534	1	301	534	1	301	534	1	301	534	1	301			
LNAV/VNAV DA	718	1 5/8	485	718	1 5/8	485	718	1 5/8	485	718	1 5/8	485			
LNAV MDA	840	1	607	840	1	607	840	1 3/4	607	840	1 3/4	607			
CIRCLING	960	1	724	960	1	724	960	2	724	960	2 1/4	724			
NOTES: CHART NOTE: BARO-VNAV NA. CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT WUBSU ON V537 NORTHBOUND. CHART NOTE: USE MOULTRIE ALTIMETER SETTING; WHEN NOT RECEIVED, USE VALDOSTA RGNL ALTIMETER (SEE FORM 8260-10)															
CITY AND STATE		ELEVATION: 236 THRE: 233		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:					
ADEL, GA		AIRPORT NAME: COOK COUNTY				RNAV (GPS) RWY 5, AMDT 1 2 MAY 2013				AMDT: ORIG					
										DATED		02/14/2008			



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

SETTING AND INCREASE ALL DA 7 FEET AND ALL MDA 20 FEET, INCREASE CIRCLING CAT C VISIBILITY TO 2 1/4 AND CAT D TO 2 1/2 MILE.

CITY AND STATE

ADEL, GA

ELEVATION: 236

THRE: 233

AIRPORT NAME:

COOK COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 5, AMDT 1

2 MAY 2013

SUP:

AMDT: ORIG

DATED: 02/14/2008

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	15J
RUNWAY	RW05
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W05A
LTP/FTP LATITUDE	310750.5890N
LTP/FTP LONGITUDE	0832739.1390W
LTP/FTP ELLIPSOIDAL HEIGHT	+00435
FPAP LATITUDE	310851.0950N
FPAP LONGITUDE	0832622.7835W
THRESHOLD CROSSING HEIGHT (TCH)	00045.5
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1232
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

CBA1B851

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+00709
FPAP ORTHOMETRIC HEIGHT	+00709

QUALITY
CHECKED
2

CITY AND STATE ADEL, GA	ELEVATION: 236	THRE: 233	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 5, AMDT 1 2 MAY 2013	SUP:
	AIRPORT NAME: COOK COUNTY				AMDT: ORIG
					DATED: 02/14/2008

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP 15J K7FR05	AARGYL	010	AARGYLK7EA0EE	AR	HF		05130040	+	02000	18000		A	JS
SUSAP 15J K7FR05	AWUBSU	010	WUBSU7EA0E	A	IF					18000		A	JS
SUSAP 15J K7FR05	AWUBSU	020	AARGYLK7EA0EE	B	010TF		12660091	+	02000			A	JS
SUSAP 15J K7FR05	R	010	AARGYLK7EA0E	I	IF			+	02000	18000		A	JS
SUSAP 15J K7FR05	R	020	UBEDYK7EA1E	F	051TF		05130060	+	02000		RW05	K7PGA	JS
SUSAP 15J K7FR05	R	020	UBEDYK7EA2	WALPV	ALNAV/VNAV	ALNAV							JS
SUSAP 15J K7FR05	R	030	RW05 K7PG0GY	M	031TF		05130054		00278	-300		A	JS
SUSAP 15J K7FR05	R	040		M	CA		0513	+	00534			A	JS
SUSAP 15J K7FR05	R	050	ZASITK7EA0E		DF							A	JS
SUSAP 15J K7FR05	R	060	IBEBEK7EA0EY		010TF		0155	+	03000			A	JS
SUSAP 15J K7FR05	R	070	IBEBEK7EA0EE	R	HM		19570040	+	03000			A	JS

[illegible][illegible][illegible]

CITY AND STATE ADEL, GA	ELEVATION: 236	THRE: 233	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME:	COOK COUNTY	RNAV	RNAV (GPS) RWY 5, AMDT 1	AMDT: ORIG
				2 MAY 2013	DATED: 02/14/2008

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ARGYL	ARGYL	010	IAF	HF	R	FO		051.3(047.3T)	004.0	AA 02000	
	WUBSU	WUBSU	010	IAF	IF		FB					
	WUBSU	ARGYL	020		TF		FB	1.0	126.6(122.6T)	009.1	AA 02000	
		ARGYL	010	FACF	IF		FB				AA 02000	
		UBEDY	020	FAF	TF		FB	0.5	051.3(047.3T)	006.0	AA 02000	
		RW05	030	MAP	TF		FO	0.3	051.3(047.3T)	005.4	AT 00278	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		051.3(047.3T)		AA 00534	
	ZASIT	050		DF		FB					
	IBEBE	060		TF		FO	1.0	015.5(011.5T)		AA 03000	
	IBEBE	070		HM	R	FO		195.7(191.7T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ARGYL	N310003.67	W0833726.90	N3100.061	W08337.448
	IBEBE	N312654.91	W0831846.51	N3126.915	W08318.775
	UBEDY	N310410.16	W0833216.95	N3104.169	W08332.283
	WUBSU	N310456.89	W0834619.73	N3104.948	W08346.329
	ZASIT	N311204.82	W0832218.00	N3112.080	W08322.300
	RW05	N310750.59	W0832739.14	N3107.843	W08327.652

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW05	00233	46

CITY AND STATE ADEL, GA	ELEVATION: 236	THRE: 233	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 5, AMDT 1 2 MAY 2013	SUP:
	AIRPORT NAME: COOK COUNTY				AMDT: ORIG
					DATED: 02/14/2008