

<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: left;"> US Department of Transportation Federal Aviation Administration </div> <div style="text-align: center; flex-grow: 1;"> <h2 style="margin: 0;">STAR - Standard Terminal Arrival</h2> </div> <div style="text-align: right; font-size: 0.8em;"> 1. Bearings, headings, courses and radials are listed to the nearest hundredth (e.g. 360.00) 2. Distances are in nautical miles to nearest hundredth (e.g. 00.00) 3. Altitudes are minimum altitudes unless otherwise indicated </div> </div>								
(1) Transition Routes								
(a) Transition Name	(b) Transition Computer Codes	(c) From RNAV WP / FIX / NAVAID	(d) To RNAV WP / FIX / NAVAID	(e) Mag Course / Distance	(f) MEA	(g) MOCA	(h) MAA	(i) Crossing Altitudes / Fixes
DIMPL	DIMPL.FAKEY1	DIMPL	DIMPL	268.29/10.30	6000	2500		
DWINE	DWINE.FAKEY1	DWINE	RIFFL					
			DWINE	271.97/20.41	7000	3000		
			DIMPL	268.29/10.30	6000	2500		
			RIFFL					
(2) Arrival Route Description: FROM RIFFL ON TRACK 268.19/10.08 TO FAKEY (MEA 5000). LANDING OUN/TIK/PWA: FROM FAKEY ON TRACK 268.12/5.01 TO AACES (MEA 4000), THEN ON TRACK 268.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.								
(3) Procedural Data Notes: NOTE: RADAR REQUIRED. NOTE: RNAV 1. NOTE: DME/DME/IRU OR GPS REQUIRED.								
(4) Fixes and/or Holding Patterns:								
(5) Communications: OKC APP CON, PWA ATIS, TIK ATIS, OUN AWOS-3								
(6) Arrival Name	(7) Number	(8) STAR Computer Code	(9) Superseded Nr.	(10) Dated	(11) Effective Date			
FAKEY (RNAV)	ONE	RIFFL.FAKEY1	NONE		24 JULY 2014			

(12) Airports Served					
Airport Name	WILEY POST AIRPORT		City/State	OKLAHOMA CITY, OK	
Airport Name	TINKER AIR FORCE BASE		City/State	OKLAHOMA CITY, OK	
Airport Name	UNIVERSITY OF OKLAHOMA WESTHEIMER AIRPORT		City/State	NORMAN, OK	
Airport Name			City/State		
Airport Name			City/State		
Airport Name			City/State		
(13) Lost Communications Procedure:					
(14) Remarks:					
(15) Additional Flight Data: DME/DME ASSESSMENT: SAT (RNP 2.0). REFERENCE MAGNETIC VARIATION = KPAW 05E/2010 					
(6) Arrival Name	(7) Number	(8) STAR Computer Code	(9) Superseded Nr.	(10) Dated	(11) Effective Date
FAKEY (RNAV)	ONE	RIFFL.FAKEY1	NONE		24 JULY 2014

(16) Continuation:**(2) Arrival Route Description:****(17) Changes:****(18) Reasons for Changes:**

3/27/2014: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 5-16-2013.
CHANGED STAR COMPUTER CODE FROM FAKEY.FAKEY1 TO RIFFL.FAKEY1

Developed By	Name (Typed and Signed), Title and Organization				DATE	
					5-16-2013	
Approved					5-15-14	
(6) Arrival Name FAKEY (RNAV)		(7) Number ONE	(8) STAR Computer Code RIFFL.FAKEY1	(9) Superseded Nr. NONE	(10) Dated	(11) Effective Date 24 JULY 2014

US Department of Transportation Federal Aviation Administration							RNAV STAR (Data Record)			
(1) FIX/NAVAID	(2) LAT/LONG	(3) C	(4) FO/FB	(5) LEG	(6) TC	(7) DIST	(8) ALTITUDE	(9) SPEED	(10) REMARKS	
En Route Transition										
DIMPL	351455.33N / 0963742.47W	Y		IF					DIMPL.FAKEY1	
RIFFL	351530.15N / 0965015.69W	Y	FB	TF	273.29	10.30				
En Route Transition										
DWINE	351229.02N / 0961258.54W	Y		IF					DWINE.FAKEY1	
DIMPL	351455.33N / 0963742.47W	Y	FB	TF	276.97	20.41				
RIFFL	351530.15N / 0965015.69W	Y	FB	TF	273.29	10.30				
Common Route										
RIFFL	351530.15N / 0965015.69W	Y		IF					RIFFL.FAKEY1	
FAKEY	351603.24N / 0970233.14W	Y	FB	TF	273.19	10.08				
Runway Transition										
FAKEY	351603.24N / 0970233.14W	Y		IF						
AACES	351619.51N / 0970839.98W	Y	FO	TF	273.12	05.01				
(11) Arrival Name FAKEY (RNAV)		(12) Number ONE		(13) STAR Computer Code RIFFL.FAKEY1		(14) Superseded Nr. NONE		(15) Dated		(16) Effective Date 24 JULY 2014

US Department of Transportation Federal Aviation Administration				RNAV STAR (Data Record)					
(1) FIX/NAVAID	(2) LAT/LONG	(3) C	(4) FO/FB	(5) LEG	(6) TC	(7) DIST	(8) ALTITUDE	(9) SPEED	(10) REMARKS
KOUN:ALL RWYS				FM	273.00				
Runway Transition									
FAKEY	351603.24N / 0970233.14W	Y		IF					
AACES	351619.51N / 0970839.98W	Y	FO	TF	273.12	05.01			
KTIK:ALL RWYS				FM	273.00				
Runway Transition									
FAKEY	351603.24N / 0970233.14W	Y		IF					
AACES	351619.51N / 0970839.98W	Y	FO	TF	273.12	05.01			
KPWA:ALL RWYS				FM	273.00				
(11) Arrival Name FAKEY (RNAV)		(12) Number ONE		(13) STAR Computer Code RIFFL.FAKEY1		(14) Superseded Nr. NONE		(15) Dated	(16) Effective Date 24 JULY 2014

STAR (Data Record)

[illegible]

QUALITY
2
CHECKED

**US Department of Transportation
Federal Aviation Administration**
STAR (Data Record)

ARINC SUMMARY - 424-18 - STAR

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	DIMPL	DIMPL	010		IF		FB					
	DIMPL	RIFFL	020		TF		FB	1.0				
	DWINE	DWINE	010		IF		FB					
	DWINE	DIMPL	020		TF		FB	1.0				
	DWINE	RIFFL	030		TF		FB	1.0				
	ALL	RIFFL	010		IF		FB					
	ALL	FAKEY	020		TF		FB	1.0				
	ALL	AACES	030		TF		FO	1.0				
	ALL	AACES	040		FM		FB		268.0()			

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	END	N362041.90	W0975506.08	N3620.698	W09755.101
	AACES	N351619.51	W0970839.98	N3516.325	W09708.666
	DIMPL	N351455.33	W0963742.47	N3514.922	W09637.708
	DWINE	N351229.02	W0961258.54	N3512.484	W09612.976
	FAKEY	N351603.24	W0970233.14	N3516.054	W09702.552
	RIFFL	N351530.15	W0965015.69	N3515.503	W09650.262
	RW03	N351410.37	W0972832.88	N3514.173	W09728.548
	RW17	N351523.18	W0972823.21	N3515.386	W09728.387
	RW21	N351448.26	W0972759.06	N3514.804	W09727.984
	RW35	N351431.77	W0972822.84	N3514.530	W09728.381

RUNWAY DATA	THRESHOLD	
RWY	ELEVATION	TCH
RW03	01175	40
RW17	01182	51
RW21	01179	40
RW35	01177	40

(11) Arrival Name FAKEY (RNAV)	(12) Number ONE	(13) STAR Computer Code RIFFL.FAKEY1	(14) Superseded Nr. NONE	(15) Dated	(16) Effective Date 24 JULY 2014
--------------------------------------	-----------------------	--	--------------------------------	---------------	--

**US Department of Transportation
Federal Aviation Administration**

STAR (Data Record)

ARINC PACKET - 424-18 - STAR

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KPWAK4EFAKEY14DIMPL	010DIMPLK4EAOE	IF						18000				
SUSAP	KPWAK4EFAKEY14DIMPL	020RIFFLK4EAOEE	010TF										
SUSAP	KPWAK4EFAKEY14DWINE	010DWINEK4EAOE	IF						18000				
SUSAP	KPWAK4EFAKEY14DWINE	020DIMPLK4EAOE	010TF										
SUSAP	KPWAK4EFAKEY14DWINE	030RIFFLK4EAOEE	010TF										
SUSAP	KPWAK4EFAKEY15ALL	010RIFFLK4EAOE	IF						18000				
SUSAP	KPWAK4EFAKEY15ALL	020FAKEYK4EAOE	010TF										
SUSAP	KPWAK4EFAKEY15ALL	030AACESK4EAOEY	010TF										
SUSAP	KPWAK4EFAKEY15ALL	040AACESK4EAOEE	FM END K4	144307462680	D								

[illegible]

(11) Arrival Name FAKEY (RNAV)	(12) Number ONE	(13) STAR Computer Code RIFFL.FAKEY1	(14) Superseded Nr. NONE	(15) Dated	(16) Effective Date 24 JULY 2014
---	------------------------------	---	---------------------------------------	----------------------	---

FAA Form 7100-3 (9/02)

**US Department of Transportation
Federal Aviation Administration****STAR (Data Record)**

SUSAP KPWAK4GRW35R 0071993550 N35313193W097384379-0100 +0369101299035550150IITFM1

(11) Arrival Name	(12) Number	(13) STAR Computer Code	(14) Superseded Nr.	(15) Dated	(16) Effective Date
FAKEY (RNAV)	ONE	RIFFL.FAKEY1	NONE		24 JULY 2014

**US Department of Transportation
Federal Aviation Administration**
STAR (Data Record)

ARINC SUMMARY - 424-18 - STAR

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	DIMPL	DIMPL	010		IF		FB					
	DIMPL	RIFFL	020		TF		FB	1.0				
	DWINE	DWINE	010		IF		FB					
	DWINE	DIMPL	020		TF		FB	1.0				
	DWINE	RIFFL	030		TF		FB	1.0				
	ALL	RIFFL	010		IF		FB					
	ALL	FAKEY	020		TF		FB	1.0				
	ALL	AACES	030		TF		FO	1.0				
	ALL	AACES	040		FM		FB		268.0()			

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	END	N362041.90	W0975506.08	N3620.698	W09755.101
	AACES	N351619.51	W0970839.98	N3516.325	W09708.666
	DIMPL	N351455.33	W0963742.47	N3514.922	W09637.708
	DWINE	N351229.02	W0961258.54	N3512.484	W09612.976
	FAKEY	N351603.24	W0970233.14	N3516.054	W09702.552
	RIFFL	N351530.15	W0965015.69	N3515.503	W09650.262
	RW13	N353206.36	W0973907.90	N3532.106	W09739.132
	RW17L	N353239.61	W0973843.81	N3532.660	W09738.730
	RW17R	N353235.86	W0973857.10	N3532.598	W09738.952
	RW31	N353136.92	W0973831.82	N3531.615	W09738.530
	RW35L	N353146.40	W0973857.10	N3531.773	W09738.952
	RW35R	N353131.93	W0973843.79	N3531.532	W09738.730

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW13	01270	50
	RW17L	01291	54
	RW17R	01283	22
	RW31	01297	50
	RW35L	01275	25
	RW35R	01299	50

(11)
Arrival Name
FAKEY (RNAV)

(12)
Number
ONE

(13)
STAR Computer Code
RIFFL.FAKEY1

(14)
Superseded Nr.
NONE

(15)
Dated

(16)
Effective Date
24 JULY 2014

**US Department of Transportation
Federal Aviation Administration**

STAR (Data Record)

ARINC PACKET - 424-18 - STAR

[illegible][illegible][illegible][illegible][illegible]

(11) Arrival Name FAKEY (RNAV)	(12) Number ONE	(13) STAR Computer Code RIFFL.FAKEY1	(14) Superseded Nr. NONE	(15) Dated	(16) Effective Date 24 JULY 2014
---	------------------------------	---	---------------------------------------	----------------------	---

**US Department of Transportation
Federal Aviation Administration**
STAR (Data Record)

ARINC SUMMARY - 424-18 - STAR

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	DIMPL	DIMPL	010		IF		FB					
	DIMPL	RIFFL	020		TF		FB	1.0				
	DWINE	DWINE	010		IF		FB					
	DWINE	DIMPL	020		TF		FB	1.0				
	DWINE	RIFFL	030		TF		FB	1.0				
	ALL	RIFFL	010		IF		FB					
	ALL	FAKEY	020		TF		FB	1.0				
	ALL	AACES	030		TF		FO	1.0				
	ALL	AACES	040		FM		FB		268.0()			

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	END	N362041.90	W0975506.08	N3620.698	W09755.101
	AACES	N351619.51	W0970839.98	N3516.325	W09708.666
	DIMPL	N351455.33	W0963742.47	N3514.922	W09637.708
	DWINE	N351229.02	W0961258.54	N3512.484	W09612.976
	FAKEY	N351603.24	W0970233.14	N3516.054	W09702.552
	RIFFL	N351530.15	W0965015.69	N3515.503	W09650.262
	RW13	N352529.47	W0972415.51	N3525.491	W09724.259
	RW18	N352544.41	W0972255.56	N3525.740	W09722.926
	RW31	N352424.53	W0972244.38	N3524.409	W09722.740
	RW36	N352354.62	W0972255.67	N3523.910	W09722.928

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW13	01227	47
	RW18	01260	51
	RW31	01276	71
	RW36	01291	51

(11)
Arrival Name
FAKEY (RNAV)

(12)
Number
ONE

(13)
STAR Computer Code
RIFFL.FAKEY1

(14)
Superseded Nr.
NONE

(15)
Dated

(16)
Effective Date
24 JULY 2014