

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION LOC/DME STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.25										Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.										
TERMINAL ROUTES										MISSED APPROACH										
FROM			TO			COURSE AND DISTANCE			ALTITUDE		MAP: SHY 4.70 DME FIX									
SGF VORTAC			SHY VOR/DME			036.11 / 53.83			3100		CLIMB TO 3100 DIRECT SHY VOR/DME AND HOLD, CONTINUE CLIMB-IN-HOLD TO 3100. ADDITIONAL FLIGHT DATA: HOLD SW, RT, 037.04 INBOUND. CHART FAS OBST: 994 TREE 380700N/0923200W CHART SHY R-353 AT BARTI. CHART SHY R-064 AT ZOPUD. PICYU TO RW22: 3.00/42.									
SHY VOR/DME			PICYU/SHY 9.68 DME			037.04 / 9.68			2500											
BARTI INT/SHY 19.48 DME CW (IAF)			YEPUY/SHY 19.48 DME (NOPT)			19.48 DME ARC (SHY LR-031)			3000											
ZOPUD/SHY 19.48 DME CCW (IAF)			YEPUY/SHY 19.48 DME (NOPT)			19.48 DME ARC (SHY LR-043)			3000											
YEPUY/SHY 19.48 DME (IF)			PICYU/SHY 9.68 DME			217.08 / 9.79 (I-AIZ)			2500											
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD NE PICYU, LT, 217.08 INBOUND, 2500 FT. IN LIEU OF PT (IAF) 3. FAC <u>217.08</u> FAF PICYU/SHY 9.68 DME <u> </u> DIST FAF TO MAP <u> </u> THLD <u>4.99</u> 4. MIN. ALT <u>PICYU 2500, OSDAE/SHY 7.20 DME 1700</u> 8. MSA FROM: SHY VOR/DME 3100										MAG VAR: 0E EPOCH YEAR: 2015										
MINIMUMS																				
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A <input checked="" type="checkbox"/> X										
CATEGORY =====>		A			B			C			D			E						
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA					
S-22	1260	1	391	1260	1	391	1260	1 1/8	391		NA									
CIRCLING	1320	1	451	1320	1	451	1380	1 1/2	511		NA									
NOTES: CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CAMDENTON ALTIMETER SETTING AND INCREASE ALL MDA 60 FT AND S-22 CAT C VISIBILITY 1/4 MILE. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1SM NOT AUTHORIZED. CHART NOTE: DME FROM SHY VOR/DME. SIMULTANEOUS RECEPTION OF I-AIZ AND SHY VOR/DME REQUIRED.																				
CITY AND STATE KAISER LAKE OZARK, MO				ELEVATION: 869 THRE: 869 AIRPORT NAME: LEE C FINE MEMORIAL				FACILITY IDENTIFIER: I-AIZ		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: LOC/DME RWY 22, AMDT 2 05/02/13						SUP LOC/DME RWY 21 AMDT 1C DATE 08/03/2006				

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
LOC/DME STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE

KAISER LAKE OZARK, MO

ELEVATION: 869

THRE: 869

AIRPORT NAME:

LEE C FINE MEMORIAL

FACILITY
IDENTIFIER:
I-AIZ

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
LOC/DME RWY 22, AMDT 2
05/02/13

SUP: LOC/DME RWY 21

AMDT: 1C

DATED: 08/03/2006

FLIGHT STANDARDS SERVICES - FAR PART 97.25

ARINC PACKET - 424-18 - LOC

CITY AND STATE KAISER LAKE OZARK, MO	ELEVATION: 869 THRE: 869 AIRPORT NAME: LEE C FINE MEMORIAL	FACILITY IDENTIFIER: I-AIZ	PROCEDURE NO. /AMDT NO. / EFFECTIVE DATE: LOC/DME RWY 22, AMDT 2 05/02/13	SUP: LOC/DME RWY 21
				AMDT: 1C
				DATED: 08/03/2006

FLIGHT STANDARDS SERVICES - FAR PART 97.25

[illegible]

SUP:	LOC/DME RWY 21
AMDT:	1C
DATED:	08/03/2006

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

LOC STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - FAR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - LOC

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	BARTI	BARTI	010	IAF	IF		FB					
	BARTI	YEPUY	020		AF	R	FB		353.2()		AA 03000	
	SGF	SGF	010		IF		FB					
	SGF	SHY	020		TF		FB				AA 03100	
	SGF	PICYU	030		TF		FO				AA 02500	
	SGF	PICYU	040	IAF	HF	L	FO		217.1()	T01.0	AA 02500	
	ZOPUD	ZOPUD	010	IAF	IF		FB					
	ZOPUD	YEPUY	020		AF	L	FB		064.2()		AA 03000	
		YEPUY	010	FACF	IF		FB				AA 03000	
		PICYU	020	PAP	CF		FB		217.0()	009.8	AA 02500	
		OSDAE	021	SDF	CF		FB		217.0()	002.5	AA 01700	
		RW22	030	MAP	CF		FO		217.0()	002.5	AT 00911	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	SHY	040		DF		FO				AA 03100	
	SHY	050		HM	R	FO		037.0()	T01.0	AA 03100	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	SGF	N372121.41	W0932002.55	N3721.357	W09320.043
	SHY	N380226.24	W0923608.68	N3802.437	W09236.145
	BARTI	N382148.41	W0923903.76	N3821.807	W09239.063
	OSDAE	N380811.10	W0923039.00	N3808.185	W09230.650
	PICYU	N381010.32	W0922844.78	N3810.172	W09228.746
	YEPUY	N381759.02	W0922114.42	N3817.984	W09221.240
	ZOPUD	N381053.13	W0921353.60	N3810.886	W09213.893
	RW22	N380611.32	W0923233.63	N3806.189	W09232.561
	IAIZ (LOC)	N380512.17	W0923330.18	N3805.203	W09233.503

RUNWAY DATA	THRESHOLD	ELEVATION	TCH
RWY			
RW22	00869		42

CITY AND STATE
KAISER LAKE OZARK, MO

ELEVATION: 869 THRE: 869
AIRPORT NAME:
LEE C FINE MEMORIAL

FACILITY
IDENTIFIER:

I-AIZ

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
LOC/DME RWY 22, AMDT 2
05/02/13

SUP: LOC/DME RWY 21
AMDT: 1C
DATED: 08/03/2006