

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES							MISSED APPROACH									
FROM		TO		COURSE AND DISTANCE			ALTITUDE		LNAV: RW17							
ORWAY		OHAGY (FB)		303.75 / 20.74			7500		CLIMB TO 6000 THEN CLIMBING LEFT TURN TO 7500 DIRECT BORUM AND HOLD.							
STANO		OGHAL (FB)		032.31 / 13.95			8100									
DRAKE (IAF)		ZENRU (FB)		208.30 / 7.74			7000									
OHAGY (IAF)		ZENRU (FB)		260.40 / 6.00			7000									
OGHAL (IAF)		ZENRU (FB)		080.24 / 6.00			7000									
ZENRU (IF)		PUBXO (FB)		170.32 / 6.50			6500									
PUBXO (FAF)		RW17 (MAP) (FO)		170.33 / 5.40					ADDITIONAL FLIGHT DATA: HOLD S, RT, 341.00 INBOUND. FAS OBST: 5379 AAO 382224N/1043104W 5529 AAO 382345N/1043158W CHART R-2601. CHART VDP AT 2.70 MILES TO RW17. PUBXO TO RW17: 3.00/50.0.							
(SEE FORM 8260-10)																
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																
2. PROFILE STARTS AT ZENRU _____																
3. FAC: 170.33 FAF: PUBXO _____ DIST FAF TO MAP: 5.40 THLD: 5.40																
4. MIN. ALT: ZENRU 7000, PUBXO 6500																
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR																
8. MSA FROM: RW17 10200																
MAG VAR: 8E EPOCH YEAR: 2015																
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT ALTERNATE: N A @																
CATEGORY =====>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	5640	1 1/4	911	5640	1 1/4	911	5640	2 1/2	911	5640	2 1/2	911				
CIRCLING	5640	1 1/4	911	5640	1 1/4	911	5640	2 3/4	911	5640	3	911				
NOTES:																
CHART NOTE: DME/DME RNP-0.3 NA.																
CHART NOTE: VDP NA WITH LA JUNTA ALTIMETER SETTING.																
CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.																
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LA JUNTA ALTIMETER SETTING AND INCREASE																
(SEE FORM 8260-10)																
CITY AND STATE		ELEVATION: 4729 THREE: 4729		AIRPORT NAME:		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:				
PUEBLO, CO				PUEBLO MEMORIAL		RNAV		RNAV (GPS) RWY 17, ORIG				AMDT: NONE				
								27 JUNE 2013				DATED				

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
RW17 (MAP)	6000 MSL	170.33	6000
6000 MSL	BORUM (FO)		7500

NOTES, (CONT.):

ALL MDA 200 FEET; INCREASE RNAV CAT B VISIBILITY AND CIRCLING CAT B/C VISIBILITY 1/4 MILE,
CIRCLING CAT D VISIBILITY 1/2 MILE.
CHART PLANVIEW NOTE AT OGHAL AND OHAGY : MAX 210 KIAS.

CITY AND STATE
PUEBLO, CO

ELEVATION: 4729 THRE: 4729
AIRPORT NAME:
PUEBLO MEMORIAL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 17, ORIG
27 JUNE 2013

SUP:
AMDT: NONE
DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KPUBK2FR17	ADRAKE	010DRAKEK2EA0E	A	IF					18000		B	JS
SUSAP	KPUBK2FR17	ADRAKE	020ZENRUK2EA0EE	B	010TF		20830077	+	07000			B	JS
SUSAP	KPUBK2FR17	AORWAY	010ORWAYK2EA0E		IF					18000		B	JS
SUSAP	KPUBK2FR17	AORWAY	020OHAGYK2EA0E	A	020TF		30380207	+	07500	210		B-JS	
SUSAP	KPUBK2FR17	AORWAY	030ZENRUK2EA0EE	B	010TF		26040060	+	07000			B	JS
SUSAP	KPUBK2FR17	ASTANO	010STANOK2EA0E		IF					18000		B	JS
SUSAP	KPUBK2FR17	ASTANO	020OGHALK2EA0E	A	020TF		03230140	+	08100	210		B-JS	
SUSAP	KPUBK2FR17	ASTANO	030ZENRUK2EA0EE	B	010TF		08020060	+	07000			B	JS
SUSAP	KPUBK2FR17	R	010ZENRUK2EA0E	I	IF			+	07000	18000		B	JS
SUSAP	KPUBK2FR17	R	020PUBXOK2EA1E	F	051TF		17030065	+	06500		RW17	K2PGB	JS
SUSAP	KPUBK2FR17	R	020PUBXOK2EA2WN			N	ALNAV						JS
SUSAP	KPUBK2FR17	R	030RW17 K2PG0GY	M	031TF		17030054		04779	-300		B	JS
SUSAP	KPUBK2FR17	R	040	0	M	CA	1703	+	06000			B	JS
SUSAP	KPUBK2FR17	R	050BORUMK2EA0EY	L	DF			+	07500			B	JS
SUSAP	KPUBK2FR17	R	060BORUMK2EA0EE	R	HM		34100070	+	07500			B	JS

[illegible][illegible]FAA FORM 8260 - 10 / April 2006 (Computer Generated)

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP KPUBK2SRW17 K2PG

0 18018010225

M

CITY AND STATE
PUEBLO, CO

ELEVATION: **4729** **THRE: 4729**
AIRPORT NAME:
PUEBLO MEMORIAL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 17, ORIG
27 JUNE 2013

SUP:
AMDT: **NONE**
DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	DRAKE	DRAKE	010	IAF	IF		FB					
	DRAKE	ZENRU	020		TF		FB	1.0	208.3 (216.3T)	007.7	AA 07000	
	ORWAY	ORWAY	010		IF		FB					
	ORWAY	OHAGY	020	IAF	TF		FB	2.0	303.8 (311.8T)	020.7	AA 07500	AB 210
	ORWAY	ZENRU	030		TF		FB	1.0	260.4 (268.4T)	006.0	AA 07000	
	STANO	STANO	010		IF		FB					
	STANO	OGHAL	020	IAF	TF		FB	2.0	032.3 (040.3T)	014.0	AA 08100	AB 210
	STANO	ZENRU	030		TF		FB	1.0	080.2 (088.2T)	006.0	AA 07000	
		ZENRU	010	FACF	IF		FB				AA 07000	
		PUBXO	020	FAF	TF		FB	0.5	170.3 (178.3T)	006.5	AA 06500	
		RW17	030	MAP	TF		FO	0.3	170.3 (178.3T)	005.4	AT 04779	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		170.3 (178.3T)		AA 06000	
	BORUM	050		DF	L	FO				AA 07500	
	BORUM	060		HM	R	FO		341.0 (349.0T)	007.0	AA 07500	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	BORUM	N380530.37	W1042210.27	N3805.506	W10422.171
	DRAKE	N383624.05	W1042451.18	N3836.401	W10424.853
	OGHAL	N382958.69	W1043819.58	N3829.978	W10438.326
	OHAGY	N383019.82	W1042302.78	N3830.330	W10423.046
	ORWAY	N381632.08	W1040320.14	N3816.535	W10403.336
	PUBXO	N382339.37	W1043026.70	N3823.656	W10430.445
	STANO	N381920.32	W1044949.29	N3819.339	W10449.822
	ZENRU	N383009.50	W1043041.20	N3830.158	W10430.687
	RW17	N381815.06	W1043014.69	N3818.251	W10430.245

RUNWAY DATA	THRESHOLD	ELEVATION	TCH
RWY			
RW17	04729		50

CITY AND STATE PUEBLO, CO	ELEVATION: 4729	THRE: 4729	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: PUEBLO MEMORIAL		RNAV	RNAV (GPS) RWY 17, ORIG	AMDT: NONE
				27 JUNE 2013	DATED: