

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: GOCEB CLIMBING LEFT TURN TO 3500 DIRECT TO APWIS AND HOLD. ADDITIONAL FLIGHT DATA: FAS OBST: 224 TREE 613422N/1593028W HAFRU TO RW28: 3.04/52 ROUTE TYPE DESCRIPTION: A, P APPROACH ROUTE QUALIFIER 2: S CHART VDP AT 0.76 MILES TO GOCEB											
ANI NDB (40N)	APWIS (TF) (FB) (40E) (43B)	101.52/13.11	3500												
EBSIH (IAF) (40E) (43A)	APWIS (NoPT) (TF) (FB) (40E) (41E) (43B)	243.94/10.15	3500												
CERGU (IAF) (40E) (43A)	APWIS (NoPT) (TF) (FB) (40E) (41E) (43B)	340.26/9.60	3500												
APWIS (IF/IAF) (40E) (43I)	HAFRU (TF) (FB) (40E) (43F)	283.50/6.17	1700												
GOCEB (MAP) (40G) (41Y) (43M)	488 MSL (CA) (42M)	283.34													
488 MSL	APWIS (DF) (FO) (40E) (41E) (43H)		3500												
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD E APWIS, RT, 283.50 INBOUND, 3500 FT. IN LIEU OF PT (IAF) (40E) (41E) (43C) 3. FAC: 283.34 FAF: HAFRU _____ DIST FAF TO MAP: 4.34 THLD: 4.83 4. MIN. ALT: APWIS 3500, HAFRU 1700 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR 8. MSA FROM: GOCEB 4900															
				MAG VAR: 18E EPOCH YEAR: 00											
MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A		STANDARD@									
CATEGORY ==>	A			B			C			D			E		
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA
LNAV MDA	540	1	452	540	1	452	540	1 1/4	452	540	1 1/2	452			
CIRCLING	580	1	492	580	1	492	580	1 1/2	492	740	2	652			
NOTES: CHART NOTES: DME/DME RNP-0.3 NA. CIRCLING NA N OF RWY 10-28. IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE KALSAG ALTIMETER SETTING AND INCREASE ALL MDA'S 60 FEET. VDP NA WHEN USING KALSAG ALTIMETER SETTING. PROCEDURE NA FOR ARRIVALS AT EBSIH VIA V508 SOUTHEAST BOUND.								@NA WHEN LOCAL WEATHER NOT AVAILABLE							
CITY AND STATE		ELEVATION: 88 TDZE: 88		FACILITY IDENTIFIER:		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:		SUP:							
ANIAK, AK		AIRPORT NAME: ANIAK		RNAV		JUL -7 2005 RNAV (GPS) RWY 28, AMDT 1		AMDT: ORIG							
								DATE 3/22/2003							