

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
1421 MSL	SIKBE (FB)		
SIKBE	JENUN (FO)	188.11 / 9.11	3000

NOTES, (CONT.):

CHART NOTE: RWY 20 STRAIGHT-IN AND CIRCLING TO RWY 20/30 NA AT NIGHT.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1SM NOT AUTHORIZED.

QUALITY
4
CHECKED

CITY AND STATE
WISCONSIN RAPIDS, WI

ELEVATION: 1021 THRE: 1021
AIRPORT NAME:
ALEXANDER FIELD SOUTH WOOD COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 20, ORIG
27 JUNE 2013

SUP:
AMDT: NONE
DATED:

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KISWK5FR20	ABELGO	010BELGOK5EA0E	IF						18000		B JS	
SUSAP	KISWK5FR20	ABELGO	020AKAKEK5EA0EY	020TF			10490290	+ 03000				B JS	
SUSAP	KISWK5FR20	ABELGO	030AKAKEK5EA0EE	AR HF			20090040	+ 03000				B JS	
SUSAP	KISWK5FR20	ASTE	010STE K5D 0V	A IF						18000		B JS	
SUSAP	KISWK5FR20	ASTE	020AKAKEK5EA0EE	B 010TF			27090093	+ 03000				B JS	
SUSAP	KISWK5FR20	R	010AKAKEK5EA0E	I IF				+ 03000		18000		B JS	
SUSAP	KISWK5FR20	R	020MERVEK5EA1E	F 051TF			20090060	+ 02700			RW20	K5PGB JS	
SUSAP	KISWK5FR20	R	020MERVEK5EA2WN		N	ALNAV						JS	
SUSAP	KISWK5FR20	R	021UHTIZK5EA0E	S 031TF			20080033	V 0166001662		-300		B JS	
SUSAP	KISWK5FR20	R	030RW20 K5PG0GY	M 031TF			20080019	01057		-300		B JS	
SUSAP	KISWK5FR20	R	040	0 M CA			2008	+ 01421				B JS	
SUSAP	KISWK5FR20	R	050SIKBEK5EA0E	DF								B JS	
SUSAP	KISWK5FR20	R	060JENUNK5EA0EY	010TF			1881	+ 03000				B JS	
SUSAP	KISWK5FR20	R	070JENUNK5EA0EE	R HM			18810040	+ 03000				B JS	

[illegible]

QUALITY
634
CHECKED

CITY AND STATE
WISCONSIN RAPIDS, WI

ELEVATION: 1021	THRE: 1021
AIRPORT NAME:	
ALEXANDER FIELD SOUTH WOOD COUNTY	

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 20, ORIG
27 JUNE 2013

SUP:	
AMDT:	NONE
DATED:	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

MSA 1234567890123456789012345678901234567890123456789012345678901234567890123456789012

SUSAP KISWK5SRW20 K5PG 0 18018003025 M

QUALITY
4
CHECKED

CITY AND STATE WISCONSIN RAPIDS, WI	ELEVATION: 1021	THRE: 1021	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 20, ORIG 27 JUNE 2013	SUP:
	AIRPORT NAME: ALEXANDER FIELD SOUTH WOOD COUNTY				AMDT: NONE
					DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	BELGO	BELGO	010		IF		FB					
	BELGO	AKAKE	020		TF		FO	2.0	104.9 (103.9T)	029.0	AA 03000	
	BELGO	AKAKE	030	IAF	HF	R	FO		200.9 (199.9T)	004.0	AA 03000	
	STE	STE	010	IAF	IF		FB					
	STE	AKAKE	020		TF		FB	1.0	270.9 (269.9T)	009.3	AA 03000	
		AKAKE	010	FACF	IF		FB				AA 03000	
		MERVE	020	FAF	TF		FB	0.5	200.9 (199.9T)	006.0	AA 02700	
		UHTIZ	021	SDF	TF		FB	0.3	200.8 (199.8T)	003.3	AA 01660	GS 01662
		RW20	030	MAP	TF		FO	0.3	200.8 (199.8T)	001.9	AT 01057	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		200.8 (199.8T)		AA 01421	
	SIKBE	050		DF		FB					
	JENUN	060		TF		FO	1.0	188.1 (187.1T)		AA 03000	
	JENUN	070		HM	R	FO		188.1 (187.1T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	STE	N443235.69	W0893150.02	N4432.595	W08931.834
	AKAKE	N443233.66	W0894447.74	N4432.561	W08944.796
	BELGO	N443939.65	W0902412.79	N4439.661	W09024.213
	JENUN	N441016.65	W0895301.23	N4410.278	W08953.021
	MERVE	N442654.37	W0894738.72	N4426.906	W08947.645
	SIKBE	N441919.15	W0895127.21	N4419.319	W08951.454
	UHTIZ	N442350.43	W0894911.18	N4423.841	W08949.186
	RW20	N442203.17	W0895005.01	N4422.053	W08950.084

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW20	01021	36

QUALITY
4
CHECKED

CITY AND STATE WISCONSIN RAPIDS, WI	ELEVATION: 1021	THRE: 1021	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: ALEXANDER FIELD SOUTH WOOD COUNTY		RNAV	RNAV (GPS) RWY 20, ORIG	AMDT: NONE
				27 JUNE 2013	DATED: