

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH			
FROM	TO	COURSE AND DISTANCE	ALTITUDE				
JEN VORTAC	SACOK (FO)	082.33 / 26.76	3000	LPV: DA LNAV/VNAV: DA LNAV: RW33 CLIMB TO 3000 DIRECT GOKNE AND HOLD.			
ACT VORTAC (IAF)	SACOK (NOPT) (FB)	346.08 / 30.78	3000				
SACOK (IF/IAF)	ZOLOM (FB)	333.24 / 6.13	2500	ADDITIONAL FLIGHT DATA: HOLD NW, RT, 153.16 INBOUND. CHART FAS OBST: 878 POLE 322035N/0972550W CHART FAS OBST: 914 TREE 322103N/0972542W DISTANCE TO THLD FROM 250 HATH: 0.66 NM. CHART VDP AT 0.93 MILES TO RW33* *LNAV ONLY. WAAS CHANNEL # 82632 REFERENCE PATH ID: W33A CHART CIRCLING ICON LTP HAE: 229.9 M			
ZOLOM (FAF)	YUSUD/1.90 NM TO RW33 (FB)	333.22 / 3.17					
YUSUD/1.90 NM TO RW33	RW33 (MAP) (FO)	333.22 / 1.90					
RW33 (MAP)	1095 MSL	333.22					
1095 MSL	GOKNE (FO)		3000				

1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF)		MAG VAR: 6E EPOCH YEAR: 2000
2. HOLD SE SACOK, RT, 333.24 INBOUND, 3000 FT. IN LIEU OF PT (IAF)		
3. FAC: 333.22 FAF: ZOLOM DIST FAF TO MAP: 5.07 THLD: 5.07		
4. MIN. ALT: SACOK 3000, ZOLOM 2500, YUSUD/1.90 NM TO RW33 1480*		
5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u>		
6. MIN GS INCPT: 2500 GS ALT AT: ZOLOM 2500 OM: <u> </u> MM: <u> </u> IM: <u> </u>		
7. GS ANGLE: 3.00 TCH: 40.0 34:1 IS NOT CLEAR		
8. MSA FROM: RW33 3600		

MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD @						
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	1095	7/8	250	1095	7/8	250	1095	7/8	250	1095	7/8	250			
LNAV/VNAV DA	1095	7/8	250	1095	7/8	250	1095	7/8	250	1095	7/8	250			
LNAV MDA	1180	1	335	1180	1	335	1180	1	335	1180	1	335			
CIRCLING	1400	1	546	1400	1	546	1680	2 1/2	826	1700	2 3/4	846			

NOTES:
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (4F) OR ABOVE 54C (130F).
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON JEN VORTAC AIRWAY RADIALS 344 CW 083.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON ACT VORTAC AIRWAY RADIALS 271 CW 050.
 (SEE FORM 8260-10)

@ CAT C 900-2 1/2, CAT D 900-2 3/4
 @ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE CLEBURNE, TX	ELEVATION: 854 THRE: 845	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 33, AMDT 1 27 JUNE 2013	SUP:
	AIRPORT NAME: CLEBURNE RGNL			AMDT: ORIG
				DATED 02/14/2008

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE FORT WORTH MEACHAM INTL ALTIMETER SETTING, AND INCREASE ALL DA 85FT AND ALL MDA 100FT, AND INCREASE LPV VISIBILITY ALL CATS 1/4 MILE, INCREASE LNAV/VNAV VISIBILITY ALL CATS 1/4 MILE, INCREASE LNAV CAT C,D VISIBILITY 1/4 MILE AND INCREASE CIRCLING CAT C,D VISIBILITY 1/4 MILE.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED

CHART NOTE: BARO VNAV AND VDP NA WHEN USING FORT WORTH MEACHAM INTL ALTIMETER SETTING



CITY AND STATE CLEBURNE, TX	ELEVATION: 854	THRE: 845	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 33, AMDT 1 27 JUNE 2013	SUP:
	AIRPORT NAME:				AMDT: ORIG
	CLEBURNE RGNL				DATED: 02/14/2008

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KCPT
RUNWAY	RW33
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W33A
LTP/FTP LATITUDE	322047.1775N
LTP/FTP LONGITUDE	0972549.6995W
LTP/FTP ELLIPSOIDAL HEIGHT	+02299
FPAP LATITUDE	322210.6400N
FPAP LONGITUDE	0972627.0600W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1016
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

2BAEEE69

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+02575
FPAP ORTHOMETRIC HEIGHT	+02575

CITY AND STATE
CLEBURNE, TX

ELEVATION: 854 THRE: 845
AIRPORT NAME:
CLEBURNE RGNL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 33, AMDT 1
27 JUNE 2013

SUP:	
AMDT:	ORIG
DATED:	02/14/2008

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KCPTK4FR33	AACT	010ACT	K4D 0V	A	IF				18000		A	JS
SUSAP	KCPTK4FR33	AACT	020SACOKK4EA0EE	B	010TF		34610308	+	03000			A	JS
SUSAP	KCPTK4FR33	AJEN	010JEN	K4D 0V	IF					18000		A	JS
SUSAP	KCPTK4FR33	AJEN	020SACOKK4EA0EY		020TF		08230268	+	03000			A	JS
SUSAP	KCPTK4FR33	AJEN	030SACOKK4EA0EE	AR	HF		33320040	+	03000			A	JS
SUSAP	KCPTK4FR33	R	010SACOKK4EA0E	I	IF			+	03000	18000		A	JS
SUSAP	KCPTK4FR33	R	020ZOLOMK4EA1E	F	051TF		33320061	+	02500		RW33	K4PGA	JS
SUSAP	KCPTK4FR33	R	020ZOLOMK4EA2WALPV			ALNAV/VNAV							JS
SUSAP	KCPTK4FR33	R	021YUSUDK4EA0E	S	031TF		33320032	V	0148001490		-300	A	JS
SUSAP	KCPTK4FR33	R	030RW33	K4PGOGY	M	031TF	33320019		00885		-300	A	JS
SUSAP	KCPTK4FR33	R	040		M	CA	3332	+	01095			A	JS
SUSAP	KCPTK4FR33	R	050GOKNEK4EA0EY		DF			+	03000			A	JS
SUSAP	KCPTK4FR33	R	060GOKNEK4EA0EE	R	HM		15320040	+	03000			A	JS

[illegible][illegible]

CITY AND STATE
CLEBURNE, TX

ELEVATION: 854 THRE: 845
AIRPORT NAME: CLEBURNE RGNL

FACILITY
IDENTIFIER:
| RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 33, AMDT 1
27 JUNE 2013

SUP:	
AMDT:	ORIG
DATED:	02/14/2008

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP KCPTK4PR33 RW33 001 0000W33A0N3220471775W09725496995+022990300N3222106400W09726270600106751016000400F4005002BAEEE69
SUSAP KCPTK4PR33 RW33 002E +02575+02575LPV 82632

MSA 1 2 3 4 5 6 7 8 9 0 1 2 3
12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012

SUSAP KCPTK4SRW33 K4PG 0 18018003625 M



CITY AND STATE CLEBURNE, TX	ELEVATION: 854	THRE: 845	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 33, AMDT 1 27 JUNE 2013	SUP:
	AIRPORT NAME: CLEBURNE RGNL				AMDT: ORIG
					DATED: 02/14/2008

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ACT	ACT	010	IAF	IF		FB					
	ACT	SACOK	020		TF		FB	1.0	346.1 (352.1T)	030.8	AA 03000	
	JEN	JEN	010		IF		FB					
	JEN	SACOK	020		TF		FO	2.0	082.3 (088.3T)	026.8	AA 03000	
	JEN	SACOK	030	IAF	HF	R	FO		333.2 (339.2T)	004.0	AA 03000	
		SACOK	010	FACF	IF		FB				AA 03000	
		ZOLOM	020	FAF	TF		FB	0.5	333.2 (339.2T)	006.1	AA 02500	
		YUSUD	021	SDF	TF		FB	0.3	333.2 (339.2T)	003.2	AA 01480	GS 01490
		RW33	030	MAP	TF		FO	0.3	333.2 (339.2T)	001.9	AT 00885	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		333.2 (339.2T)		AA 01095	
	GOKNE	050		DF		FO				AA 03000	
	GOKNE	060		HM	R	FO		153.2 (159.2T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ACT	N313944.39	W0971608.53	N3139.740	W09716.142
	JEN	N320934.52	W0975239.65	N3209.575	W09752.661
	GOKNE	N323205.85	W0973054.01	N3232.098	W09730.900
	SACOK	N321017.55	W0972108.54	N3210.293	W09721.142
	YUSUD	N321900.39	W0972501.93	N3219.007	W09725.032
	ZOLOM	N321602.12	W0972342.26	N3216.035	W09723.704
	RW33	N322047.18	W0972549.70	N3220.786	W09725.828

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW33	00845	40

CITY AND STATE CLEBURNE, TX	ELEVATION: 854	THRE: 845	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME:			RNAV (GPS) RWY 33, AMDT 1	AMDT: ORIG
	CLEBURNE RGNL		RNAV	27 JUNE 2013	DATED: 02/14/2008