

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT RABBT ON V8 EASTBOUND.

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.

CHART NOTE: VDP NA WITH FORT WAYNE ALTIMETER SETTING.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ILTON ON V221 NORTHEAST BOUND.

CITY AND STATE

KENDALLVILLE, IN

ELEVATION: 1004

THRE: 999

AIRPORT NAME:

KENDALLVILLE MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 10, ORIG

19 SEPTEMBER 2013

SUP:

AMDT: NONE

DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	C62
RUNWAY	RW10
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W10A
LTP/FTP LATITUDE	412822.3925N
LTP/FTP LONGITUDE	0851607.7505W
LTP/FTP ELLIPSOIDAL HEIGHT	+02715
FPAP LATITUDE	412819.8400N
FPAP LONGITUDE	0851409.2700W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1408
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER

53CC0142

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K5
LTP ORTHOMETRIC HEIGHT	+03046
FPAP ORTHOMETRIC HEIGHT	+03046

CITY AND STATE
KENDALLVILLE, IN

ELEVATION: 1004 THRE: 999
AIRPORT NAME:
KENDALLVILLE MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 10, ORIG
19 SEPTEMBER 2013

SUP:
AMDT: NONE
DATED:

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible]

AIRPORT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP C62 K5AC62	0	043YHN41282178W085153891W004001004	18000018000C	MNAR	KENDALLVILLE MUNI								

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP C62 K5FR10	ABAGEL	010BAGELK5EA0E	A	IF						18000		A JS	
SUSAP C62 K5FR10	ABAGEL	020ZIVARK5EA0EE	B	010TF			11130079	+	03000			A JS	
SUSAP C62 K5FR10	AILTON	010ILTONK5EA0E		IF						18000		A JS	
SUSAP C62 K5FR10	AILTON	020ZIVARK5EA0EY		020TF			27040208	+	03000			A JS	
SUSAP C62 K5FR10	AILTON	030ZIVARK5EA0EE	AR	HF			09550040	+	03000			A JS	
SUSAP C62 K5FR10	ARABBT	010RABBTK5EA0E	A	IF						18000		A JS	
SUSAP C62 K5FR10	ARABBT	020ZIVARK5EA0EE	B	010TF			04260056	+	03000			A JS	
SUSAP C62 K5FR10	R	010ZIVARK5EA0E	I	IF				+	03000	18000		A JS	
SUSAP C62 K5FR10	R	011EDXURK5EA0E	S	051TF			09550020	+	02500			A JS	
SUSAP C62 K5FR10	R	020HIATTK5EA1E	F	051TF			09550020	+	02300		RW10	K5PGA	JS
SUSAP C62 K5FR10	R	020HIATTK5EA2WALP			N	ALNAV						JS	
SUSAP C62 K5FR10	R	030RW10 K5PG0GY	M	031TF			09560040		01039	-300		A JS	
SUSAP C62 K5FR10	R	040	O	M	CA		0956	+	01360			A JS	
SUSAP C62 K5FR10	R	050JOTROK5EA0EY		DF				+	03000			A JS	
SUSAP C62 K5FR10	R	060JOTROK5EA0EE	L	HM			27580040	+	03000			A JS	

[illegible][illegible]

CITY AND STATE
KENDALLVILLE, IN

ELEVATION: 1004	THRE: 999
AIRPORT NAME: KENDALLVILLE MUNI	

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 10, ORIG
19 SEPTEMBER 2013

SUP:	
AMDT:	NONE
DATED:	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP C62 K5PR10 RW10 002E +03046+03046LP 40035

MSA 1 2 3 4 5 6 7 8 9 0 1 2 3
1234567890123456789012345678901234567890123456789012345678901234567890123456789012

SUSAP C62 K5SRW10 K5PG 0 18018002725 M

CITY AND STATE
KENDALLVILLE, IN

ELEVATION: 1004 THRE: 999
AIRPORT NAME:
KENDALLVILLE MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 10, ORIG
19 SEPTEMBER 2013

SUP:
AMDT: NONE
DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	BAGEL	BAGEL	010	IAF	IF		FB					
	BAGEL	ZIVAR	020		TF		FB	1.0	111.3 (107.3T)	007.9	AA 03000	
	ILTON	ILTON	010		IF		FB					
	ILTON	ZIVAR	020		TF		FO	2.0	270.4 (266.4T)	020.8	AA 03000	
	ILTON	ZIVAR	030	IAF	HF	R	FO		095.5 (091.5T)	004.0	AA 03000	
	RABBT	RABBT	010	IAF	IF		FB					
	RABBT	ZIVAR	020		TF		FB	1.0	042.6 (038.6T)	005.6	AA 03000	
		ZIVAR	010	FACF	IF		FB				AA 03000	
		EDXUR	011	SDF	TF		FB	0.5	095.5 (091.5T)	002.0	AA 02500	
		HIATT	020	FAF	TF		FB	0.5	095.5 (091.5T)	002.0	AA 02300	
		RW10	030	MAP	TF		FO	0.3	095.6 (091.6T)	004.0	AT 01039	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		095.6 (091.6T)		AA 01360	
	JOTRO	050		DF		FO				AA 03000	
	JOTRO	060		HM	L	FO		275.8 (271.8T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	BAGEL	N413057.51	W0853649.28	N4130.959	W08536.821
	EDXUR	N412832.36	W0852406.48	N4128.539	W08524.108
	HIATT	N412829.03	W0852123.64	N4128.484	W08521.394
	ILTON	N412957.12	W0845912.68	N4129.952	W08459.211
	JOTRO	N412806.91	W0850431.76	N4128.115	W08504.529
	RABBT	N412412.41	W0853125.66	N4124.207	W08531.428
	ZIVAR	N412835.56	W0852646.06	N4128.593	W08526.768
	RW10	N412822.39	W0851607.75	N4128.373	W08516.129

RUNWAY DATA	THRESHOLD		
RWY	ELEVATION	TCH	
RW10	00999	40	

CITY AND STATE KENDALLVILLE, IN	ELEVATION: 1004	THRE: 999	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: KENDALLVILLE MUNI		RNAV	RNAV (GPS) RWY 10, ORIG	AMDT: NONE
				19 SEPTEMBER 2013	DATED: