

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW19L					
AKAYA (IAF)		JAXSU (NOPT) (FB)		106.00 / 7.00				3600		CLIMB TO 3600 DIRECT YELOO AND HOLD.					
EVACE (IAF)		JAXSU (NOPT) (FB)		286.16 / 7.00				3600							
JAXSU (IF/IAF)		KECHI (FB)		196.08 / 8.09				3000							
KECHI (FAF)		HELUM/1.70 NM TO RW19L (FB)		196.04 / 3.41											
HELUM/1.70 NM TO RW19L		RW19L (MAP) (FO)		196.04 / 1.70						ADDITIONAL FLIGHT DATA: HOLD S, RT, 015.97 INBOUND. CHART FAS OBST: 1457 TOWER 373945N/0972432W CHART 1844 TOWER 374407N/0972104W DISTANCE TO THLD FROM 200 HAT: 0.46 NM. CHART VDP AT 1.08 MILES TO RW19L* *LNAV ONLY. WAAS CHANNEL # 49119 REFERENCE PATH ID: W19B LTP HAE: 373.5 M CHART CIRCLING ICON. CHART A-683.					
RW19L (MAP)		1520 MSL		196.04											
1520 MSL		YELOO (FO)						3600							
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)										MAG VAR: 4E EPOCH YEAR: 2015					
2. HOLD N JAXSU, RT, 196.08 INBOUND, 3600 FT. IN LIEU OF PT (IAF)															
3. FAC: 196.04 FAF: KECHI DIST FAF TO MAP: 5.11 THLD: 5.11															
4. MIN. ALT: JAXSU 3600, KECHI 3000, HELUM/1.70 NM TO RW19L 1900*															
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____															
6. MIN GS INCPT: 3000 GS ALT AT: KECHI 3000 OM: _____ MM: _____ IM: _____															
7. GS ANGLE: 3.00 TCH: 54.3 34:1 IS CLEAR															
8. MSA FROM: _____															
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD						
CATEGORY >=====		A		B		C		D		E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	1520	1/2	200	1520	1/2	200	1520	1/2	200	1520	1/2	200			
LNAV/VNAV DA	1618	1/2	298	1618	1/2	298	1618	1/2	298	1618	1/2	298			
LNAV MDA	1720	1/2	400	1720	1/2	400	1720	5/8	400	1720	5/8	400			
CIRCLING															
	1800	1	467	1800	1	467	1980	1 3/4	647	1980	2	647			
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 54C (130F). CHART NOTE: DME/DME RNP-0.3 NA. *LNAV ONLY CHART NOTE: SIMULTANEOUS APPROACH AUTHORIZED WITH ILS OR LOC RWY 19R. (SEE FORM 8260-10)															
CITY AND STATE WICHITA, KS		ELEVATION: 1333 TDZE: 1320 AIRPORT NAME: WICHITA DWIGHT D. EISENHOWER NATIONAL				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 19L, AMDT 2 13 NOVEMBER 2014				SUP: AMDT: 1A DATED 04/05/2012			



**RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**NOTES, (CONT.):****CHART NOTE: LNAV PROCEDURE NA DURING SIMULTANEOUS OPERATIONS.****CHART NOTE: USE OF FD OR AP PROVIDING RNAV TRACK GUIDANCE REQUIRED DURING SIMULTANEOUS OPERATIONS.**

TAA	FROM	TO	ALT
1.	106/30 CW 136/30 (NOPT)	106/20 CW 136/20	4000
2.	106/20 CW 136/20	JAXSU (IF/IAF) (FB)	3600
	136/30 CW 286/30 (NOPT)	JAXSU (IF/IAF) (FB)	3600
3.	286/30 CW 016/30	EVACE (IAF) (FB)	3600
4.	016/30 CW 106/30	016/20 CW 106/20	4000
	016/20 CW 106/20	AKAYA (IAF) (FB)	3600

QUALITY  
6  
CHECKED

CITY AND STATE

WICHITA, KS

ELEVATION: 1333

TDZE: 1320

AIRPORT NAME:

WICHITA DWIGHT D. EISENHOWER NATIONAL

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) Y RWY 19L, AMDT 2

13 NOVEMBER 2014

SUP:

AMDT: 1A

DATED: 04/05/2012

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION****DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KICT
RUNWAY	RW19L
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	Y
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W19B
LTP/FTP LATITUDE	373941.7680N
LTP/FTP LONGITUDE	0972503.5635W
LTP/FTP ELLIPSOIDAL HEIGHT	+03735
FPAP LATITUDE	373817.9525N
FPAP LONGITUDE	0972541.9665W
THRESHOLD CROSSING HEIGHT (TCH)	00054.3
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0

**CRC REMAINDER**

A1F0C351

**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+04023
FPAP ORTHOMETRIC HEIGHT	+04023

QUALITY  
6  
CHECKED

CITY AND STATE

WICHITA, KS

ELEVATION: 1333

TDZE: 1320

AIRPORT NAME:

WICHITA DWIGHT D. EISENHOWER NATIONAL

 FACILITY  
IDENTIFIER:  
  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) Y RWY 19L, AMDT 2

13 NOVEMBER 2014

SUP:

AMDT: 1A


DATED: 04/05/2012

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

QUALITY  
6  
CHECKED

Page 4 of 5 Pages

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE												
FLIGHT STANDARDS SERVICES - FAR PART 97.33												
ARINC SUMMARY - 424-18 - RNAV (GPS)												
ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	AKAYA	AKAYA	010	IAF	IF		FB					
	AKAYA	JAXSU	020		TF		FB	1.0	106.0 (110.0T)	007.0	AA 03600	
	EVACE	EVACE	010	IAF	IF		FB					
	EVACE	JAXSU	020		TF		FB	1.0	286.2 (290.2T)	007.0	AA 03600	
	JAXSU	JAXSU	010	IAF	HF	R	FO		196.1 (200.1T)	004.0	AA 03600	
		JAXSU	010	FACF	IF		FB				AA 03600	
		KECHI	020	FAF	TF		FB	0.5	196.1 (200.1T)	008.1	AA 03000	
		HELUM	021	SDF	TF		FB	0.3	196.0 (200.0T)	003.4	AA 01900	GS 01916
		RW19L	030	MAP	TF		FO	0.3	196.0 (200.0T)	001.7	AT 01374	
MISSED APPROACH		FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
			040		CA		FB		196.0 (200.0T)		AA 01520	
		YELOO	050		DF		FO				AA 03600	
		YELOO	060		HM	R	FO		016.0 (020.0T)	004.0	AA 03600	
POINT DATA		WAYPOINT	LAT IN SECS		LONG IN SECS		LAT IN MINS		LONG IN MINS			
		AKAYA	N375430.60		W0972739.23		N3754.510		W09727.654			
		EVACE	N374942.08		W0971103.59		N3749.701		W09711.060			
		HELUM	N374117.72		W0972419.57		N3741.295		W09724.326			
		JAXSU	N375206.63		W0971921.14		N3752.111		W09719.352			
		KECHI	N374429.90		W0972251.35		N3744.498		W09722.856			
		YELOO	N372801.78		W0973023.50		N3728.030		W09730.392			
		RW19L	N373941.77		W0972503.56		N3739.696		W09725.059			
RUNWAY DATA			THRESHOLD									
	RWY	ELEVATION		TCH								
	RW19L	01320		54								



CITY AND STATE <b>WICHITA, KS</b>	ELEVATION: <b>1333</b>	TDZE: <b>1320</b>	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: <b>WICHITA DWIGHT D. EISENHOWER NATIONAL</b>		<b>RNAV</b>	<b>RNAV (GPS) Y RWY 19L, AMDT 2</b> 13 NOVEMBER 2014	AMDT: <b>1A</b>
					DATED: <b>04/05/2012</b>