

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):
CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE} TCH {FEET}).
CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.



CITY AND STATE ANDREWS, NC	ELEVATION: 1699 TDZE: 1682 AIRPORT NAME: WESTERN CAROLINA RGNL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 10 DECEMBER 2015	SUP:
				AMDT: ORIG-A
				DATED: 12/17/2009

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KRHP
RUNWAY	RW08
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W08A
LTP/FTP LATITUDE	351140.9310N
LTP/FTP LONGITUDE	0835220.7470W
LTP/FTP ELLIPSOIDAL HEIGHT	+04843
FPAP LATITUDE	351229.5470N
FPAP LONGITUDE	0835049.5730W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.73
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0000
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER

537F324A

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+05128
FPAP ORTHOMETRIC HEIGHT	+05128

QUALITY
14
CHECKED

CITY AND STATE

ANDREWS, NC

ELEVATION: 1699

TDZE: 1682

AIRPORT NAME:

WESTERN CAROLINA RGNL

 FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 8, AMDT 1

10 DECEMBER 2015

SUP:

AMDT: ORIG-A

DATED: 12/17/2009

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																																																							
ARINC SUMMARY - KRHP																																																																																																																																																																																																																																			
ROUTES																																																																																																																																																																																																																																			
<table border="0" style="width:100%; font-family: monospace; font-size: x-small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION & VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION & VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>HRS</td><td>010</td><td>HRS</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>V</td></tr> <tr><td>HRS</td><td>020</td><td>HISEN</td><td>TF</td><td>FO</td><td>2.0</td><td>307.3</td><td></td><td></td><td></td><td></td><td></td><td>AA 06200</td><td></td><td>EY</td></tr> <tr><td>HRS</td><td>030</td><td>HISEN</td><td>HF</td><td>FO</td><td></td><td>060.9</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 06200</td><td></td><td>EE A</td></tr> <tr><td>MARBL</td><td>010</td><td>MARBL</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E</td></tr> <tr><td>MARBL</td><td>020</td><td>HISEN</td><td>TF</td><td>FO</td><td>2.0</td><td>161.0</td><td></td><td></td><td></td><td></td><td></td><td>AA 06200</td><td></td><td>EY</td></tr> <tr><td>MARBL</td><td>030</td><td>HISEN</td><td>HF</td><td>FO</td><td></td><td>060.9</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 06200</td><td></td><td>EE A</td></tr> <tr><td>MELLS</td><td>010</td><td>MELLS</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>MELLS</td><td>020</td><td>HISEN</td><td>TF</td><td>FB</td><td>1.0</td><td>047.0</td><td></td><td></td><td></td><td></td><td></td><td>AA 06200</td><td></td><td>EE B</td></tr> <tr><td></td><td>010</td><td>HISEN</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 06200</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>RUGIE</td><td>TF</td><td>FB</td><td>0.5</td><td>060.9</td><td></td><td></td><td></td><td>MIRNE</td><td></td><td>AA 04200</td><td></td><td>E F</td></tr> <tr><td></td><td>030</td><td>MIRNE</td><td>TF</td><td>FO</td><td>0.3</td><td>060.9</td><td></td><td>3.73</td><td></td><td></td><td></td><td>AT 01875</td><td></td><td>EY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>060.9</td><td></td><td></td><td></td><td></td><td></td><td>AA 02099</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>HISEN</td><td>DF</td><td>FO</td><td></td><td></td><td></td><td></td><td>L</td><td></td><td></td><td>AA 06200</td><td></td><td>EY</td></tr> <tr><td></td><td>060</td><td>HISEN</td><td>HM</td><td>FO</td><td></td><td>060.9</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 06200</td><td></td><td>EE</td></tr> </tbody> </table>	TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	HRS	010	HRS	IF	FB										V	HRS	020	HISEN	TF	FO	2.0	307.3						AA 06200		EY	HRS	030	HISEN	HF	FO		060.9			R			AA 06200		EE A	MARBL	010	MARBL	IF	FB										E	MARBL	020	HISEN	TF	FO	2.0	161.0						AA 06200		EY	MARBL	030	HISEN	HF	FO		060.9			R			AA 06200		EE A	MELLS	010	MELLS	IF	FB										E A	MELLS	020	HISEN	TF	FB	1.0	047.0						AA 06200		EE B		010	HISEN	IF	FB								AA 06200		E I		020	RUGIE	TF	FB	0.5	060.9				MIRNE		AA 04200		E F		030	MIRNE	TF	FO	0.3	060.9		3.73				AT 01875		EY M		040		CA	FB		060.9						AA 02099		M		050	HISEN	DF	FO					L			AA 06200		EY		060	HISEN	HM	FO		060.9			R			AA 06200		EE		
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																																																																					
HRS	010	HRS	IF	FB										V																																																																																																																																																																																																																					
HRS	020	HISEN	TF	FO	2.0	307.3						AA 06200		EY																																																																																																																																																																																																																					
HRS	030	HISEN	HF	FO		060.9			R			AA 06200		EE A																																																																																																																																																																																																																					
MARBL	010	MARBL	IF	FB										E																																																																																																																																																																																																																					
MARBL	020	HISEN	TF	FO	2.0	161.0						AA 06200		EY																																																																																																																																																																																																																					
MARBL	030	HISEN	HF	FO		060.9			R			AA 06200		EE A																																																																																																																																																																																																																					
MELLS	010	MELLS	IF	FB										E A																																																																																																																																																																																																																					
MELLS	020	HISEN	TF	FB	1.0	047.0						AA 06200		EE B																																																																																																																																																																																																																					
	010	HISEN	IF	FB								AA 06200		E I																																																																																																																																																																																																																					
	020	RUGIE	TF	FB	0.5	060.9				MIRNE		AA 04200		E F																																																																																																																																																																																																																					
	030	MIRNE	TF	FO	0.3	060.9		3.73				AT 01875		EY M																																																																																																																																																																																																																					
	040		CA	FB		060.9						AA 02099		M																																																																																																																																																																																																																					
	050	HISEN	DF	FO					L			AA 06200		EY																																																																																																																																																																																																																					
	060	HISEN	HM	FO		060.9			R			AA 06200		EE																																																																																																																																																																																																																					
POINTS																																																																																																																																																																																																																																			
<table border="0" style="width:100%; font-family: monospace; font-size: x-small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>HRS</td><td>N345634.82</td><td>W0835456.45</td></tr> <tr><td>HISEN</td><td>N350328.43</td><td>W0840742.57</td></tr> <tr><td>MARBL</td><td>N350905.35</td><td>W0841036.92</td></tr> <tr><td>MELLS</td><td>N345657.14</td><td>W0841506.59</td></tr> <tr><td>MIRNE</td><td>N351125.27</td><td>W0835250.12</td></tr> <tr><td>RUGIE</td><td>N350816.02</td><td>W0835844.32</td></tr> </tbody> </table>														POINT NAME	LATITUDE	LONGITUDE	HRS	N345634.82	W0835456.45	HISEN	N350328.43	W0840742.57	MARBL	N350905.35	W0841036.92	MELLS	N345657.14	W0841506.59	MIRNE	N351125.27	W0835250.12	RUGIE	N350816.02	W0835844.32																																																																																																																																																																																																	
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																																																																	
HRS	N345634.82	W0835456.45																																																																																																																																																																																																																																	
HISEN	N350328.43	W0840742.57																																																																																																																																																																																																																																	
MARBL	N350905.35	W0841036.92																																																																																																																																																																																																																																	
MELLS	N345657.14	W0841506.59																																																																																																																																																																																																																																	
MIRNE	N351125.27	W0835250.12																																																																																																																																																																																																																																	
RUGIE	N350816.02	W0835844.32																																																																																																																																																																																																																																	
RUNWAYS																																																																																																																																																																																																																																			
<table border="0" style="width:100%; font-family: monospace; font-size: x-small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr> <td>RW08</td> <td>N351134.78</td> <td>W0835215.88</td> <td>01682</td> <td>40</td> </tr> </tbody> </table>														RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW08	N351134.78	W0835215.88	01682	40																																																																																																																																																																																																												
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																																																															
RW08	N351134.78	W0835215.88	01682	40																																																																																																																																																																																																																															

QUALITY
14
CHECKED

CITY AND STATE ANDREWS, NC	ELEVATION: 1699 TDZE: 1682 AIRPORT NAME: WESTERN CAROLINA RGNL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 10 DECEMBER 2015	SUP: <hr/> AMDT: ORIG-A <hr/> DATED: 12/17/2009
--------------------------------------	---	--	---	---