

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23					Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
TERMINAL ROUTES					MISSED APPROACH				
FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP: OLU VOR/DME CLIMB TO 3500 THEN RIGHT TURN DIRECT OLU VOR/DME AND HOLD. ADDITIONAL FLIGHT DATA: HOLD SE, RT, 330.44 INBOUND FAS OBST: 1570 ANT 412600N/0972035W CHART: 1679 TREE 411839N/0971704W CHART: 1662 ELEVATOR 412515N/0971729W CHART: 1749 TREE 411757N/0971505W FAC CROSSES RWY C/L EXTENDED 2997 FROM THLD JUMUS TO RWY32: 3.01/44 CHART VDP AT 1.44 DME DISTANCE VDP TO THLD 1.05 MILES CHART: ARPT ELEV 1447 CHART: TDZE ELEV 1442					
1. PT <u>L</u> SIDE OF COURSE <u>150.44</u> OUTBOUND <u>3200</u> FT WITHIN <u>10</u> MILES OF <u>OLU VOR/DME</u> (IAF)					MAG VAR: 8E EPOCH YEAR: 80				
2. _____									
3. FAC <u>330.44</u> FAF _____ DIST FAF TO MAP _____ THLD _____									
4. MIN. ALT <u>JUMUS/OLU 2.00 DME 2000</u>									
8. MSA FROM: <u>OLU VOR/DME 360-180 3400, 180-360 4800</u>									
MINIMUMS									
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A	STANDARD	
CATEGORY >>>>	A		B		C		D		E
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-32	2000	1	558	2000	1	558	2000	1 3/4	558
CIRCLING	2000	1	553	2000	1	553	2040	2	593
JUMUS DME MINIMUMS									
S-32	1820	1	378	1820	1	378	1820	1 1/4	378
CIRCLING	1940	1	493	1940	1	493	1940	1 1/2	493
NOTES:									
CITY AND STATE		ELEVATION: 1447 TDZE: 1442		FACILITY IDENTIFIER: OLU		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:		SUP	
COLUMBUS, NE		COLUMBUS MUNI				SEP 01 2005 VOR RWY 32, AMDT 14		AMDT 13A	
								DATE 17 JUL 97	