

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33						Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.														
TERMINAL ROUTES											MISSED APPROACH									
FROM		TO			COURSE AND DISTANCE				ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW36 CLIMB TO 2500 DIRECT UBIGE AND HOLD. ADDITIONAL FLIGHT DATA: HOLD N, RT, 180.95 INBOUND. CHART FAS OBST: 391 TANK 360330N/0895214W DISTANCE TO THLD FROM 273 HAT: 0.73 NM. WAAS CHANNEL # 82137 REFERENCE PATH ID: W36A CHART BLYTHEVILLE MUNI ASOS CHART CIRCLING ICON LTP HAE: 50.4 M									
PIGOE (IF/IAF)		BOYOS (FB)			000.95 / 6.10				1900											
BOYOS (FAF)		RW36 (MAP) (FO)			000.95 / 5.03															
RW36 (MAP)		532 MSL			000.95				2500											
532 MSL		UBIGE (FO)																		
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD S PIGOE, RT, 000.95 INBOUND, 2500 FT. IN LIEU OF PT (IAF) 3. FAC: <u>000.95</u> FAF: <u>BOYOS</u> DIST FAF TO MAP: <u>5.03</u> THLD: <u>5.03</u> 4. MIN. ALT: PIGOE 2500 BOYOS 1900 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: <u>1900</u> GS ALT AT: BOYOS 1900 OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: <u>3.00</u> TCH: <u>40.0</u> 34:1 IS NOT CLEAR 8. MSA FROM: <u> </u>																	MAG VAR: 1W		EPOCH YEAR: 2015	
MINIMUMS																				
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A <input checked="" type="checkbox"/> X										
CATEGORY =====>		A			B			C			D			E						
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA					
LPV DA	532	1	273	532	1	273	532	1	273		NA									
LNAV/VNAV DA	532	1	273	532	1	273	532	1	273		NA									
LNAV MDA	680	1	421	680	1	421	680	1 1/4	421		NA									
CIRCLING	700	1	441	900	1	641	900	2	641		NA									
NOTES: CHART NOTE: BARO-VNAV NA. CHART NOTE: USE BLYTHEVILLE MUNI ALTIMETER SETTING; WHEN NOT RECEIVED, USE ARKANSAS INTL ALTIMETER SETTING. CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.																				
CITY AND STATE STEELE, MO				ELEVATION: 259 TDZE: 259 AIRPORT NAME: STEELE MUNI				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, ORIG 30 APRIL 2015				SUP: AMDT:		<div style="color: green; font-weight: bold; transform: rotate(45deg); display: inline-block;"> QUALITY 4 CHECKED </div>				

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	271/30 CW 091/30 (NOPT)	PIGOE (IF/IAF) (FB)	2500
2.	091/30 CW 271/30	PIGOE (IAF) (FO)	2500

CITY AND STATE
STEELE, MO

ELEVATION: 259 TDZE: 259
AIRPORT NAME:
STEELE MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 36, ORIG
30 APRIL 2015

SUP: 4
AMDT: NONE
DATED:

QUALITY
4
CHECKED

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	M12
RUNWAY	RW36
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W36A
LTP/FTP LATITUDE	360524.5055N
LTP/FTP LONGITUDE	0895134.0720W
LTP/FTP ELLIPSOIDAL HEIGHT	+00504
FPAP LATITUDE	360653.7330N
FPAP LONGITUDE	0895134.1680W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1536
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
 <u>CRC REMAINDER</u>	 85556B5F

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+00788
FPAP ORTHOMETRIC HEIGHT	+00788

CITY AND STATE
STEELE, MO

ELEVATION: 259 TDZE: 259
AIRPORT NAME:
STEELE MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 36, ORIG
30 APRIL 2015

SUP: 4
AMDT: NONE
DATED:

QUALITY
4
CHECKED

<p align="center">U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</p> <p align="center"><u>RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE</u></p> <p align="center">FLIGHT STANDARDS SERVICES - FAR PART 97.33</p>	<p>Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.</p>
--	---

<p align="center">U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</p> <p align="center"><u>RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE</u></p> <p align="center">FLIGHT STANDARDS SERVICES - FAR PART 97.33</p>	<p>Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.</p>
--	---

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible][illegible][illegible][illegible]

CITY AND STATE
STEELE, MO

ELEVATION: 259	TDZE: 259
AIRPORT NAME: STEELE MUNI	

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 36, ORIG
 30 APRIL 2015

SUP:	4
AMDT:	NONE
DATED:	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - FAR PART 97.33								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
ARINC SUMMARY - 424-18 - RNAV (GPS)												
ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	PIGOE	PIGOE	010	IAF	HF	R	FO		001.0 (360.0T)	004.0	AA 02500	
		PIGOE	010	FACF	IF		FB				AA 02500	
		BOYOS	020	FAF	TF		FB	0.5	001.0 (360.0T)	006.1	AA 01900	
		RW36	030	MAP	TF		FO	0.3	001.0 (360.0T)	005.0	AT 00299	
MISSED APPROACH		FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
			040		CA		FB		001.0 (360.0T)		AA 00532	
		UBIGE	050		DF		FO				AA 02500	
		UBIGE	060		HM	R	FO		181.0 (180.0T)	004.0	AA 02500	
POINT DATA		WAYPOINT		LAT IN SECS		LONG IN SECS		LAT IN MINS		LONG IN MINS		
		BOYOS		N360022.33		W0895133.75		N3600.372		W08951.563		
		PIGOE		N355415.80		W0895133.35		N3554.263		W08951.556		
		UBIGE		N361712.87		W0895134.83		N3617.215		W08951.581		
		RW36		N360524.51		W0895134.07		N3605.409		W08951.568		
RUNWAY DATA				THRESHOLD								
		RWY		ELEVATION		TCH						
		RW36		00259		40						

CITY AND STATE <div style="text-align: center;">STEELE, MO</div>	ELEVATION: 259 AIRPORT NAME: <div style="text-align: center;">STEELE MUNI</div>	TDZE: 259	FACILITY IDENTIFIER: <div style="text-align: center;">RNAV</div>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <div style="text-align: center;">RNAV (GPS) RWY 36, ORIG 30 APRIL 2015</div>	SUP: <div style="text-align: center;">4</div>
					AMDT: <div style="text-align: center;">NONE</div>
					DATED: