

PAGE 1 OF 2 PAGES

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
ILS - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):  
REQUIREMENTS ON AAUP.  
CHART PROFILE NOTE: USE I-SFO DME WHEN ON THE LOCALIZER COURSE.  
CHART PROFILE NOTE: VGSI AND ILS GLIDEPATH NOT COINCIDENT.  
CHART PLANVIEW NOTE: RADAR AND DME REQUIRED.



CITY AND STATE SAN FRANCISCO, CA	ELEVATION: 13 THRE: 13 AIRPORT NAME: SAN FRANCISCO INTL	FACILITY IDENTIFIER: I-SFO	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: ILS PRM RWY 28L (SIMULTANEOUS CLOSE PARALLEL), AMDT 2A 27 JUNE 2013	SUP:
				AMDT: 2
				DATED: 09/20/2012