

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION							ILS - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.29									Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.					
TERMINAL ROUTES													MISSED APPROACH								
FROM			TO			COURSE AND DISTANCE			ALTITUDE			ILS: DA LOC: 4.92 MILES AFTER ATUYO INT/I-DCU 6.10 DME/RADAR OR AT I-DCU 1.19 DME FIX  CLIMB TO 1700 THEN CLIMBING RIGHT TURN TO 3000 ON RQZ VORTAC R-230 TO JUVLO INT/RQZ 28.70 DME AND HOLD, OR AS DIRECTED BY ATC.  ALTERNATE MA: CLIMB TO 1700 THEN CLIMBING RIGHT TURN TO 3000 ON MSL VORTAC R-107 TO MSL VORTAC AND HOLD.  ADDITIONAL FLIGHT DATA: HOLD NE, RT, 230.00 INBOUND. CHART IN PLANVIEW: ALTERNATE MA HOLDING, HOLD E MSL VORTAC, RT, 291.00 INBOUND. CHART FAS OBST: 724 TREE 344114N/0865623W CHART VDP AT 2.27 DME* DISTANCE VDP TO THLD 1.08 MILES. *LOC ONLY. CHART IN PLANVIEW: MSL VORTAC. CHART: WHEELER NATIONAL WILDLIFE REFUGE. CHART CIRCLING ICON									
ETEYV/I-DCU 13.10 DME/RADAR (IF/IAF)			ATUYO INT/I-DCU 6.10 DME/RADAR			185.12 / 7.00 (I-DCU)			2200												
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD N ETEYV, RT, 185.12 INBOUND, 3000 FT. IN LIEU OF PT (IF/IAF) 3. FAC: 185.12 FAF: ATUYO INT/I-DCU 6.10 DME/RADAR DIST FAF TO MAP: 4.92 THLD: 4.92 4. MIN. ALT: ETEYV 3000, ATUYO 2200, ZADVI/I-DCU 2.99 DME 1160* 5. DIST TO THLD FROM OM: - MM: - IM: - 150 HAT: - 100 HAT: - GS ANT: 850 6. MIN GS INCPT: 2200 GS ALT AT: ATUYO 2200 OM: - MM: - IM: - 7. GS ANGLE: 3.00 TCH: 46.6 8. MSA FROM: _____																					
													MAG VAR: 4W EPOCH YEAR: 2020								
MINIMUMS																					
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A			ILS: STANDARD #			LOC: STANDARD @								
CATEGORY =====>		A			B			C			D			E							
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA						
S-ILS 18	792	3/4	200	792	3/4	200	792	3/4	200	792	3/4	200									
S-LOC 18	1160	1	568	1160	1	568	1160	1 5/8	568	1160	1 5/8	568									
CIRCLING	1160	1	568	1160	1	568	1340	2 1/4	748	1340	2 1/2	748									
ZADVI FIX MINIMUMS																					
S-LOC 18	980	1	388	980	1	388	980	1 1/8	388	980	1 1/8	388									
CIRCLING	1040	1	448	1060	1	468	1340	2 1/4	748	1340	2 1/2	748									
NOTES: *1180 WHEN USING HUNTSVILLE INTL-CARL T JONES FIELD ALTIMETER SETTING. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE HUNTSVILLE INTL-CARL T JONES FIELD ALTIMETER SETTING: INCREASE DA TO 817 FEET; INCREASE ALL MDAS 40 FEET AND ALL S-LOC 18 VISIBILITY CATS C AND D 1/8 MILE. (CONTINUED ON PAGE 2)																					
CITY AND STATE DECATUR, AL				ELEVATION: 592 TDZE: 592 AIRPORT NAME: PRYOR FIELD RGNL				FACILITY IDENTIFIER: I-DCU		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: ILS Y OR LOC Y RWY 18, ORIG 4 FEBRUARY 2016						SUP: AMDT: NONE DATED					



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
ILS - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: VDP NA WITH HUNTSVILLE INTL-CARL T JONES FIELD ALTIMETER SETTING.

CHART PLANVIEW NOTE: GPS OR RADAR REQUIRED.

TAA

	FROM	TO	ALT
1.	095/30 CW 275/30 (NOPT)	095/4 CW 275/4	4200
	095/4 CW 275/4	ETEVY/RADAR (IF/IAF) (FB)	3000
2.	275/30 CW 095/30	ETEVY/RADAR (IF/IAF) (FO)	4700

QUALITY  
18  
CHECKED

CITY AND STATE DECATUR, AL	ELEVATION: 592 TDZE: 592 AIRPORT NAME: PRYOR FIELD RGNL	FACILITY IDENTIFIER: I-DCU	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: ILS Y OR LOC Y RWY 18, ORIG 4 FEBRUARY 2016	SUP:
				AMDT: NONE
				DATED:

## U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

## ILS STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KDCU

## ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ETEVY	010	ETEVY	HF	FO		185.1	IDCU		R			AA 03000		EE A
	010	ETEVY	IF	FB			IDCU					AA 03000 GI 02200		E I
	020	ATUYO	CF	FB		185.0	IDCU	3.00				GI 02200 GS 02200		E F
	030	RW18	CF	FO		185.0	IDCU	3.00				AT 00635		GY M
	040		CA	FB		185.1						AA 01700		M
	050	JUVLO	CF	FO		230.0	RQZ					AA 03000		EY
	060	JUVLO	HM	FO		230.0			R			AA 03000		EE

## POINTS

POINT NAME	LATITUDE	LONGITUDE
RQZ	N344750.06	W0863801.85
IDCU (DME)	N343833.54	W0865644.28
JUVLO	N343005.09	W0870523.61
ATUYO	N344440.15	W0865635.60
ETEVY	N345140.76	W0865625.61
IDCU (LOC)	N343834.40	W0865644.26

## RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW18	N343944.78	W0865642.59	00588	46.6

QUALITY  
15  
CHECKED

CITY AND STATE  
DECATUR, AL

ELEVATION: 592 TDZE: 592  
AIRPORT NAME:  
PRYOR FIELD RGNL

FACILITY  
IDENTIFIER:  
I-DCU

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
ILS Y OR LOC Y RWY 18, ORIG  
4 FEBRUARY 2016

SUP:  
AMDT: NONE  
DATED:

## U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

## LOC STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KDCU

## ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ETEVI	010	ETEVI	HF	FO		185.1	IDCU		R			AA 03000		EE A
	010	ETEVI	IF	FB			IDCU					AA 03000		E I
	020	ATUYO	CF	FB		185.0	IDCU					AA 02200		E F
	021	ZADVI	CF	FB		185.0	IDCU	3.01				AA 01160		E S
	030	RW18	CF	FO		185.0	IDCU	3.01				AT 00635		GY M
	040		CA	FB		185.1						AA 01700		M
	050	JUVLO	CF	FO		230.0	RQZ					AA 03000		EY
	060	JUVLO	HM	FO		230.0			R			AA 03000		EE

## POINTS

POINT NAME	LATITUDE	LONGITUDE
RQZ	N344750.06	W0863801.85
IDCU (DME)	N343833.54	W0865644.28
JUVLO	N343005.09	W0870523.61
ATUYO	N344440.15	W0865635.60
ETEVI	N345140.76	W0865625.61
ZADVI	N344132.94	W0865640.03
IDCU (LOC)	N343834.40	W0865644.26

## RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW18	N343944.78	W0865642.59	00588	46.6

QUALITY  
15  
CHECKED

CITY AND STATE  
DECATUR, AL

ELEVATION: 592 TDZE: 592  
AIRPORT NAME:  
PRYOR FIELD RGNL

FACILITY  
IDENTIFIER:  
I-DCU

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
ILS Y OR LOC Y RWY 18, ORIG  
4 FEBRUARY 2016

SUP:  
AMDT: NONE  
DATED: