

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (RNP) - STANDARD,
INSTRUMENT APPROACH PROCEDURE, - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
BIBQU (IAF)	MRMIK (TF) (FB) (RNP 1.00)	033.69 / 5.68	7200
MRMIK (IF)	GERNL (TF) (FB) (RNP 1.00)	033.73 / 3.00	6500
CMSTR (IAF)	ABQ VORTAC (TF) (FB) (RNP 1.00)	125.09 / 5.02	8500
CRSTN (IAF)	ABQ VORTAC (TF) (FB) (RNP 1.00)	165.03 / 6.43	8500
ABQ VORTAC (IF)	BIENN (TF) (FB) (RNP 1.00)	134.47 / 4.17	8000
BIENN	GERNL (RF) (FB) (RNP 1.00)	(2.79 NM RADIUS CCW (CFPTK))/4.91	6500
GERNL (FAF)	RW03 (MAP) (TF) (FO)	033.76 / 3.56	
RW03 (MAP)	6200 MSL (CA)	033.76	6200
6200 MSL	ABQ VORTAC (DF) (FO)		8000

NOTES, (CONT.):

CHART PLANVIEW NOTE AT TNTOE : MAX 210 KIAS.
 CHART PLANVIEW NOTE AT BIBQU : MAX 210 KIAS.
 CHART PLANVIEW NOTE AT CMSTR : MAX 210 KIAS.
 CHART PLANVIEW NOTE AT CRSTN : MAX 210 KIAS.
 CHART PLANVIEW NOTE AT COMRO : MAX 210 KIAS.
 CHART PLANVIEW NOTE: RADAR REQUIRED.
 CHART PLANVIEW NOTE ADJACENT TO CRSTN IAF: RF REQUIRED.
 CHART PLANVIEW NOTE ADJACENT TO TNTOE IF: RF REQUIRED.
 CHART PLANVIEW NOTE ADJACENT TO COMRO IAF: RF REQUIRED.
 CHART PLANVIEW NOTE ADJACENT TO CMSTR IAF: RF REQUIRED.
 CHART PLANVIEW NOTE AT TNTOE: (RNP 0.80).
 CHART PLANVIEW NOTE AT COMRO: (RNP 0.80).
 CHART PROFILE NOTE: SEE PLANVIEW FOR MULTIPLE IF LOCATIONS.
 CHART PLANVIEW NOTE: LIMIT MISSED APPROACH TO 215 KIAS.

CITY AND STATE
 ALBUQUERQUE, NM

ELEVATION: 5355 THRE: 5305
 AIRPORT NAME:
 ALBUQUERQUE INTL SUNPORT

FACILITY
 IDENTIFIER:
 RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
 RNAV (RNP) Z RWY 3, AMDT 1
 29 MAY 2014

SUP:
 AMDT: ORIG
 DATED: 09/20/2012

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KABQK2FH03-Z	ABIBQU	010BIBQUK2PC0E	A	IF				+ 08000	18000210		A-FS	
SUSAP	KABQK2FH03-Z	ABIBQU	020MRMIKK2PC0E	B	010TF				+ 07200			A FS	
SUSAP	KABQK2FH03-Z	ABIBQU	030GERNLK2PC0EE		010TF				+ 06500			A FS	
SUSAP	KABQK2FH03-Z	ACMSTR	010CMSTRK2PC0E	A	IF				09000	18000210		A-FS	
SUSAP	KABQK2FH03-Z	ACMSTR	020ABQ K2D 0V	B	010TF				+ 08500			A FS	
SUSAP	KABQK2FH03-Z	ACMSTR	030BIENNK2PC0E		010TF				+ 08000			A FS	
SUSAP	KABQK2FH03-Z	ACMSTR	040GERNLK2PC0EE	L010RF		0027901345	03380049		+ 06500		CFPTK K2PCA	FS	
SUSAP	KABQK2FH03-Z	ACOMRO	010COMROK2PC0E	A	IF				10000	18000210		A-FS	
SUSAP	KABQK2FH03-Z	ACOMRO	020CEMACK2PC0E	B	010TF				+ 07500			A FS	
SUSAP	KABQK2FH03-Z	ACOMRO	030BILDEK2PC0E		010TF				+ 06900			A FS	
SUSAP	KABQK2FH03-Z	ACOMRO	040GERNLK2PC0EE	R081RF		0028200012	03380016		+ 06500		CFPTJ K2PCA	FS	
SUSAP	KABQK2FH03-Z	ACRSTN	010CRSTNK2PC0E	A	IF				09000	18000210		A-FS	
SUSAP	KABQK2FH03-Z	ACRSTN	020ABQ K2D 0V	B	010TF				+ 08500			A FS	
SUSAP	KABQK2FH03-Z	ACRSTN	030BIENNK2PC0E		010TF				+ 08000			A FS	

SUP:	
AMDT:	ORIG
DATED:	09/20/2012

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP	KABQK2FH03-Z	ACRSTN	040GERNLK2PC0EE	L010RF	0027901345	03380049	+	06500			CFPTK	K2PCA	FS
SUSAP	KABQK2FH03-Z	ATNTOE	010TNTOEK2PC0E	B IF				10000	18000210			A-FS	
SUSAP	KABQK2FH03-Z	ATNTOE	020PLNETK2PC0E	010TF				09000				A	FS
SUSAP	KABQK2FH03-Z	ATNTOE	030ILDEK2PC0E	R010RF	0028202134	00120073	+	06900			CFPTJ	K2PCA	FS
SUSAP	KABQK2FH03-Z	ATNTOE	040GERNLK2PC0EE	R081RF	0028200012	03380016	+	06500			CFPTJ	K2PCA	FS
SUSAP	KABQK2FH03-Z	H	020GERNLK2PC1E	F IF			+	06500	18000		RW03	BK2PGA	FS
SUSAP	KABQK2FH03-Z	H	020GERNLK2PC2W						A031				FS
SUSAP	KABQK2FH03-Z	H	030RW03 K2PG0GY	M 031TF				05365		-300		A	FS
SUSAP	KABQK2FH03-Z	H	040	0 M CA		0338	+	06200				A	FS
SUSAP	KABQK2FH03-Z	H	050ABQ	K2D 0VY L DF			+	08000				A	FS
SUSAP	KABQK2FH03-Z	H	060ABQ	K2D 0VE L HM		07900070	+	08000	215			A-FS	

[illegible]

SUSAP KABOK2GRW03 0100000338 N35012009W106375017+0100 +1595705305000060150IIBZY1

[illegible]

SUSAP	KABOK2SRW03	K2PGB	0	18018012025	M
-------	-------------	-------	---	-------------	---

CITY AND STATE ALBUQUERQUE, NM	ELEVATION: 5355 THRE: 5305 AIRPORT NAME: ALBUQUERQUE INTL SUNPORT	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
			RNAV (RNP) Z RWY 3, AMDT 1	AMDT: ORIG
			29 MAY 2014	DATED: 09/20/2012

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (RNP) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (RNP)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	BIBQU	BIBQU	010	IAF	IF		FB				AA 08000	AB 210
	BIBQU	MRMIK	020		TF		FB	1.0			AA 07200	
	BIBQU	GERNL	030		TF		FB	1.0			AA 06500	
	CMSTR	CMSTR	010	IAF	IF		FB				AT 09000	AB 210
	CMSTR	ABQ	020		TF		FB	1.0			AA 08500	
	CMSTR	BIENN	030		TF		FB	1.0			AA 08000	
	CMSTR	GERNL	040		RF	L	FB	1.0		004.9	AA 06500	
	COMRO	COMRO	010	IAF	IF		FB				AT 10000	AB 210
	COMRO	CEMAC	020		TF		FB	1.0			AA 07500	
	COMRO	BILDE	030		TF		FB	1.0			AA 06900	
	COMRO	GERNL	040		RF	R	FB	0.8		001.6	AA 06500	
	CRSTN	CRSTN	010	IAF	IF		FB				AT 09000	AB 210
	CRSTN	ABQ	020		TF		FB	1.0			AA 08500	
	CRSTN	BIENN	030		TF		FB	1.0			AA 08000	
	CRSTN	GERNL	040		RF	L	FB	1.0		004.9	AA 06500	
	TNTOE	TNTOE	010		IF		FB				AT 10000	AB 210
	TNTOE	PLNET	020		TF		FB	1.0			AT 09000	
	TNTOE	BILDE	030		RF	R	FB	1.0		007.3	AA 06900	
	TNTOE	GERNL	040		RF	R	FB	0.8		001.6	AA 06500	
		GERNL	020	FAF	IF		FB				AA 06500	
		RW03	030	MAP	TF		FO	0.3			AT 05365	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		033.8(044.8T)		AA 06200	
	ABQ	050		DF	L	FO				AA 08000	
	ABQ	060		HM	L	FO		079.0(090.0T)	007.0	AA 08000	AB 215

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ABQ	N350237.66	W1064858.72	N3502.628	W10648.979
	BIBQU	N345237.59	W1064819.02	N3452.627	W10648.317
	BIENN	N345911.18	W1064606.14	N3459.186	W10646.102
	BILDE	N345724.49	W1064148.52	N3457.408	W10641.809
	CEMAC	N345331.10	W1064249.61	N3453.518	W10642.827
	CFPTJ	N345648.72	W1063827.32	N3456.812	W10638.455
	CFPTK	N350046.12	W1064318.18	N3500.769	W10643.303
	CMSTR	N350614.97	W1065313.01	N3506.250	W10653.217
	COMRO	N344535.52	W1064444.58	N3445.592	W10644.743
	CRSTN	N350902.90	W1064931.21	N3509.048	W10649.520
	GERNL	N345848.08	W1064053.47	N3458.801	W10640.891
	MRMIK	N345640.07	W1064327.59	N3456.668	W10643.460

QUALITY
CHECK

CITY AND STATE ALBUQUERQUE, NM	ELEVATION: 5355 THRE: 5305	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (RNP) Z RWY 3, AMDT 1 29 MAY 2014	SUP:
	AMDT: ORIG			
	DATED: 09/20/2012			

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (RNP) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

PLNET	N345450.34	W1063600.06	N3454.839	W10636.001
TNTOE	N345715.59	W1063307.75	N3457.260	W10633.129
RW03	N350120.09	W1063750.17	N3501.335	W10637.836

RUNWAY DATA	THRESHOLD	
RWY	ELEVATION	TCH
RW03	05305	60

CITY AND STATE
ALBUQUERQUE, NM

ELEVATION: **5355** THRE: **5305**
 AIRPORT NAME:
ALBUQUERQUE INTL SUNPORT

FACILITY
 IDENTIFIER:
RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (RNP) Z RWY 3, AMDT 1
 29 MAY 2014

SUP:
 AMDT: **ORIG**
 DATED: **09/20/2012**