

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION							ILS - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.29							Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES														MISSED APPROACH									
FROM				TO				COURSE AND DISTANCE				ALTITUDE		ILS: DA LOC: STS VOR/DME 0.42 DME FIX									
STS VOR/DME				LUSEE INT/STS 12.16 DME				140.67 / 12.16				3700		CLIMB TO 1020 ON STS VOR/DME R-310.48 AND CLIMBING LEFT TURN TO 6000 TO CABEX/STS 21.25 DME AND HOLD, CONTINUE CLIMB-IN-HOLD TO 6000, OR AS DIRECTED BY ATC. ALTERNATE MA: CLIMB TO 1020 ON ENI VORTAC R-130.19 AND CLIMBING LEFT TURN TO 6000 TO CABEX/ENI 18.00 DME AND HOLD, CONTINUE CLIMB-IN-HOLD TO 6000 . ADDITIONAL FLIGHT DATA: HOLD SE, LT, 309.81 INBOUND. CHART IN PLANVIEW: ALTERNATE MA HOLDING, HOLD SE CABEX/ENI 18.00 DME, LT, 310.98 INBOUND. FAS OBSTACLE 319 AAO 382505N/1224440W 319 CHART CIRCLING ICON. CHART: STS 26.24 DME AT BURDE CHART: SANTA ROSA AIR CENTER (ABANDONED)									
PYE VORTAC (IAF)				LUSEE INT/STS 12.16 DME (NOPT)				010.37 / 16.35				3000											
SGD VORTAC (IAF)				DACER INT/SGD 15.51 DME (NOPT)				281.42 / 15.51				3900											
DACER INT/SGD 15.51 DME				LUSEE INT/STS 12.16 DME				281.42 / 2.50 (SGD R-281)				3000											
SAU VORTAC (IAF)				BURDE INT/SAU 15.35 DME (NOPT)				330.47 / 15.35				4000											
BURDE INT/SAU 15.35 DME (SEE FORM 8260-10)				LUSEE INT/STS 12.16 DME				321.19 / 14.08 (I-STG)				2800											
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)														MAG VAR: 16E EPOCH YEAR: 1985									
2. HOLD SE LUSEE, LT, 321.19 INBOUND, 3000 FT. IN LIEU OF PT (IAF)																							
3. FAC: 321.19 FAF: PIGPN/STS VOR/DME 6.15 DME DIST FAF TO MAP: _____ THLD: _____																							
4. MIN. ALT: LUSEE 3000, EDOVE 2700, PIGPN 2000																							
5. DIST TO THLD FROM OM: _____ - _____ MM: _____ - _____ IM: _____ - 150 HAT: _____ - 100 HAT: _____ - GS ANT: 993																							
6. MIN GS INCPT: 2000 GS ALT AT: PIGPN 2000 OM: _____ - _____ MM: _____ - _____ IM: _____ -																							
7. GS ANGLE: 3.00 TCH: 52.8																							
8. MSA FROM: STS VOR/DME 120-280 3900, 280-120 6000																							
MINIMUMS																							
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A			ILS: STANDARD #			LOC: STANDARD @										
CATEGORY =====>		A			B			C			D			E									
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA								
S-ILS	377	2400	255	377	2400	255	377	2400	255	377	2400	255											
S-LOC 32	580	2400	458	580	2400	458	580	4500	458	580	4500	458											
CIRCLING	600	1	471	680	1	551	1080	3	951	1420	3	1291											
NOTES: CHART NOTE: DME REQUIRED. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT PYE VORTAC ON V25-27 SOUTHEAST BOUND. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE PETALUMA ALTIMETER SETTING AND INCREASE ALL DA TO 423 FT AND ALL MDA 40 FT AND S-LOC 32 VISIBILITY CATS C AND D 1/8 MILE. # CAT C 1000-3, CAT D 1300-3 @ CAT C 1000-3, CAT D 1300-3 # @ NA WHEN LOCAL WEATHER NOT AVAILABLE. # @ NA WHEN TOWER CLOSED.																							
CITY AND STATE SANTA ROSA, CA				ELEVATION: 129 TDZE: 122 AIRPORT NAME: CHARLES M. SCHULZ - SONOMA COUNTY				FACILITY IDENTIFIER: I-STG		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: ILS OR LOC/DME RWY 32, AMDT 19 30 APRIL 2015				SUP: ILS OR LOC RWY 32 AMDT: 18B DATED 09/17/2014									

**ILS - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.29**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
LUSEE INT/I-STS 12.16 DME (IF/IAF)	EDOVE INT/STS VOR/DME 9.81 DME	321.19 / 2.35 (I-STS)	2700
EDOVE INT/STS VOR/DME 9.81 DME	PIGPN/STS VOR/DME 6.15 DME	321.19 / 3.66 (I-STS)	2000

QUALITY
16
CHECKED

CITY AND STATE

SANTA ROSA, CA

ELEVATION: 129

TDZE: 122

AIRPORT NAME:

CHARLES M. SCHULZ - SONOMA COUNTY

 FACILITY
IDENTIFIER:
I-STS

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

ILS OR LOC/DME RWY 32, AMDT 19

30 APRIL 2015

SUP: ILS OR LOC RWY 32

AMDT: 18B

DATED: 09/17/2014

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
ILS - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.



CITY AND STATE SANTA ROSA, CA	ELEVATION: 129	TDZE: 122	FACILITY IDENTIFIER: I-STS	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: ILS OR LOC/DME RWY 32, AMDT 19 30 APRIL 2015	SUP: ILS OR LOC RWY 32
	AIRPORT NAME: CHARLES M. SCHULZ - SONOMA COUNTY				AMDT: 18B
					DATED: 09/172014

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
ILS - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.



CITY AND STATE SANTA ROSA, CA	ELEVATION: 129 AIRPORT NAME: CHARLES M. SCHULZ - SONOMA COUNTY	TDZE: 122	FACILITY IDENTIFIER: I-STS	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: ILS OR LOC/DME RWY 32, AMDT 19 30 APRIL 2015	SUP: ILS OR LOC RWY 32
					AMDT: 18B
					DATED: 09/17/2014

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
ILS - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.29

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

QUALITY
16
CHECKED

CITY AND STATE SANTA ROSA, CA	ELEVATION: 129 TDZE: 122 AIRPORT NAME: CHARLES M. SCHULZ - SONOMA COUNTY	FACILITY IDENTIFIER: I-STS	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: ILS OR LOC/DME RWY 32, AMDT 19 30 APRIL 2015	SUP: ILS OR LOC RWY 32
				AMDT: 18B
				DATED: 19/17/2014