

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (RNP) - STANDARD, INSTRUMENT APPROACH PROCEDURE, - TITLE 14 CFR PART 97.33			Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.	
NOTES, (CONT.): CHART NOTE: GPS REQUIRED. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON EMI VORTAC AIRWAY RADIALS 151 CW 187.				
<div>QUALITY 5 CHECKED</div>				
CITY AND STATE BALTIMORE, MD		ELEVATION: 143 TDZE: 138 AIRPORT NAME: BALTIMORE/WASHINGTON INTL THURGOOD MARSHALL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (RNP) Z RWY 15R, AMDT 1, 10/16/2014
				SUP: AMDT: ORIG-B DATED: 06/30/2011

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUP:	CHECKED
AMDT:	ORIG-B
DATED:	06/30/2011

Page 3 of 4 Pages

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (RNP) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - FAR PART 97.33								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
ARINC SUMMARY - 424-18 - RNAV (RNP)												
ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	EMI	EMI	010	IAF	IF		FB				AT 04000	
	EMI	BMORE	020		TF		FB	1.0			AT 02500	
		BMORE	010	FACF	IF		FB				AT 02500	
		KEVVN	020	FAF	TF		FB	1.0			AT 02100	
		RW15R	030	MAP	TF		FO	0.3			AT 00194	
MISSED APPROACH		FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		JANNS	040		TF		FO	1.0			AA 02500	
		JANNS	050		HM	L	FO		335.3 (324.3T)	004.0	AA 02500	
POINT DATA		WAYPOINT	LAT IN SECS			LONG IN SECS			LAT IN MINS		LONG IN MINS	
		EMI	N392942.03			W0765842.86			N3929.701		W07658.714	
		BMORE	N392117.49			W0765022.33			N3921.292		W07650.372	
		JANNS	N385932.32			W0763013.23			N3859.539		W07630.221	
		KEVVN	N391556.34			W0764523.43			N3915.939		W07645.391	
		RW15R	N391104.90			W0764052.94			N3911.082		W07640.882	
RUNWAY DATA			THRESHOLD									
		RWY	ELEVATION		TCH							
		RW15R	00138		56							

CITY AND STATE BALTIMORE, MD	ELEVATION: 143 AIRPORT NAME: BALTIMORE/WASHINGTON INTL THURGOOD MARSHALL	TDZE: 138	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (RNP) Z RWY 15R, AMDT 1, 10/16/2014	SUP: ORIG-B DATED: 06/30/2011