

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
IDAHO FALLS	THREE	IDA3.IDA	TWO	03/10/2011	22 AUG 2013

TYPE: RNAV SID

DP ROUTE DESCRIPTION:

TAKE OFF RWY 01: CLIMB HEADING 008.91 TO 5000, CONTINUE CLIMB TO 7000 DIRECT IDAHO FALLS VOR/DME.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

TAKEOFF MINIMUMS: RWY 19, NA-OBSTACLES. RWY 01, STANDARD

NOTE: GPS REQUIRED.

NOTE: RNAV-1

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 01, VEHICLES ON ROAD BEGINNING AT DER 190 FT RIGHT OF CENTERLINE, 17 FT AGL/4517 FT MSL.

CONTROLLING OBSTACLES:

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 01 - 9078 FT MSL AAO 425803.00N/1121006.00W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: KUO2 15E EPOCH YR: 00

DME/DME ASSESSMENT: NOT CONDUCTED

AIRPORTS SERVED:

MCCARLEY FLD

BLACKFOOT, ID



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
IDAHO FALLS	THREE	IDA3:IDA	TWO	03/10/2011	22 AUG 2013

COMMUNICATIONS:

ZSE, CTAF

FIXES AND/OR NAVAIDS:

REMARKS:

QUALITY
CHECKED

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
IDAHO FALLS	THREE	IDA3:IDA	TWO	03/10/2011	22 AUG 2013

CHANGES:

1. CHANGED RWY 19 (AER) FROM 431252.75N/1122047.70W TO RWY 1 (AER) 431213.84N/1122110.30W ON THE 8260-15C.

REASONS:

1. DATA ERROR



05/31/2013
DEPARTURE (DATA RECORD)

DP Name		Number	DP Computer Code			Superseded Number		Dated	Effective Date
IDAHO FALLS		THREE	IDA3.IDA			TWO		03/10/2011	22 AUG 2013
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RWY01 (AER)	431213.84N/1122110.30W	N	-	-	-	-			
5000 MSL	-	-	-	VA	023.91	-			
IDA VOR/DME	433108.42N/1120350.10W	Y	FB	DF	-	-			

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
IDAHO FALLS (RNAV)	THREE	IDA3.IDA	TWO	03/10/2011	22 AUG 2013

[illegible][illegible][illegible][illegible]

QUALITY
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
IDAHO FALLS (RNAV)	THREE	IDA3.IDA	TWO	03/10/2011	22 AUG 2013

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	RW01		010		VA		FB		008.9()		AA 05000	
	RW01	IDA	020		DF		FB	1.0				

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	IDA	N433108.42	W1120350.10	N4331.140	W11203.835
	RW01	N431213.84	W1122110.30	N4312.231	W11221.172

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW01	04485	40

QUALITY
1
CHECKED