

U.S. Department of Transportation
Federal Aviation Administration

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE												
SNY VORTAC (40V)	JANUT (TF) (FB) (40E) (43A)	118.28/29.55	6600	LNAV: RW14											
HOLYO (40E)	WAVNO (TF) (FB) (40E) (43A)	306.89/16.20	6200												
JANUT (IAF) (40E) (43A)	WAVNO (NOPT) (TF) (FB) (40E) (41E) (43B)	140.60/5.00	6000	CLIMB TO 6500 DIRECT YOSUS AND VIA 131.28 TRACK TO ASHBY AND HOLD											
WAVNO (IF/IAF) (40E) (43I)	ZOGAG (TF) (FB) (40E) (43F)	140.64/6.00	5400												
RW14 (MAP) (40G) (41Y) (43M)	4100 MSL (CA) (42M)	140.68		ADDITIONAL FLIGHT DATA: HOLD SW, RT, 066.47 INBOUND CHART FAS OBST: 3834 TWR 403511N/1021753W CHART: 3909 TREE 403836N/1021956W ROUTE TYPE DESCRIPTION: A, P APPROACH ROUTE QUALIFIER 2: S CHART VDP AT 1.04 MILES TO RW14 ZOGAG TO RW14: 3.04/40											
4100 MSL	YOSUS (DF) (FO) (40E) (41Y)														
YOSUS (40E) (41Y)	ASHBY (TF) (FO) (40E) (41E) (43H)	131.28/17.01	6500												
1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)				MAG VAR: 8E EPOCH YEAR: 05											
2. HOLD NW WAVNO, RT, 140.68 INBOUND 6000 FT. IN-LIEU-OF PT (IAF). (40E)(41E)(43C)															
3. FAC: 140.68 FAF: ZOGAG DIST FAF TO MAP: 5.05 THLD: 5.05															
4. MIN. ALT: WAVNO 6000, ZOGAG 5400															
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:															
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:															
7. GS ANGLE: TCH: 34:1 IS CLEAR															
8. MSA FROM: RW14 5600															
MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	X										
CATEGORY ==>	A			B			C			D			E		
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA
LNAV MDA	4100	1	370	4100	1	370	4100	1	370	4100	1 1/4	370			
CIRCLING	4160	1	430	4180	1	450	4180	1 1/2	450	4320	2	590			
NOTES: CHART NOTES: DME/DME RNP-0.3 NA. IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE SIDNEY MUNI/LLOYD W. CARR FIELD ALTIMETER SETTING AND INCREASE ALL MDA'S 200 FEET. VDP NA WHEN USING SIDNEY MUNI/LLOYD W. CARR FIELD ALTIMETER SETTING															
CITY AND STATE		ELEVATION: 3730 TDZE: 3730		FACILITY IDENTIFIER: RNAV		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: OCT 27 2005 RNAV (GPS) RWY 14, ORIG				SUP: NONE					
HOLYOKE, CO		HOLYOKE								DATE					