



|  |   |                     |  |   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
|--|---|---------------------|--|---|------|----|---------------------|----------|-----------------------|-----------------|---------------|--|------------|----------|--------|--|----------|------------|--|------|
| US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  |   |                     | Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR. |   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
| RNAV - STANDARD<br>INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33   |   |                     |  |   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
| TERMINAL ROUTES, (CONT.):  |   |                     |  |   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
| <table><tr><td>FROM</td><td>TO</td><td>COURSE AND DISTANCE</td><td>ALTITUDE</td></tr><tr><td>HURIB/2.10 NM TO RW08</td><td>RW08 (MAP) (FO)</td><td>082.20 / 2.10</td><td></td></tr><tr><td>RW08 (MAP)</td><td>1430 MSL</td><td>082.20</td><td></td></tr><tr><td>1430 MSL</td><td>MOSEW (FO)</td><td></td><td>3000</td></tr></table>  |   |                     |  |   | FROM | TO | COURSE AND DISTANCE | ALTITUDE | HURIB/2.10 NM TO RW08 | RW08 (MAP) (FO) | 082.20 / 2.10 |  | RW08 (MAP) | 1430 MSL | 082.20 |  | 1430 MSL | MOSEW (FO) |  | 3000 |
| FROM   | TO  | COURSE AND DISTANCE | ALTITUDE   |   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
| HURIB/2.10 NM TO RW08  | RW08 (MAP) (FO)                                     | 082.20 / 2.10       |  |   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
| RW08 (MAP)   | 1430 MSL  | 082.20              |  |   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
| 1430 MSL   | MOSEW (FO)  |                     | 3000   |   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
| NOTES, (CONT.):<br>CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON MIE VOR/DME AIRWAY RADIALS 063 CW 212.<br>CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON SHB VORTAC AIRWAY RADIALS 028 CW 124.<br>CHART NOTE: USE VERSAILLES ALTIMETER SETTING, WHEN NOT RECEIVED, USE MUNCIE ALTIMETER SETTING AND INCREASE ALL DA/MDA 20 FT AND INCREASE LPV VISIBILITY ALL CATS AND LNAV/VNAV ALL CATS 1/8 MILE.<br>CHART NOTE: NIGHT LANDING: CAT C, RWY 8 NA.<br>*LNAV ONLY |   |                     |  |   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
| <div>QUALITY<br/>5<br/>CHECKED</div>   |   |                     |  |   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
| CITY AND STATE<br>WINCHESTER, IN   | ELEVATION: 1123<br>AIRPORT NAME:<br>RANDOLPH COUNTY | TDZE: 1121          | FACILITY IDENTIFIER:<br>RNAV   | PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:<br>RNAV (GPS) RWY 8, AMDT 1<br>5 MARCH 2015 |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |
|  |   |                     |  | SUP:<br>AMDT: ORIG-A<br>DATED: 06/26/2014   |      |    |                     |          |                       |                 |               |  |            |          |        |  |          |            |  |      |

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION**

| <u>DATA FIELD</u>                        | <u>DATA</u>   |
|--|---------------|
| OPERATION TYPE                           | 0             |
| SBAS SERVICE PROVIDER IDENTIFIER         | 0             |
| AIRPORT IDENTIFIER                       | I22           |
| RUNWAY                                   | RW08          |
| APPROACH PERFORMANCE DESIGNATOR          | 0             |
| ROUTE INDICATOR                          |               |
| REFERENCE PATH DATA SELECTOR             | 0             |
| REFERENCE PATH IDENTIFIER (APPROACH ID)  | W08A          |
| LTP/FTP LATITUDE                         | 400959.0040N  |
| LTP/FTP LONGITUDE                        | 0845612.7655W |
| LTP/FTP ELLIPSOIDAL HEIGHT               | +03066        |
| FPAP LATITUDE                            | 401018.6365N  |
| FPAP LONGITUDE                           | 0845419.3885W |
| THRESHOLD CROSSING HEIGHT (TCH)          | 00045.0       |
| TCH UNITS SELECTOR (METERS OR FEET USED) | F             |
| GLIDEPATH ANGLE (GPA)                    | 03.00         |
| COURSE WIDTH AT THRESHOLD                | 106.75        |
| LENGTH OFFSET                            | 1440          |
| HORIZONTAL ALERT LIMIT (HAL)             | 40.0          |
| VERTICAL ALERT LIMIT (VAL)               | 50.0          |
| <br><u>CRC REMAINDER</u>                 | <br>4E82666C  |

**ADDITIONAL PATH POINT RECORD INFORMATION**

|                         |        |
|-------------------------|--------|
| ICAO CODE               | K5     |
| LTP ORTHOMETRIC HEIGHT  | +03401 |
| FPAP ORTHOMETRIC HEIGHT | +03401 |

QUALITY  
5  
CHECKED

|                                  |   |                                     |   |                        |
|----------------------------------|---|-------------------------------------|---|------------------------|
| CITY AND STATE<br>WINCHESTER, IN | ELEVATION: 1123      TDZE: 1121<br>AIRPORT NAME:<br><br>RANDOLPH COUNTY | FACILITY<br>IDENTIFIER:<br><br>RNAV | PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:<br>RNAV (GPS) RWY 8, AMDT 1<br><br>5 MARCH 2015 | SUP:                   |
|                                  |   |                                     |   | AMDT:      ORIG-A      |
|                                  |   |                                     |   | DATED:      06/26/2014 |

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible]

| SEGMENT          | 1      | 2                  | 3       | 4     | 5          | 6        | 7 | 8          | 9     | 0     | 1        | 2    | 3 |
|------------------|--------|--------------------|---------|-------|------------|----------|---|------------|-------|-------|----------|------|---|
| SUSAP I22 K5FR08 | AMIE   | 010MIE             | K5D 0V  | A     | IF         |          |   |            |       | 18000 |          | A JS |   |
| SUSAP I22 K5FR08 | AMIE   | 020OYCEGK5EA0EE    | B       | 010TF |            | 13470111 | + | 03000      |       |       | A JS     |      |   |
| SUSAP I22 K5FR08 | AOYCEG | 010OYCEGK5EA0EE    | AR      | HF    |            | 08210040 | + | 03000      | 18000 |       | A JS     |      |   |
| SUSAP I22 K5FR08 | ARID   | 010RID             | K5D 0V  | IF    |            |          |   |            | 18000 |       | A JS     |      |   |
| SUSAP I22 K5FR08 | ARID   | 020UTEYUK5EA0E     | A       | 020TF |            | 31230184 | + | 03000      |       |       | A JS     |      |   |
| SUSAP I22 K5FR08 | ARID   | 030OYCEGK5EA0EE    | B       | 010TF |            | 35210110 | + | 03000      |       |       | A JS     |      |   |
| SUSAP I22 K5FR08 | ASHB   | 010SHB             | K5D 0V  | A     | IF         |          |   |            | 18000 |       | A JS     |      |   |
| SUSAP I22 K5FR08 | ASHB   | 020OYCEGK5EA0EE    | B       | 010TF |            | 04910407 | + | 03000      |       |       | A JS     |      |   |
| SUSAP I22 K5FR08 | R      | 010OYCEGK5EA0E     | I       | IF    |            |          | + | 03000      | 18000 |       | A JS     |      |   |
| SUSAP I22 K5FR08 | R      | 020WUBEKK5EA1E     | F       | 051TF |            | 08210077 | + | 02800      |       | RW08  | K5PGA JS |      |   |
| SUSAP I22 K5FR08 | R      | 020WUBEKK5EA2WALPV |         |       | ALNAV/VNAV | ALNAV    |   |            |       |       | JS       |      |   |
| SUSAP I22 K5FR08 | R      | 021HURIBK5EA0E     | S       | 031TF |            | 08220031 | V | 0182001830 |       | -300  | A JS     |      |   |
| SUSAP I22 K5FR08 | R      | 030RW08            | K5PG0GY | M     | 031TF      | 08220021 |   | 01161      |       | -300  | A JS     |      |   |
| SUSAP I22 K5FR08 | R      | 040                | 0       | M     | CA         | 0822     | + | 01430      |       |       | A JS     |      |   |
| SUSAP I22 K5FR08 | R      | 050MOSEWK5EA0EY    |         | DF    |            |          | + | 03000      |       |       | A JS     |      |   |
| SUSAP I22 K5FR08 | R      | 060MOSEWK5EA0EE    | R       | HM    |            | 26250040 | + | 03000      |       |       | A JS     |      |   |

[illegible]

|   |   |  |   |        |
|---|---|--|---|--------|
| CITY AND STATE<br><b>WINCHESTER, IN</b> | ELEVATION: <b>1123</b><br>AIRPORT NAME:<br><b>RANDOLPH COUNTY</b> | FACILITY<br>IDENTIFIER:<br><br><b>RNAV</b> | PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:<br><b>RNAV (GPS) RWY 8, AMDT 1</b><br><br>5 MARCH 2015 | SUP:   |
|   |   |  |   | AMDT:  |
|   |   |  |   | DATED: |

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY  
5  
CHECKED

|   |   |  |  |                          |
|---|---|--|--|--------------------------|
| CITY AND STATE<br><b>WINCHESTER, IN</b> | ELEVATION: <b>1123</b><br>AIRPORT NAME:<br><b>RANDOLPH COUNTY</b> | FACILITY<br>IDENTIFIER:<br><br><b>RNAV</b> | PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: | SUP:                     |
|   |   |  | <b>RNAV (GPS) RWY 8, AMDT 1</b>            | AMDT: <b>ORIG-A</b>      |
|   |   |  | <b>5 MARCH 2015</b>                        | DATED: <b>06/26/2014</b> |

| U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION |            |   |                     |                   |              |   |             | Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR. |                |          |                          |          |
|---|------------|---|---------------------|-------------------|--------------|---|-------------|--|----------------|----------|--------------------------|----------|
| RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE                   |            |   |                     |                   |              |   |             |  |                |          |                          |          |
| FLIGHT STANDARDS SERVICES - FAR PART 97.33                          |            |   |                     |                   |              |   |             |  |                |          |                          |          |
| ARINC SUMMARY - 424-18 - RNAV (GPS)                                 |            |   |                     |                   |              |   |             |  |                |          |                          |          |
| ROUTES  | TRANSITION | FIX                                     | SEQ                 | USE               | PATH         | TURN                                    | FO/FB       | RNP  | MAG (TRUE)     | DISTANCE | ALTITUDE                 | SPEED    |
|   | MIE        | MIE                                     | 010                 | IAF               | IF           |   | FB          |  |                |          |                          |          |
|   | MIE        | OYCEG                                   | 020                 |                   | TF           |   | FB          | 1.0  | 134.7 (129.7T) | 011.1    | AA 03000                 |          |
|   | OYCEG      | OYCEG                                   | 010                 | IAF               | HF           | R                                       | FO          |  | 082.1 (077.1T) | 004.0    | AA 03000                 |          |
|   | RID        | RID                                     | 010                 |                   | IF           |   | FB          |  |                |          |                          |          |
|   | RID        | UTEYU                                   | 020                 | IAF               | TF           |   | FB          | 2.0  | 312.3 (307.3T) | 018.4    | AA 03000                 |          |
|   | RID        | OYCEG                                   | 030                 |                   | TF           |   | FB          | 1.0  | 352.1 (347.1T) | 011.0    | AA 03000                 |          |
|   | SHB        | SHB                                     | 010                 | IAF               | IF           |   | FB          |  |                |          |                          |          |
|   | SHB        | OYCEG                                   | 020                 |                   | TF           |   | FB          | 1.0  | 049.1 (044.1T) | 040.7    | AA 03000                 |          |
|   |            | OYCEG                                   | 010                 | FACF              | IF           |   | FB          |  |                |          | AA 03000                 |          |
|   |            | WUBEK                                   | 020                 | FAF               | TF           |   | FB          | 0.5  | 082.1 (077.1T) | 007.7    | AA 02800                 |          |
|   |            | HURIB                                   | 021                 | SDF               | TF           |   | FB          | 0.3  | 082.2 (077.2T) | 003.1    | AA 01820                 | GS 01830 |
|   |            | RW08                                    | 030                 | MAP               | TF           |   | FO          | 0.3  | 082.2 (077.2T) | 002.1    | AT 01161                 |          |
| MISSED APPROACH   |            | FIX                                     | SEQ                 | USE               | PATH         | TURN                                    | FO/FB       | RNP  | MAG (TRUE)     | DISTANCE | ALTITUDE                 | SPEED    |
|   |            |   | 040                 |                   | CA           |   | FB          |  | 082.2 (077.2T) |          | AA 01430                 |          |
|   |            | MOSEW                                   | 050                 |                   | DF           |   | FO          |  |                |          | AA 03000                 |          |
|   |            | MOSEW                                   | 060                 |                   | HM           | R                                       | FO          |  | 262.5 (257.5T) | 004.0    | AA 03000                 |          |
| POINT DATA  |            | WAYPOINT                                | LAT IN SECS         |                   | LONG IN SECS |   | LAT IN MINS |  | LONG IN MINS   |          |                          |          |
|   |            | MIE                                     | N401414.25          |                   | W0852338.53  |   | N4014.238   |  | W08523.642     |          |                          |          |
|   |            | RID                                     | N394518.03          |                   | W0845019.78  |   | N3945.301   |  | W08450.330     |          |                          |          |
|   |            | SHB                                     | N393757.15          |                   | W0854927.54  |   | N3937.953   |  | W08549.459     |          |                          |          |
|   |            | HURIB                                   | N400931.15          |                   | W0845853.08  |   | N4009.519   |  | W08458.885     |          |                          |          |
|   |            | MOSEW                                   | N401256.32          |                   | W0843901.34  |   | N4012.939   |  | W08439.022     |          |                          |          |
|   |            | OYCEG                                   | N400708.20          |                   | W0851230.81  |   | N4007.137   |  | W08512.514     |          |                          |          |
|   |            | UTEYU                                   | N395624.33          |                   | W0850919.24  |   | N3956.406   |  | W08509.321     |          |                          |          |
|   |            | WUBEK                                   | N400850.72          |                   | W0850245.58  |   | N4008.845   |  | W08502.760     |          |                          |          |
|   |            | RW08                                    | N400959.00          |                   | W0845612.77  |   | N4009.983   |  | W08456.213     |          |                          |          |
| RUNWAY DATA   |            | RWY                                     | THRESHOLD ELEVATION |                   | TCH          |   |             |  |                |          |                          |          |
|   |            | RW08                                    | 01116               |                   | 45           |   |             |  |                |          |                          |          |
| CITY AND STATE<br><b>WINCHESTER, IN</b>                             |            | ELEVATION: <b>1123</b>                  |                     | TDZE: <b>1121</b> |              | FACILITY IDENTIFIER:<br><br><b>RNAV</b> |             | PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:<br><b>RNAV (GPS) RWY 8, AMDT 1</b><br><b>5 MARCH 2015</b>   |                |          | SUP:                     |          |
|   |            | AIRPORT NAME:<br><b>RANDOLPH COUNTY</b> |                     |                   |              |   |             |  |                |          | AMDT: <b>ORIG-A</b>      |          |
|   |            |   |                     |                   |              |   |             |  |                |          | DATED: <b>06/26/2014</b> |          |

