

VOR STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
OLM VORTAC	HABOR/5.08 DME/RADAR	351.44/5.08	3000	MAP: 4.80 MILES AFTER HABOR CLIMB TO 1900 THEN CLIMBING RIGHT TURN TO 4000 DIRECT OLM VORTAC AND HOLD, CONTINUE CLIMB-IN-HOLD TO 4000. ADDITIONAL FLIGHT DATA: HOLD S, LT, 356.00 INBOUND CHART FAS OBST: 614 POLE 470056N/1225504W CHART: R-6703C CHART: APT ELEV 209 CHART PLANVIEW NOTE: DME OR RADAR REQUIRED

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
 2. **HOLD N HABOR, RT, 171.44 INBOUND, 2500 FT. IN LIEU OF PT (IAF)**
 3. FAC **171.44** FAF **HABOR** DIST FAF TO MAP **4.80** THLD
 4. MIN. ALT **HABOR 2500**
 8. MSA FROM: **OLM VORTAC 020-200 5400, 200-020 4500**

MAG VAR: 19E

EPOCH YEAR: 95

MINIMUMS

TAKEOFF:		STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A				STANDARD # @				
CATEGORY		A			B			C			D			E		
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/ HAA	MDA	VIS	HAT/ HAA	MDA	VIS	HAT/ HAA	MDA	VIS	HAT/ HAA
CIRCLING		880	1	671	880	1	671	880	2	671	880	2 1/4	671			

NOTES:

CHART NOTES: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE SANDERSON FIELD ALTIMETER SETTING AND INCREASE MDA 60 FEET. DME OR RADAR REQUIRED.

NA WHEN LOCAL WEATHER NOT AVAILABLE

@ CAT D 800 - 2 1/4

CITY AND STATE	ELEVATION: 209 TDZE:	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP
OLYMPIA, WA	AIRPORT NAME: OLYMPIA	OLM	JAN 18 2007 VOR-A, AMDT 1	AMDT ORIG
				DATE 04/01/1993

