

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
MOOKY	ONE	MOOKY1.MOOKY	NONE		18 SEP 2014

**TYPE:** SID

**DP ROUTE DESCRIPTION:**

**TAKE-OFF RWY 6:** CLIMBING RIGHT TURN HEADING 100 OR AS ASSIGNED FOR VECTORS TO JOIN FILED ROUTE, THENCE...

**TAKE-OFF RWY 24:** CLIMB HEADING 238.12 OR AS ASSIGNED FOR VECTORS TO JOIN FILED ROUTE, THENCE...

...ALL AIRCRAFT MAINTAIN 3000 OR ASSIGNED ALTITUDE. EXPECT FURTHER CLEARANCE TO FILED ALTITUDE WITHIN 10 MINUTES AFTER DEPARTURE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

**PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:**

RWY 6,24 STANDARD

**TAKEOFF OBSTACLES NOTES:**

NOTE: RWY 6, TREES BEGINNING 1398 FT FROM DER, 582 FT LEFT OF CENTERLINE, UP TO 84 FT AGL/104 FT MSL. TREES BEGINNING 1768 FT FROM DER, 860 FT RIGHT OF CENTERLINE, UP TO 95 FT AGL/115 FT MSL. RWY 24, TREES 1692 FT FROM DER, 916 FT RIGHT OF CENTERLINE, 78 FT AGL/98 FT MSL.

**CONTROLLING OBSTACLES:**

**LOST COMMUNICATIONS PROCEDURES:**

**ADDITIONAL FLIGHT DATA:**

**AIRPORTS SERVED:**

SOUTHWEST FLORIDA INTL

FORT MYERS, FL



**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
MOOKY	ONE	MOOKY1.MOOKY	NONE		18 SEP 2014

**COMMUNICATIONS:**

ARTCC; ATIS; CLNC DEL; CTAF; GND CON; DEP CON 119.5 327.8 (RWY 6), 125.15 306.2 (RWY 24); TWR.

**FIXES AND/OR NAVAIDS:**

**CHART NAVAIDS:** PIE VORTAC; ORL VORTAC; LAL VORTAC; SRQ VORTAC; LBV VORTAC; CYY VOR/DME; RSW VORTAC; EYW VORTAC; PHK VORTAC.

**REMARKS:**

DEPARTURE PROCEDURE TRAPEZOID BUILT TO 1500 FT MSL (MINIMUM VECTOR ALTITUDE).

**CHANGES:****REASONS:**

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
MOOKY	ONE	MOOKY1.MOOKY	NONE		18 SEP 2014

**COMMUNICATIONS:**

ARTCC; ATIS; CLNC DEL; CTAF; GND CON; DEP CON 119.5 327.8 (RWY 6), 125.15 306.2 (RWY 24); TWR.

**FIXES AND/OR NAVAIDS:**

**CHART NAVAIDS:** PIE VORTAC; ORL VORTAC; LAL VORTAC; SRQ VORTAC; LBV VORTAC; CYY VOR/DME; RSW VORTAC; EYW VORTAC; PHK VORTAC.

**REMARKS:**

DEPARTURE PROCEDURE TRAPEZOID BUILT TO 1500 FT MSL (MINIMUM VECTOR ALTITUDE).

**CHANGES:****REASONS:**

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
MOOKY	ONE	MOOKY1.MOOKY	NONE		18 SEP 2014

ARINC PACKET - 424-18 - SID

1	2	3	4	5	6	7	8	9	0	1	2	3
NAVAID	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012											
SUSAD	CYY	K7010860VDTW	N26091232W081464117		N26091232W081464117W0030000100					NARCYPRESS		
SUSAD	EYW	K7011350VTHA	N24350916W081480171		N24350916W081480171E0010000102					NARKEY WEST		
SUSAD	LAL	K7011600VTH	N27591025W082005001		N27591025W082005001E0010001342					NARLAKELAND		
SUSAD	LBV	K7011040VTL	N26494147W081232918		N26494147W081232918E0010000301					NARLA BELLE		
SUSAD	ORL	K7011220VTHA	N28323381W081200607		N28323381W081200607E0000001022					NARORLANDO		
SUSAD	PHK	K7011540VTHA	N26465787W080412916		N26465787W080412916E0000000162					NARPAHOKEE		
SUSAD	PIE	K7011640VTHA	N27542795W082410351		N27542795W082410351W0050000092					NARST PETERSBURG		
SUSAD	RSW	K7011180VTLA	N26314755W081463276		N26314755W081463276W0020000251					NARLEE COUNTY		
SUSAD	SRQ	K7011700VTH	N27242526W082334916		N27242526W082334916W0050000192					NARSARASOTA		

1	2	3	4	5	6	7	8	9	0	1	2	3
AIRPORT	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012											
SUSAP	KRSWK7ARSW	0	120YHN26321020W081451860W004000030			1800018000C		MNAR		SOUTHWEST FLORIDA INTL		

1	2	3	4	5	6	7	8	9	0	1	2	3
SEGMENT	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012											
SUSAP	KRSWK7DMOOKY1TRW06	010	0	CA		0581		+ 00430	18000			
SUSAP	KRSWK7DMOOKY1TRW06	020	0 E	VM		1000						
SUSAP	KRSWK7DMOOKY1TRW24	010	0 E	VM		2381			18000			
SUSAP	KRSWK7DMOOKY1VCYY	010KRSW	K7PA0A	IF					18000			
SUSAP	KRSWK7DMOOKY1VCYY	020CYY	K7D 0VE	DF								
SUSAP	KRSWK7DMOOKY1VEYW	010KRSW	K7PA0A	IF					18000			
SUSAP	KRSWK7DMOOKY1VEYW	020EYW	K7D 0VE	DF								
SUSAP	KRSWK7DMOOKY1VLAL	010KRSW	K7PA0A	IF					18000			
SUSAP	KRSWK7DMOOKY1VLAL	020LAL	K7D 0VE	DF								
SUSAP	KRSWK7DMOOKY1VLBV	010KRSW	K7PA0A	IF					18000			
SUSAP	KRSWK7DMOOKY1VLBV	020LBV	K7D 0VE	DF								
SUSAP	KRSWK7DMOOKY1VORL	010KRSW	K7PA0A	IF					18000			
SUSAP	KRSWK7DMOOKY1VORL	020ORL	K7D 0VE	DF								
SUSAP	KRSWK7DMOOKY1VPHK	010KRSW	K7PA0A	IF					18000			
SUSAP	KRSWK7DMOOKY1VPHK	020PHK	K7D 0VE	DF								
SUSAP	KRSWK7DMOOKY1VPIE	010KRSW	K7PA0A	IF					18000			
SUSAP	KRSWK7DMOOKY1VPIE	020PIE	K7D 0VE	DF								
SUSAP	KRSWK7DMOOKY1VRSW	010KRSW	K7PA0A	IF					18000			
SUSAP	KRSWK7DMOOKY1VRSW	020RSW	K7D 0VE	DF								
SUSAP	KRSWK7DMOOKY1VSRQ	010KRSW	K7PA0A	IF					18000			
SUSAP	KRSWK7DMOOKY1VSRQ	020SRQ	K7D 0VE	DF								

QUALITY  
2  
CHECKED

**DEPARTURE (DATA RECORD)**

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
MOOKY	ONE	MOOKY1.MOOKY	NONE		18 SEP 2014

RUNWAY 12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012

SUSAP KRSWK7GRW06 0120000581 N26313535W081461207+0000 -0016100027000055150IIRSW1  
SUSAP KRSWK7GRW24 0120002381 N26324502W081442503+0000 -0015200030000052150R

QUALITY  
2  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
MOOKY	ONE	MOOKY1.MOOKY	NONE		18 SEP 2014

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	RW06		010		CA		FB		058.1()		AA 00430	
	RW06		020		VM		FB		100.0()			
	RW24		010		VM		FB		238.1()			
	CYY	KRSW	010		IF		FB					
	CYY	CYY	020		DF		FB					
	EYW	KRSW	010		IF		FB					
	EYW	EYW	020		DF		FB					
	LAL	KRSW	010		IF		FB					
	LAL	LAL	020		DF		FB					
	LBV	KRSW	010		IF		FB					
	LBV	LBV	020		DF		FB					
	ORL	KRSW	010		IF		FB					
	ORL	ORL	020		DF		FB					
	PHK	KRSW	010		IF		FB					
	PHK	PHK	020		DF		FB					
	PIE	KRSW	010		IF		FB					
	PIE	PIE	020		DF		FB					
	RSW	KRSW	010		IF		FB					
	RSW	RSW	020		DF		FB					
	SRQ	KRSW	010		IF		FB					
	SRQ	SRQ	020		DF		FB					

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	CYY	N260912.32	W0814641.17	N2609.205	W08146.686
	EYW	N243509.16	W0814801.71	N2435.153	W08148.029
	LAL	N275910.25	W0820050.01	N2759.171	W08200.834
	LBV	N264941.47	W0812329.18	N2649.691	W08123.486
	ORL	N283233.81	W0812006.07	N2832.564	W08120.101
	PHK	N264657.87	W0804129.16	N2646.965	W08041.486
	PIE	N275427.95	W0824103.51	N2754.466	W08241.059
	RSW	N263147.55	W0814632.76	N2631.793	W08146.546
	SRQ	N272425.26	W0823349.16	N2724.421	W08233.819
	RW06	N263135.35	W0814612.07	N2631.589	W08146.201
	RW24	N263245.02	W0814425.03	N2632.750	W08144.417

RUNWAY DATA	THRESHOLD	
RWY	ELEVATION	TCH
RW06	00027	55
RW24	00030	52

QUALITY  
2  
CHECKED