

**Federal Aviation  
Administration**

**Transmittal Letter 19-02**

**November 30, 2018**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
3-Jan-19	IN	Elkhart	Elkhart Muni	8/7752	11/15/18	RNAV (GPS) RWY 27, Orig-A

**AIRAC Date: 3 JANUARY 2019**

FDC **8/7752** EKM IAP ELKHART MUNI, Elkhart, IN. RNAV (GPS) RWY 27, ORIG-A...  
LPV DA 1071, LPV VIS RVR 4000. LNAV/VNAV DA 1221. LNAV HAT 482 ALL CATS.  
LNAV CAT A/B RVR 4000, CAT C RVR 5000. CIRCLING CAT C MDA 1380/HAA 602,  
VIS 1 3/4, CAT D MDA 1580/HAA 802, VIS 2 1/2. CHART CIRCLING ICON. CHART  
NOTE: CIRCLING RWY 36 NA AT NIGHT. CHART NOTE: CIRCLING NA TO RWYS 8  
AND 26. CHART NOTE: RWY 27 HELICOPTER VISIBILITY REDUCTION BELOW  
RVR 4000 NOT AUTHORIZED. CHART NOTE: FOR UNCOMPENSATED BARO-  
VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C OR ABOVE 54C. DELETE NOTE:  
BARO-VNAV NA BELOW -16C (4F). PBN REQUIREMENTS NOTE: RNP APCH.  
DELETE NOTE: DME/DME RNP-0.3 NA. CHART NOTE: WHEN LOCAL ALTIMETER  
SETTING NOT RECEIVED, USE SOUTH BEND ALTIMETER SETTING AND  
INCREASE ALL MDA 40 FEET. DELETE NOTE: IF LOCAL ALTIMETER NOT  
RECEIVED, USE SOUTH BEND ALTIMETER SETTING AND INCREASE ALL MDA  
40 FEET. CHART TDZE 778. THIS IS RNAV (GPS) RWY 27, ORIG-B. 1809251130-  
PERM