

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name SLANT RNAV	Number TWO	STAR Computer Code FINGR.SLANT2	Superseded Number ONE	Dated 18 SEP 2014	Effective Date 25 JUN 2015				
TRANSITION ROUTES:									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Mag Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
AIRRE	AIRRE.SLANT2	AIRRE	AIRRE						
			FOORS	195.89	20.01	10000	2100		
			SEEV	192.37	08.40	5000	2100		
			FINGR	194.20	11.60	5000	2300		
AXXEE	AXXEE.SLANT2	AXXEE	AXXEE						
			AIRRE	194.66	27.27	10000	2200		
			FOORS	195.89	20.01	10000	2100		
			SEEV	192.37	08.40	5000	2100		
			FINGR	194.20	11.60	5000	2300		
CAMAL	CAMAL.SLANT2	CAMAL	CAMAL						
			RUBBR	214.00	31.31	10000	3700		
			CHCKN	214.26	23.40	10000	2500		
			VENUE	213.58	07.04	10000	2000		
			REPAY	213.75	33.37	10000	2200		
			CUBAN	213.60	10.63	5000	2100		
			FINGR	242.08	10.00	5000	2300		
DIRRK	DIRRK.SLANT2	DIRRK	DIRRK						
			JETT	243.53	59.20	10000	2200		
			TRRRY	242.67	26.12	10000	1900		
			RRONY	242.40	03.54	10000	1900		
			KIDDD	242.72	14.46	10000	1900		
			CUBAN	242.33	25.00	5000	2100		
			FINGR	242.08	10.00	5000	2300		
HITUG	HITUG.SLANT2	HITUG	HITUG						
			SSLID	166.44	58.88	10000	3700		
			RUBBR	168.56	41.69	10000	3200		
			CHCKN	214.26	23.40	10000	2500		
			VENUE	213.58	07.04	10000	2000		

QUALITY
17
9-10

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name SLANT RNAV			Number TWO	STAR Computer Code FINGR.SLANT2	Superseded Number ONE			Dated 18 SEP 2014	Effective Date 25 JUN 2015
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Mag Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			REPAY	213.75	33.37	10000	2200		
			CUBAN	213.60	10.63	5000	2100		
			FINGR	242.08	10.00	5000	2300		
JRHED	JRHED.SLANT2	JRHED	JRHED						
			JETTT	260.21	23.54	10000	1800		
			TRRRY	242.67	26.12	10000	1900		
			RRONY	242.40	03.54	10000	1900		
			KIDDD	242.72	14.46	10000	1900		
			CUBAN	242.33	25.00	5000	2100		
			FINGR	242.08	10.00	5000	2300		
KLAWW	KLAWW.SLANT2	KLAWW	KLAWW						
			SSLID	140.43	65.32	10000	2800		
			RUBBR	168.56	41.69	10000	3200		
			CHCKN	214.26	23.40	10000	2500		
			VENUE	213.58	07.04	10000	2000		
			REPAY	213.75	33.37	10000	2200		
			CUBAN	213.60	10.63	5000	2100		
			FINGR	242.08	10.00	5000	2300		
RRONY	RRONY.SLANT2	RRONY	RRONY						
			KIDDD	242.72	14.46	10000	1900		
			CUBAN	242.33	25.00	5000	2100		
			FINGR	242.08	10.00	5000	2300		

ARRIVAL ROUTE DESCRIPTION:

FROM FINGR ON TRACK 227.31/8.40 TO SLANT (MEA 4000/MOCA 2300), THEN ON TRACK 230.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED.

NOTE: RNAV 1.

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: AXSEE AND RRONY TRANSITIONS: FOR AIRCRAFT FILING FL230 AND BELOW.

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SLANT RNAV	TWO	FINGR.SLANT2	ONE	18 SEP 2014	25 JUN 2015
NOTE: AIRRE TRANSITION: FOR TRAFFIC FILING FL190 AND BELOW.					
NOTE: AIRCRAFT DEPARTING THE OKLAHOMA CITY TERMINAL AREA FILE AND EXPECT THE AIRRE ENROUTE TRANSITION.					
NOTE: JRHED TRANSITION: ATC ASSIGNED ONLY.					
NOTE: VERTICAL NAVIGATION PLANNING INFORMATION: TURBOJETS EXPECT TO CROSS FINGR AT 8000, PROPS EXPECT TO CROSS FINGR AT 6000 OR 7000.					
<u>FIXES AND/OR HOLDING PATTERNS:</u>					
CHART HOLDING AT JETTT: HOLD NE, RT, 243.55 INBOUND, 10 NM LEGS. CHART HOLDING AT KIDDD: HOLD NE, RT, 242.72 INBOUND, 10 NM LEGS. CHART HOLDING AT SEEV: HOLD NE, RT, 224.00 INBOUND, 10 NM LEGS. CHART HOLDING AT CUBAN: HOLD NE, RT, 242.08 INBOUND, 10 NM LEGS.					
<u>COMMUNICATIONS:</u>					
ADS ATIS, RBD ATIS, REGIONAL APP CON.					
<u>AIRPORTS SERVED:</u>					
ADDISON, DALLAS, TX					
COLLIN COUNTY RGNL AT MC KINNEY, DALLAS, TX					
DALLAS EXECUTIVE, DALLAS, TX					
ENNIS MUNI, ENNIS, TX					
LANCASTER RGNL, LANCASTER, TX					
MESQUITE METRO, MESQUITE, TX					
MID-WAY RGNL, MIDLOTHIAN/WAXAHACHIE, TX					
RALPH M HALL/ROCKWALL MUNI, ROCKWALL, TX					
<u>LOST COMMUNICATIONS PROCEDURE:</u>					
<u>REMARKS:</u>					
<u>ADDITIONAL FLIGHT DATA:</u>					
DME/DME ASSESSMENT: SAT (RNP 2.0).					
REFERENCE MAGNETIC VARIATION = KADS 05E/2000					

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SLANT RNAV	TWO	FINGR.SLANT2	ONE	18 SEP 2014	25 JUN 2015

CHANGES:

1. MOVED CAMAL TO 344214.36N, 944917.66W (MOVED 3.24 NM SW) RETAINED AT ATC REQUEST.
2. MOVED DIRRK TO 340816.84N 934635.15W (MOVED 1.98 NM WSW) RETAINED AT ATC REQUEST.
3. ADDED HOLDING AT CUBAN WP.
4. ADDED NOTE FOR OKC AREA DEPARTURES TO FILE THE AIRRE TRANSITION.
5. ADDED VERTCAL NAV. PLANNING NOTE AT FINGR.
6. ADJUSTED MOCA'S AT FINGR, VENUE, JETTT, CHCKN.

REASONS:

- 1-5. ATC REQUEST AS RESULT OF NTX OAPM POST IMPLEMENTATION.
6. USED UPDATED DATABASE FOR OBSTACLE EVALUATION.

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SLANT RNAV	TWO	FINGR.SLANT2	ONE	18 SEP 2014	25 JUN 2015

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
HITUG	355739.03N / 0952923.44W	Y		IF					HITUG.SLANT2
SSLID	345919.73N / 0951843.33W	Y	FB	TF	171.44	58.88			
RUBBR	341749.92N / 0951304.53W	Y	FB	TF	173.56	41.69			
CHCKN	335939.74N / 0953052.99W	Y	FB	TF	219.26	23.40			
VENUE	335408.88N / 0953609.42W	Y	FB	TF	218.58	07.04			
REPAY	332801.92N / 0960107.74W	Y	FB	TF	218.75	33.37			
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	218.60	10.63			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			

En Route Transition									
KLAWW	355320.11N / 0960349.97W	Y		IF					KLAWW.SLANT2
SSLID	345919.73N / 0951843.33W	Y	FB	TF	145.43	65.32			
RUBBR	341749.92N / 0951304.53W	Y	FB	TF	173.56	41.69			
CHCKN	335939.74N / 0953052.99W	Y	FB	TF	219.26	23.40			
VENUE	335408.88N / 0953609.42W	Y	FB	TF	218.58	07.04			
REPAY	332801.92N / 0960107.74W	Y	FB	TF	218.75	33.37			
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	218.60	10.63			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			

En Route Transition									
CAMAL	344214.36N / 0944917.66W	Y		IF					CAMAL.SLANT2
RUBBR	341749.92N / 0951304.53W	Y	FB	TF	219.00	31.31			
CHCKN	335939.74N / 0953052.99W	Y	FB	TF	219.26	23.40			
VENUE	335408.88N / 0953609.42W	Y	FB	TF	218.58	07.04			
REPAY	332801.92N / 0960107.74W	Y	FB	TF	218.75	33.37			
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	218.60	10.63			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			

QUALITY
17
CHECKED

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STAR (DATA RECORD)

Arrival Name SLANT RNAV	Number TWO	STAR Computer Code FINGR.SLANT2	Superseded Number ONE	Dated 18 SEP 2014	Effective Date 25 JUN 2015
-----------------------------------	----------------------	---	---------------------------------	-----------------------------	--------------------------------------

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
DIRRK	340816.84N / 0934635.15W	Y		IF					DIRRK.SLANT2
JETTT	334616.90N / 0945240.41W	Y	FB	TF	248.53	59.20			
TRRRY	333616.90N / 0952136.12W	Y	FB	TF	247.67	26.12			
RRONY	333455.16N / 0952530.56W	Y	FB	TF	247.40	03.54			
KIDDD	332924.45N / 0954130.77W	Y	FB	TF	247.72	14.46			
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	247.33	25.00			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			
En Route Transition									
JRHED	334818.19N / 0942431.90W	Y		IF					JRHED.SLANT2
JETTT	334616.90N / 0945240.41W	Y	FB	TF	265.21	23.54			
TRRRY	333616.90N / 0952136.12W	Y	FB	TF	247.67	26.12			
RRONY	333455.16N / 0952530.56W	Y	FB	TF	247.40	03.54			
KIDDD	332924.45N / 0954130.77W	Y	FB	TF	247.72	14.46			
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	247.33	25.00			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			
En Route Transition									
AXXEE	341916.58N / 0955255.12W	Y		IF					AXXEE.SLANT2
AIRRE	335332.32N / 0960356.65W	Y	FB	TF	199.66	27.27			
FOORS	333448.38N / 0961229.04W	Y	FB	TF	200.89	20.01			
SEEVN	332646.50N / 0961528.78W	Y	FB	TF	197.37	08.40			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	199.20	11.60			
En Route Transition									
AIRRE	335332.32N / 0960356.65W	Y		IF					AIRRE.SLANT2
FOORS	333448.38N / 0961229.04W	Y	FB	TF	200.89	20.01			

QUALITY
17
CHECKED

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STAR (DATA RECORD)

Arrival Name		Number		STAR Computer Code		Superseded Number		Dated	Effective Date
SLANT RNAV		TWO		FINGR.SLANT2		ONE		18 SEP 2014	25 JUN 2015
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
SEEVN	332646.50N / 0961528.78W	Y	FB	TF	197.37	08.40			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	199.20	11.60			
En Route Transition									
RRONY	333455.16N / 0952530.56W	Y		IF					RRONY.SLANT2
KIDDD	332924.45N / 0954130.77W	Y	FB	TF	247.72	14.46			
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	247.33	25.00			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			
Common Route									
FINGR	331547.65N / 0962001.79W	Y		IF					FINGR.SLANT2
SLANT	331038.65N / 0962757.01W	Y	FO	TF	232.31	08.40			
KADS,KF41,KF46, KHQZ,KJWY,KLNC, KRBD,KTKI				FM	235.00				RECOMMENDED NAVAID: GNL VOR/DME

