

## US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
<b>LOADS RNAV</b>	<b>TWO</b>	<b>YEAGR.LOADS2</b>	<b>ONE</b>	<b>18 SEP 2014</b>	<b>25 JUN 2015</b>

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Mag Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
CHEVE	CHEVE.LOADS2	CHEVE	CHEVE						
			FIATT	023.92	59.10	10000	2100		
			KLLEY	019.13	23.79	5000	1800		
			YEAGR	310.43	12.46	5000	1900		
JROAM	JROAM.LOADS2	JROAM	JROAM						
			KOBIE	310.15	37.28	10000	2300		
			KLLEY	310.65	29.66	5000	2000		
			YEAGR	310.43	12.46	5000	1900		
NAVYS	NAVYS.LOADS2	NAVYS	NAVYS						
			FIATT	352.27	39.76	10000	2100		
			KLLEY	019.13	23.79	5000	1800		
			YEAGR	310.43	12.46	5000	1900		
PNUTS	PNUTS.LOADS2	PNUTS	PNUTS						
			HINZE	287.48	124.74	10000	2200		
			YEAGR	286.28	33.86	5000	2100		
PUDJE	PUDJE.LOADS2	PUDJE	PUDJE						
			MRPHI	262.63	85.30	10000	2100		
			ZEKKE	271.17	54.88	10000	2200		
			YEAGR	270.59	33.31	5000	2100		

ARRIVAL ROUTE DESCRIPTION:

FROM YEAGR ON TRACK 316.71/35.86 TO LOADS (MEA 4000/MOCA 2300), THEN ON TRACK 329.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED.

NOTE: RNAV 1.

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: FOR USE WHEN DAL IS IN SOUTH FLOW. WHEN DAL IS IN NORTH FLOW, FILE THE EESAT RNAV STAR.

NOTE: NAVYS TRANSITION: FOR KCLL DEPARTURES ONLY.

NOTE: VERTICAL NAVIGATION PLANNING INFORMATION: TURBOJETS EXPECT TO CROSS YEAGR AT 9000, PROPS EXPECT TO CROSS YEAGR AT 6000 OR 7000

This is a corrected copy of a procedure in NFDD 089, dated 18 MAY 2015.  
See "Changes" page 3.

## US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
<b>LOADS RNAV</b>	<b>TWO</b>	<b>YEAGR.LOADS2</b>	<b>ONE</b>	<b>18 SEP 2014</b>	<b>25 JUN 2015</b>

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT ZEKKE: HOLD E, LT, 271.17 INBOUND, 10 NM LEGS. CHART HOLDING AT HINZE: HOLD E, LT, 287.48 INBOUND, 10 NM LEGS. CHART HOLDING AT KOBIE: HOLD SE, RT, 310.15 INBOUND, 10 NM LEGS.

COMMUNICATIONS:

ADS ATIS, RBD ATIS, REGIONAL APP CON.

AIRPORTS SERVED:

ADDISON, DALLAS, TX  
COLLIN COUNTY RGNL AT MC KINNEY, DALLAS, TX  
MESQUITE METRO, MESQUITE, TX  
RALPH M HALL/ROCKWALL MUNI, ROCKWALL, TX

LOST COMMUNICATIONS PROCEDURE:REMARKS:ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0).  
REFERENCE MAGNETIC VARIATION = KADS 05E/2000

## US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
<b>LOADS RNAV</b>	<b>TWO</b>	<b>YEAGR.LOADS2</b>	<b>ONE</b>	<b>18 SEP 2014</b>	<b>25 JUN 2015</b>

CHANGES:

REMOVED ENNIS MUNI AIRPORT.  
ADDED NAVYS TRANSITION FOR KCLL DEPARTURES ONLY.  
ADDED VERTICAL NAVIGATION PLANNING INFORMATION AT YEAGR.  
JROAM TRANSITION, MOCA FROM KLLEY TO YEAGR CHANGED FROM 2000 TO 1900.  
ARRIVAL ROUTE DESCRIPTION: CHANGED HEADING FROM 330 TO 329.

REASONS:

ATC REQUEST AS RESULT OF N. TX OAPM POST IMPLEMENTATION.

5-1-15: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 4-22-2015

CHANGED CHART NOTE "FOR USE WHEN DFW IS IN SOUTH FLOW. WHEN DFW IS IN NORTH FLOW, FILE AND EXPECT THE EESAT RNAV STAR." TO "FOR USE WHEN DAL IS IN SOUTH FLOW. WHEN DAL IS IN NORTH FLOW, FILE AND EXPECT THE EESAT RNAV STAR."

## US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

## STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LOADS RNAV	TWO	YEAGR.LOADS2	ONE	18 SEP 2014	25 JUN 2015

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
CHEVE	311119.21N / 0965440.90W	Y		IF					CHEVE.LOADS2
FIATT	320305.56N / 0962103.12W	Y	FB	TF	028.92	59.10			
KLLEY	322450.66N / 0960933.66W	Y	FB	TF	024.13	23.79			
YEAGR	323343.76N / 0961954.28W	Y	FB	TF	315.43	12.46			
En Route Transition									
JROAM	313712.48N / 0951407.80W	Y		IF					JROAM.LOADS2
KOBIE	320337.89N / 0954504.06W	Y	FB	TF	315.15	37.28			
KLLEY	322450.66N / 0960933.66W	Y	FB	TF	315.65	29.66			
YEAGR	323343.76N / 0961954.28W	Y	FB	TF	315.43	12.46			
En Route Transition									
NAVYS	312317.45N / 0961849.26W	Y		IF					NAVYS.LOADS2
FIATT	320305.56N / 0962103.12W	Y	FB	TF	357.27	39.76			
KLLEY	322450.66N / 0960933.66W	Y	FB	TF	024.13	23.79			
YEAGR	323343.76N / 0961954.28W	Y	FB	TF	315.43	12.46			
En Route Transition									
PUDJE	322908.96N / 0925528.57W	Y		IF					PUDJE.LOADS2
MRPHI	322456.52N / 0943609.47W	Y	FB	TF	267.63	85.30			
ZEKKE	323034.68N / 0954040.79W	Y	FB	TF	276.17	54.88			
YEAGR	323343.76N / 0961954.28W	Y	FB	TF	275.59	33.31			
En Route Transition									
PNUTS	313455.18N / 0932629.50W	Y		IF					PNUTS.LOADS2
HINZE	322130.43N / 0954234.04W	Y	FB	TF	292.48	124.74			
YEAGR	323343.76N / 0961954.28W	Y	FB	TF	291.28	33.86			

QUALITY  
4  
CHECKED

## US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

## STAR (DATA RECORD)

Arrival Name	Number			STAR Computer Code		Superseded Number		Dated	Effective Date
LOADS RNAV	TWO			YEAGR.LOADS2		ONE		18 SEP 2014	25 JUN 2015
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
Common Route									
YEAGR	323343.76N / 0961954.28W	Y		IF					YEAGR.LOADS2
LOADS	330152.92N / 0964620.10W	Y	FO	TF	321.71	35.86			
KADS,KF46,KHQZ, KTKI				FM	334.00				RECOMMENDED NAVAID: GNL VOR/DME

