

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
<b>TEXOMA</b>	<b>FOUR</b>	<b>TEX4.FUZ</b>	<b>THREE</b>	<b>18 SEP 14</b>	

**TYPE:** SID

This is a corrected copy of a procedure in NFDD 092, dated 5/13/15.  
 For changes, see "Reasons" page 9.

**DP ROUTE DESCRIPTION:**

**DALLAS/FORT WORTH INTL**

TAKEOFF RWY 13L/R, 31L/R, 17L, 35R: CLIMB ON ASSIGNED HEADING AND ALTITUDE, THENCE...  
 TAKEOFF RWY 17C/R: CLIMB ON HEADING 160.00, THENCE...  
 TAKEOFF RWY 18L/R: CLIMB ON HEADING 185.00, THENCE...  
 TAKEOFF RWY 35L/C: CLIMB ON HEADING 005.00, THENCE...  
 TAKEOFF RWY 36L/R: CLIMB ON HEADING 340.00, THENCE...

...EXPECT VECTORS TO APPROPRIATE ROUTE, UNLESS OTHERWISE ADVISED MAINTAIN 10000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

**DALLAS-LOVE FIELD**

TAKEOFF RUNWAYS 13L/R: CLIMB HEADING 130.00, EXPECT VECTORS TO APPROPRIATE ROUTE. MAINTAIN 8000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TAKEOFF RUNWAYS 31L/R: CLIMB HEADING 310.00 UNTIL THE LVF OR OVW LOCALIZER 5.50 DME, THEN RIGHT TURN HEADING 010, EXPECT VECTORS TO APPROPRIATE ROUTE. MAINTAIN 5000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

**DALLAS EXECUTIVE**

TAKEOFF RWY 13: CLIMB HEADING 129.08 TO 1800 BEFORE TURNING WESTBOUND.  
 TAKEOFF RWY 17: CLIMB HEADING 174.13 TO 2600 BEFORE TURNING WESTBOUND.  
 TAKEOFF RWY 31: CLIMB HEADING 309.09 TO 1500 BEFORE TURNING SOUTHBOUND.  
 TAKEOFF RWY 35: CLIMB HEADING 354.13 TO 1400 BEFORE TURNING SOUTHBOUND.

**FORT WORTH ALLIANCE**

TAKEOFF RWY 16R: CLIMB HEADING 166.21 TO 1100 BEFORE TURNING RIGHT.

**FORT WORTH MEACHAM INTL**

TAKEOFF RWY 16: CLIMB HEADING 163.90 TO 1600 BEFORE PROCEEDING ON COURSE.  
 TAKEOFF RWY 17: CLIMB HEADING 163.90 TO 1600 BEFORE PROCEEDING ON COURSE.

**FORT WORTH SPINKS**

TAKEOFF RWY 17R: CLIMB HEADING 173.11 TO 1200 BEFORE TURNING RIGHT.

**ARLINGTON MUNI**

TAKEOFF RWY 16: CLIMB HEADING 162.02 TO 2500 BEFORE TURNING LEFT.  
 TAKEOFF RWY 34: CLIMB HEADING 342.02 TO 1400 BEFORE TURNING SOUTHEAST BOUND.

**GRAND PRAIRIE MUNI**

TAKEOFF RWY 17: CLIMB HEADING 189.34 TO 2500 BEFORE PROCEEDING ON COURSE.

QUALITY  
3  
CHECKED

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
<b>TEXOMA</b>	<b>FOUR</b>	<b>TEX4.FUZ</b>	<b>THREE</b>	<b>18 SEP 14</b>	
TULSA	TEX4.TUL	FUZ VORTAC	BLECO	360.00 (FUZ R-360)	33.80 4000
		BLECO	ZEMMA	360.00 (FUZ R-360)	56.20 9000
		ZEMMA	TUL VORTAC	020.88 (TUL R-201)	123.58 13000
WILL ROGERS	TEX4.IRW	FUZ VORTAC	BLECO	360.00 (FUZ R-360)	33.80 4000
		BLECO	ZEMMA	360.00 (FUZ R-360)	56.20 9000
		ZEMMA	IRW VORTAC	325.19 (IRW R-145)	65.91 11000
ZEMMA	TEX4.ZEMMA	FUZ VORTAC	BLECO	360.00 (FUZ R-360)	33.80 4000
		BLECO	ZEMMA	360.00 (FUZ R-360)	56.20 9000

**PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:**

**BLECO TRANSITION:** ATC ASSIGNED. **DECKK TRANSITION:** FOR ALL AIRCRAFT INBOUND TO THE OKLAHOMA CITY AREA. **EAKER TRANSITION:** FOR AIRCRAFT INBOUND TO THE TULSA TERMINAL AREA. **GRABE TRANSITION:** ATC ASSIGNED. **MCALESTER TRANSITION:** FOR ALL AIRCRAFT OVERFLYING THE MLC VORTAC OR INTERCEPTING J105. **OKMULGEE TRANSITION:** FOR ALL AIRCRAFT OVERFLYING OKM VOR/DME PROCEEDING VIA J181 TO BDF TO DESTINATIONS IN THE CHICAGO TERMINAL AREA AND NORTH. **ROLLS TRANSITION:** FOR ALL AIRCRAFT PROCEEDING NORTHWEST BOUND VIA J52. **TULSA TRANSITION:** FOR ALL AIRCRAFT OVERFLYING TUL VORTAC. **WILL ROGERS TRANSITION:** FOR ALL AIRCRAFT OVERFLYING IRW VORTAC.

**NOTE (ALL AIRPORTS):** RADAR REQUIRED.

**NOTE (DALLAS/FORT WORTH INTL ONLY):** PROPS: EXPECT JACKY OR TRIGATE DEPARTURE. **NOTE (DALLAS-LOVE FIELD ONLY):** RWY 31L/R: DME REQUIRED.

**TAKEOFF MINIMUMS:**

**DALLAS/FORT WORTH INTL**

**RWY 13R, 13L, 17R, 17C, 17L, 18R, 18L, 31R, 31L, 35C, 35L, 36R, 36L,** STANDARD.

**RWY 35R,** STANDARD WITH A MINIMUM CLIMB OF 240 FT PER NM TO 1200.

**DALLAS-LOVE FIELD**

**RWY 31L/R,** STANDARD.

**RWY 13L,** STANDARD WITH A MINIMUM CLIMB OF 290 FT PER NM TO 1700.

**RWY 13R,** STANDARD WITH A MINIMUM CLIMB OF 315 FT PER NM TO 1700.

**ADDISON**

**RWY 33,** STANDARD.

**RWY 15,** 400 – 2 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 325 FT PER NM TO 1100.

**DALLAS EXECUTIVE**

**RWY 13, 31, 35,** STANDARD.

**RWY 17,** 400 – 2 3/4 OR STANDARD WITH A MINIMUM CLIMB OF 220 FT PER NM TO 1200

**COLLIN COUNTY RGNL AT MC KINNEY**

**RWY 18, 36,** STANDARD.



**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
<b>TEXOMA</b>	<b>FOUR</b>	<b>TEX4.FUZ</b>	<b>THREE</b>	<b>18 SEP 14</b>	

**FORT WORTH ALLIANCE****RWY 34R, 34L**, STANDARD.**RWY 16L**, 300 – 2 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 208 FT PER NM TO 1100, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1400 FT PRIOR TO DER.**RWY 16R**, 300 – 2 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 210 FT PER NM TO 1100, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1500 FT PRIOR TO DER.**FORT WORTH MEACHAM INTL****RWY 16, 17**, STANDARD.**RWY 34**, 300 – 2 OR STANDARD WITH A MINIMUM CLIMB OF 220 FT PER NM TO 1100, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1800 FT PRIOR TO DER.**RWY 35**, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 205 FT PER NM TO 900, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1200 FT PRIOR TO DER.**FORT WORTH SPINKS****RWY 17L, 35R**, NA-ENVIRONMENTAL. **RWY 17R, 35L**, STANDARD.**FORT WORTH NAS JRB/CARSWELL FIELD**

REFER TO APPROPRIATE MILITARY SERVICE DIRECTIVES.

**ARLINGTON MUNI****RWY 16, 34**, STANDARD.**DENTON MUNI****RWY 18, 36**, STANDARD.**GRAND PRAIRIE MUNI****RWY 35**, NA-ATC. **RWY 17**, STANDARD.**LANCASTER RGNL****RWY 13**, STANDARD.**RWY 31**, 300-1 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 205 FT PER NM TO 800, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1200 FT PRIOR TO DER.**MESQUITE METRO****RWY 18, 36**, STANDARD.**TAKEOFF OBSTACLES NOTES:****DALLAS/FORT WORTH INTL****NOTE: RWY 31L**, TREES BEGINNING 928 FT FROM DER, 724 FT LEFT OF CENTERLINE, UP TO 55 FT AGL/654 FT MSL. TREES 1229 FT FROM DER, 729 FT RIGHT OF CENTERLINE, UP TO 28 FT AGL/637 FT MSL. TRANSMISSION POLES AND TOWERS BEGINNING 3402 FT FROM DER, 1398 FT RIGHT OF CENTERLINE, UP TO 110 FT AGL/730 FT MSL.**NOTE: RWY 31R**, BUILDING 732 FT FROM DER, 633 FT LEFT OF CENTERLINE, 34 FT AGL/604 FT MSL.**NOTE: RWY 35R**, BUILDING 5466 FT FROM DER, 758 FT RIGHT OF CENTERLINE, 135 FT AGL/674 FT MSL. BUILDING 1.1 NM FROM DER, 240 FEET RIGHT OF CENTERLINE, 173 FT AGL/714 FT MSL.

QUALITY  
3  
CHECKED

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
<b>TEXOMA</b>	<b>FOUR</b>	<b>TEX4.FUZ</b>	<b>THREE</b>	<b>18 SEP 14</b>	

**DALLAS-LOVE FIELD**

**NOTE: RWY 31L**, TREES BEGINNING 327 FT FROM DER, 374 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/501 FT MSL.

**NOTE: RWY 31R**, POLE 38 FT FROM DER, 501 FT LEFT OF CENTERLINE, 27 FT AGL/487 FT MSL. TREES BEGINNING 366 FT FROM DER, 552 FT RIGHT OF CENTERLINE, UP TO 65 FT AGL/530 FT MSL. POLE 1531 FT FROM DER, 719 FT RIGHT OF CENTERLINE, UP TO 61 FT AGL/521 FT MSL.

**NOTE: RWY 13L**, TREES, POLES, AND ELECTRICAL SYSTEMS BEGINNING 844 FT FROM DER, 515 FT LEFT OF CENTERLINE, UP TO 45 FT AGL/541 FT MSL. CRANE 5720 FT FROM DER, 568 FT LEFT OF CENTERLINE, 130 FT AGL/630 FT MSL.

**NOTE: RWY 13R**, POLES AND FENCES BEGINNING 693 FT FROM DER, 601 FT RIGHT OF CENTERLINE, UP TO 29 FT AGL/501 FT MSL. SIGN 779 FT FROM DER, 669 FT LEFT OF CENTERLINE, 30 FT AGL/503 FT MSL. TREES BEGINNING 1122 FT FROM DER, 670 FT LEFT AND RIGHT OF CENTERLINE, UP TO 40 FT AGL/514 FT MSL. SIGN 1424 FT FROM DER, 763 FT LEFT OF CENTERLINE, 45 FT AGL/516 FT MSL. ROD ON STACK 2234 FT FROM DER, 979 FT LEFT OF CENTERLINE, 65 FT AGL/537 FT MSL.

**ADDISON**

**NOTE: RWY 15**, VEHICLES ON ROAD AND IN PARKING LOTS, RAILROADS, AND POLES BEGINNING 168 FT FROM DER, 118 FT RIGHT OF CENTERLINE, UP TO 36 FT AGL/665 FT MSL. NAVAID, SIGN, VEHICLES IN PARKING LOTS, RAILROADS, POLES, TREES, AND BUILDINGS BEGINNING 316 FT FROM DER, 1 FT LEFT OF CENTERLINE, UP TO 50 FT AGL/683 FT MSL. POLE AND TREES BEGINNING 1705 FT FROM DER, 46 FT RIGHT OF CENTERLINE, UP TO 59 FT AGL/690 FT MSL. BUILDINGS BEGINNING 3191 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 149 FT AGL/787 FT MSL. BUILDING 1.1 NM FROM DER, 279 FT LEFT OF CENTERLINE, 229 FT AGL/850 FT MSL. BUILDING 1.9 NM FROM DER, 970 FT RIGHT OF CENTERLINE, 345 FT AGL/975 FT MSL. BUILDING 2.1 NM FROM DER, 58 FT RIGHT OF CENTERLINE, 362 FT AGL/973 FT MSL.

**NOTE: RWY 33**, SERVICE ROAD AND BUILDINGS BEGINNING 45 FT FROM DER, 458 FT RIGHT OF CENTERLINE, UP TO 10 FT AGL/653 FT MSL. SIGN, VEHICLES IN PARKING LOTS, POLES, BUILDINGS, AND TREES BEGINNING 641 FT FROM DER, 335 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/693 FT MSL. SIGN, VEHICLES ON ROAD AND IN PARKING LOTS, POLES, BUILDINGS, AND TREES BEGINNING 651 FT FROM DER, 455 FT RIGHT OF CENTERLINE, UP TO 37 FT AGL/696 FT MSL. BUILDINGS, POLES, AND TREES BEGINNING 1597 FT FROM DER, 3 FT RIGHT OF CENTERLINE, UP TO 54 FT AGL/723 FT MSL. BUILDINGS, POLES, AND TREES BEGINNING 1667 FT FROM DER, 4 FT LEFT OF CENTERLINE, UP TO 47 FT AGL/716 FT MSL.

**DALLAS EXECUTIVE**

**NOTE: RWY 13**, REIL AND OBSTRUCTION LIGHT ON BLAST FENCE BEGINNING 19 FT FROM DER, 115 FT LEFT OF CENTERLINE, UP TO 10 FT AGL/658 FT MSL. REIL 20 FT FROM DER, 115 FT RIGHT OF CENTERLINE, 6 FT AGL/651 FT MSL.

**NOTE: RWY 17**, REIL 38 FT FROM DER, 116 FT RIGHT OF CENTERLINE, 5 FT AGL/663 FT MSL. REIL 40 FT FROM DER, 160 FT LEFT OF CENTERLINE, 5 FT AGL/664 FT MSL. TREES BEGINNING 61 FT FROM DER, 340 FT LEFT OF CENTERLINE, UP TO 63 FT AGL/702 FT MSL. TREES BEGINNING 113 FT FROM DER, 304 FT RIGHT OF CENTERLINE, UP TO 37 FT AGL/686 FT MSL. TOWER 2.2 NM FROM DER, 583 FT LEFT OF CENTERLINE, 314 FT AGL/1027 FT MSL.

**NOTE: RWY 31**, REIL 29 FT FROM DER, 152 FT LEFT OF CENTERLINE, 5 FT AGL/656 FT MSL. REIL 29 FT FROM DER, 151 FT RIGHT OF CENTERLINE, 5 FT AGL/658 FT MSL. TREES BEGINNING 11 FT FROM DER, 237 FT LEFT OF CENTERLINE, UP TO 29 FT AGL/700 FT MSL. TREES BEGINNING 23 FT FROM DER, 268 FT RIGHT OF CENTERLINE, UP TO 47 FT AGL/686 FT MSL. TREES BEGINNING 1095 FT FROM DER, 167 FT RIGHT OF CENTERLINE, UP TO 69 FT AGL/708 FT MSL. TREES BEGINNING 1560 FT FROM DER, 554 FT LEFT OF CENTERLINE, UP TO 71 FT AGL/740 FT MSL.

**NOTE: RWY 35**, TERRAIN AND REIL BEGINNING 4 FT FROM DER, 10 FT RIGHT OF CENTERLINE, UP TO 5 FT AGL/656 FT MSL. REIL 40 FT FROM DER, 118 FT LEFT OF CENTERLINE, 5 FT AGL/654 FT MSL. TREES BEGINNING 87 FT FROM DER, 302 FT LEFT OF CENTERLINE, UP TO 51 FT AGL/680 FT MSL. BUILDING AND TREES BEGINNING 82 FT FROM DER, 284 FT RIGHT OF CENTERLINE, UP TO 65 FT AGL/691 FT MSL.

**COLLIN COUNTY RGNL AT MC KINNEY**

**NOTE: RWY 18**, TREE 2445 FT FROM DER, 689 FT RIGHT OF CENTERLINE, 70 FT AGL/653 FT MSL.

**NOTE: RWY 36**, TREE 1126 FT FROM DER, 703 FT RIGHT OF CENTERLINE, 35 FT AGL/610 FT MSL



**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
<b>TEXOMA</b>	<b>FOUR</b>	<b>TEX4.FUZ</b>	<b>THREE</b>	<b>18 SEP 14</b>	

**FORT WORTH ALLIANCE**

**NOTE: RWY 16L**, LIGHT POLE 1285 FT FROM DER, 689 FT LEFT OF CENTERLINE, 49 FT AGL/697 FT MSL. TANK 1.8 NM FROM DER, 3121 FT RIGHT OF CENTERLINE, 148 FT AGL/954 FT MSL.

**NOTE: RWY 16R**, FENCE 4 FEET FROM DER, 249 FT RIGHT OF CENTERLINE, 8 FT AGL/669 FT MSL. TANK 1.8 NM FROM DER, 2520 FT RIGHT OF CENTERLINE, 148 FT AGL/954 FT MSL.

**NOTE: RWY 34L**, FENCE 8 FT FROM DER, 250 FT LEFT OF CENTERLINE, 5 FT AGL/719 FT MSL. RAILROAD BEGINNING 421 FT FROM DER, 287 FEET LEFT OF CENTERLINE, UP TO 23 FT AGL/738 FT MSL.

**NOTE: RWY 34R**, POLE 217 FT FROM DER, 145 FT LEFT OF CENTERLINE, 29 FT AGL/728 FT MSL.

**FORT WORTH MEACHAM INTL**

**NOTE: RWY 17**, BUSHES 16 FT FROM DER, 160 FT RIGHT OF CENTERLINE, UP TO 3 FT AGL/674 FT MSL. LIGHT POLE 140 FT FROM DER, 454 FT LEFT OF CENTERLINE, 34 FT AGL/677 FT MSL. POLE, TOWER, HANGAR, BUILDINGS, TREES, AND ANTENNAS BEGINNING 531 FT FROM DER, 388 FT LEFT OF CENTERLINE, UP TO 59 FT AGL/722 FT MSL.

**NOTE: RWY 34**, VEHICLES ON ROAD BEGINNING 4 FT FROM DER, 236 FT LEFT OF CENTERLINE, UP TO 17 FT AGL/722 FT MSL. POLES AND TREES BEGINNING 973 FT FROM DER, 681 FT RIGHT OF CENTERLINE, UP TO 30 FT AGL/746 FT MSL. LIGHT POLES BEGINNING 2468 FT FROM DER, 1138 FT RIGHT OF CENTERLINE, UP TO 47 FT AGL/787 FT MSL. BUILDING 1.5 NM FROM DER, 2768 FT RIGHT OF CENTERLINE, 256 FT AGL/970 FT MSL.

**NOTE: RWY 35**, VEHICLES ON ROAD AND TREES BEGINNING ABEAM DER, 294 FT LEFT OF CENTERLINE, UP TO 29 FT AGL/705 FT MSL. TERRAIN, FENCES, VEHICLES ON ROAD, AND POLES BEGINNING 20 FT FROM DER, 229 FT RIGHT OF CENTERLINE, UP TO 17 FT AGL/697 FT MSL. TERRAIN, DAM, FENCES, AND VEHICLES ON ROAD BEGINNING 979 FT FROM DER, 1 FT RIGHT OF CENTERLINE, UP TO 17 FT AGL/720 FT MSL. SIGN AND POLE BEGINNING 1531 FT FROM DER, 282 FT LEFT OF CENTERLINE, UP TO 62 FT AGL/755 FT MSL. TRANSMISSION TOWER 6006 FT FROM DER, 1294 FT LEFT OF CENTERLINE, 99 FT AGL/821 FT MSL. TRANSMISSION TOWER 1.0 NM FROM DER, 1957 FT LEFT OF CENTERLINE, 98 FT AGL/826 FT MSL.

**FORT WORTH SPINKS**

**NOTE: RWY 17R**, TREE 4909 FT FROM DER, 1556 FT LEFT OF CENTERLINE, 60 FT AGL/830 FT MSL.

**ARLINGTON MUNI**

**NOTE: RWY 16**, REILS BEGINNING 80 FT FROM DER, 126 FT LEFT OF CENTERLINE, UP TO 15 FT AGL/601 FT MSL. REILS BEGINNING 77 FT FROM DER, 126 FT RIGHT OF CENTERLINE, UP TO 19 FT AGL/603 FT MSL. TREES 593 FT FROM DER, 479 FT RIGHT OF CENTERLINE, UP TO 26 FT AGL/614 FT MSL. TRANSMISSION TOWER 3596 FT FROM DER, 1433 FT LEFT OF CENTERLINE, 112 FT AGL/702 FT MSL.

**NOTE: RWY 34**, TREES BEGINNING 228 FT FROM DER, 403 FT LEFT OF CENTERLINE, UP TO 35 FT AGL/654 FT MSL. TREES BEGINNING 1090 FT FROM DER, 439 FT RIGHT OF CENTERLINE, UP TO 61 FT AGL/670 FT MSL. TREES 1525 FT FROM DER, 339 FT LEFT OF CENTERLINE, UP TO 72 FT AGL/681 FT MSL.

**DENTON MUNI**

**NOTE: RWY 18**, VEHICLES ON ROAD BEGINNING 36 FT FROM DER, 274 FT LEFT OF CENTERLINE, UP TO 10 FT AGL/636 FT MSL. TREES BEGINNING 8 FT FROM DER, 381 FT RIGHT OF CENTERLINE, UP TO 27 FT AGL/636 FT MSL.

**NOTE: RWY 36**, TREES BEGINNING 88 FT FROM DER, 218 FT RIGHT OF CENTERLINE, UP TO 17 FT AGL/646 FT MSL. TREES 123 FT FROM DER, 217 FT LEFT OF CENTERLINE, UP TO 22 FT AGL/652 FT MSL. TREES BEGINNING 574 FT FROM DER, 517 FT RIGHT OF CENTERLINE, UP TO 43 FT AGL/682 FT MSL. TREES BEGINNING 864 FT FROM DER, 497 FT LEFT OF CENTERLINE, UP TO 43 FT AGL/672 FT MSL.

QUALITY  
3  
CHECKED

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
<b>TEXOMA</b>	<b>FOUR</b>	<b>TEX4.FUZ</b>	<b>THREE</b>	<b>18 SEP 14</b>	

**GRAND PRAIRIE MUNI**

**NOTE: RWY 17,** ANTENNA, TOWER, VEHICLES ON ROAD, SIGN, POLE, AND TREES BEGINNING 190 FT FROM DER, 410 FT RIGHT OF CENTERLINE, UP TO 37 FT AGL/620 FT MSL.

**NOTE: RWY 35,** POLE 2686 FT FROM DER, 121 FT LEFT OF CENTERLINE, 75 FT AGL/653 FT MSL.

**LANCASTER RGNL**

**NOTE: RWY 31,** TREES 888 FT FROM DER, 637 FT RIGHT OF CENTERLINE, UP TO 35 FT AGL/536 FT MSL. TREES BEGINNING 1133 FT FROM DER, 479 FT LEFT OF CENTERLINE, UP TO 45 FT AGL/541 FT MSL. TRANSMISSION TOWER 1.0 NM FROM DER, 1685 FT RIGHT OF CENTERLINE, 127 FT AGL/661 FT MSL.

**MESQUITE METRO**

**NOTE: RWY 18,** FENCE AND TREES BEGINNING ABEAM DER, 362 FT LEFT OF CENTERLINE, UP TO 5 FT AGL/447 FT MSL. SIGN, VEHICLES ON ROAD, AND TREES BEGINNING 254 FT FROM DER, 453 FT LEFT OF CENTERLINE, UP TO 49 FT AGL/478 FT MSL.

**NOTE: RWY 36,** TREES BEGINNING 45 FT FROM DER, 389 FT RIGHT OF CENTERLINE, UP TO 29 FT AGL/452 FT MSL. POLE 814 FT FROM DER, 288 FT RIGHT OF CENTERLINE, 27 FT AGL/467 FT MSL. BUILDING, POLE, AND TREES BEGINNING 53 FT FROM DER, 497 FT LEFT OF CENTERLINE, UP TO 41 FT AGL/483 FT MSL.

**CONTROLLING OBSTACLES:****DALLAS/FORT WORTH INTL**

**RWY 35R:** 1016 FT MSL TOWER 325629.00N/0965931.00W.

**DALLAS-LOVE FIELD**

**RWY 13L, 13R:** 1368 FT MSL ANTENNA ON BLDG 324648.00N/0964814.00W.

**RWY 31L, 31R:** 1049 FT MSL TOWER 325216.00N/0965523.00W.

**ADDISON**

**RWY 15:** 850 FT MSL BUILDING 325629.00N/0964925.00W. 975 FT MSL BUILDING 325540.81N/0964919.57W. 973 FT MSL BUILDING 325536.93N/0964906.47W

**DALLAS EXECUTIVE**

**RWY 17:** 1027 FT MSL TOWER 323817.80N/0965154.09W. 2549 FT MSL TOWER 323502.67N/0965748.75W.

**RWY 13, 35:** 2549 FT MSL TOWER 323502.67N/0965748.75W.

**RWY 31:** 2449 FT MSL TOWER 323506.00N/0965842.00W.

**FORT WORTH ALLIANCE**

**RWY 16L:** 954 FT MSL TANK 325641.21N/0971909.98W.

**RWY 16R:** 954 FT MSL TANK 325641.21N/0971909.98W. 1002 FT MSL TOWER 325653.00N/0971932.00W.

**FORT WORTH MEACHAM INTL**

**RWY 16, 17:** 1743 FT MSL TOWER 324501.00N/0971608.00W.

**RWY 34:** 970 FT MSL BUILDING 325123.18N/0972128.11W.

**RWY 35:** 821 FT MSL TRANSMISSION TOWER 325026.45N/0972224.41W. 826 FT MSL TRANSMISSION TOWER 325026.78N/0972232.32W.

**FORT WORTH SPINKS**

**RWY 17R:** 1772 FT MSL TOWER 323212.00N/0972446.86W

**ARLINGTON MUNI**

**RWY 16, 34:** 2549 FT MSL TOWER 323502.67N/0965748.75W.



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
<b>TEXOMA</b>	<b>FOUR</b>	<b>TEX4.FUZ</b>	<b>THREE</b>	<b>18 SEP 14</b>	

**GRAND PRAIRIE MUNI****RWY 17:** 2549 FT MSL TOWER 323502.67N/0965748.75W.**LANCASTER RGNL****RWY 31:** 661 FT MSL TRANSMISSION TOWER 323601.76N/0964358.15W. 2549 FT MSL TOWER 323502.67N/0965748.75W.**LOST COMMUNICATIONS PROCEDURES:****ADDITIONAL FLIGHT DATA:****CHART:** UKW R-094 AT LOWGN; IRW R-212 AT MRMAC; IRW R-277 AND LBL R-126 AT ROLLS; UKW R-092 AT BLECO; URH R-307 AT ZEMMA; ADM R-346 AND ADH R-272 AT DECKK; BYP R-256 AT GRABE; ADM R-071 AT EAKER; BYP R-254 AT AKUNA; ADM R-097 AT TIKYS.**CHART:** J52 FROM ADM VORTAC TO ROLLS.**CHART NOTE: DALLAS/FORT WORTH INTL DEPARTURES:** MAINTAIN 240 KIAS UNTIL LEAVING 5000.**DALLAS/FT WORTH INTL:** CHART TOP ALTITUDE: 10000**DALLAS-LOVE FIELD:** CHART TOP ALTITUDE: RWY 13L, 13R: 8000; RWY 31L, 31R: 5000.**AIRPORTS SERVED:**

DALLAS/FORT WORTH INTL  
DALLAS-LOVE FIELD  
ADDISON  
DALLAS EXECUTIVE  
COLLIN COUNTY RGNL AT MC KINNEY  
FORT WORTH ALLIANCE  
FORT WORTH MEACHAM INTL  
FORT WORTH SPINKS  
FORT WORTH NAS JRB/CARSWELL FIELD  
ARLINGTON MUNI  
DENTON MUNI  
GRAND PRAIRIE MUNI  
LANCASTER RGNL  
MESQUITE METRO

DALLAS-FORT WORTH, TX  
DALLAS, TX  
DALLAS, TX  
DALLAS, TX  
DALLAS, TX  
FORT WORTH, TX  
FORT WORTH, TX  
FORT WORTH, TX  
FORT WORTH, TX  
FORT WORTH, TX  
ARLINGTON, TX  
DENTON, TX  
GRAND PRAIRIE, TX  
LANCASTER, TX  
MESQUITE, TX

**COMMUNICATIONS:****ATIS:** DFW, DAL, ADS, RBD, AFW, FTW, FWS, NFW. **CLNC DEL:** DFW, DAL, ADS, RBD, TKI, AFW, FTW, NFW, GKY, DTO.**GND CON:** DFW, DAL, ADS, RBD, TKI, AFW, FTW, FWS, NFW, GKY, DTO, GPM. **TOWER:** DFW, DAL, ADS, RBD, TKI, AFW, FTW, FWS, NFW, GKY, DTO, GPM.**CTAF:** ADS, RBD, TKI, FWS, GKY, DTO GPM, LNC, HQZ. **DEP CON:** ALL AIRPORTS.**FIXES AND/OR NAVAIDS:**

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
<b>TEXOMA</b>	<b>FOUR</b>	<b>TEX4.FUZ</b>	<b>THREE</b>	<b>18 SEP 14</b>	

*Digitally signed by*  
**STEPHEN PETERSON**  
 Feb 07, 2015

**CHANGES:**

1. CHANGED MESQUITE METRO RWY NUMBERS FROM 17, 35 TO 18, 36.
2. ADDED TOP ALTITUDE: 8000 TO ADDITIONAL FLIGHT DATA.
3. CHANGED DALLAS LOVE-FIELD DEPARTURE ROUTE DESCRIPTION FROM "TAKEOFF RWY 13L/R: CLIMB HEADING 130.00, EXPECT VECTORS TO APPROPRIATE ROUTE. MAINTAIN 7000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE, THENCE...  
 TAKEOFF RWY 31L/R: CLIMB HEADING 310.00 UNTIL THE LVF OR OVW LOCALIZER 5.50 DME, THEN RIGHT TURN HEADING 010.00, THENCE...  
 TAKEOFF RWY 18: CLIMB ON HEADING 179.52 TO 1300 BEFORE TURNING LEFT, THEN FLY ASSIGNED HEADING AND ALTITUDE, EXPECT VECTOR TO APPROPRIATE ROUTE.  
 TAKEOFF RWY 36: CLIMB ON ASSIGNED HEADING AND ALTITUDE, EXPECT VECTOR TO APPROPRIATE ROUTE...EXPECT VECTORS TO APPROPRIATE ROUTE, MAINTAIN 5000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE." TO "TAKEOFF RUNWAYS 13L/R: CLIMB HEADING 130.00, EXPECT VECTORS TO APPROPRIATE ROUTE. MAINTAIN 7000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.  
 TAKEOFF RUNWAY 18: CLIMB HEADING 180.00 TO 1300 BEFORE TURNING LEFT, THEN FLY ASSIGNED HEADING AND ALTITUDE, EXPECT VECTOR TO APPROPRIATE ROUTE.  
 TAKEOFF RUNWAYS 31L/R: CLIMB HEADING 310.00 UNTIL THE LVF OR OVW LOCALIZER 5.50 DME, THEN RIGHT TURN HEADING 010, EXPECT VECTORS TO APPROPRIATE ROUTE. MAINTAIN 5000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.  
 TAKEOFF RUNWAY 36: CLIMB ASSIGNED HEADING AND ALTITUDE, EXPECT VECTOR TO APPROPRIATE ROUTE."  
 4. ADDED TOP ALTITUDE FOR "CLIMB VIA" CLEARANCES FROM ATC.

**REASONS:**

1. RWY NUMBERS REPAINTED AT AIRPORT.
- 2/3. ATC REQUEST.
4. AFS MEMO 225.

5/15/2015: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 4/29/2015.

1. KDAL MAINTAIN ALTITUDE FOR RWY 13L/R CHANGED FROM 7000 TO 8000.
2. TOP ALTITUDE FOR DAL RWY 13L/R CHANGED FROM 7000 TO 8000.

4/17/2015: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 11/18/2014.

1. REMOVED ALL REFERENCE TO DAL RWY 18/36 AND FTW RWY 9/27.





## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW15	N325831.14	W0965021.88	N3258.519	W09650.365
RW33	N325740.53	W0964959.75	N3257.676	W09649.996

## RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW15	00634	52
RW33	00639	54

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW16L	N325952.34	W0971911.93	N3259.872	W09719.199
RW16R	N325946.44	W0971917.87	N3259.774	W09719.298
RW34L	N325837.05	W0971903.67	N3258.618	W09719.061
RW34R	N325832.30	W0971855.54	N3258.538	W09718.926

## RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW16L	00715	58
RW16R	00714	75
RW34L	00668	74
RW34R	00664	58



## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	RW13B	FUZ	010		IF		FB					
	RW31B	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	
POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ADM	N341241.71	W0971005.62	N3412.695	W09710.094
	FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
	IRW	N352130.95	W0973633.22	N3521.516	W09736.554
	MLC	N345057.99	W0954656.44	N3450.967	W09546.941
	OKM	N354135.15	W0955157.53	N3541.586	W09551.959
	TUL	N361146.51	W0954717.13	N3611.775	W09547.286
	AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
	BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
	DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
	EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
	GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
	LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
	MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
	NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
	ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
	TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
	ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
	RW13L	N325123.36	W0965121.21	N3251.389	W09651.354
	RW13R	N325101.28	W0965144.42	N3251.021	W09651.740
	RW31L	N325002.51	W0965036.30	N3250.042	W09650.605
	RW31R	N325031.36	W0965020.95	N3250.523	W09650.349
RUNWAY DATA	THRESHOLD				
	RWY	ELEVATION	TCH		
	RW13L	00480	40		
	RW13R	00476	47		
	RW31L	00476	55		
	RW31R	00487	49		

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW13L	N325440.80	W0970112.13	N3254.680	W09701.202
RW13R	N325434.47	W0970459.28	N3254.575	W09704.988
RW17C	N325456.55	W0970133.49	N3254.943	W09701.558
RW17L	N325353.95	W0970035.20	N3253.899	W09700.587
RW17R	N325456.60	W0970147.58	N3254.943	W09701.793
RW18L	N325456.88	W0970302.65	N3254.948	W09703.044
RW18R	N325456.93	W0970316.71	N3254.949	W09703.279
RW31L	N325324.97	W0970347.79	N3253.416	W09703.797
RW31R	N325341.93	W0970003.04	N3253.699	W09700.051
RW35C	N325243.96	W0970134.22	N3252.733	W09701.570
RW35L	N325244.02	W0970148.29	N3252.734	W09701.805
RW35R	N325229.85	W0970035.67	N3252.498	W09700.595
RW36L	N325244.35	W0970317.40	N3252.739	W09703.290
RW36R	N325244.30	W0970303.33	N3252.738	W09703.056

## RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW13L	00550	82
RW13R	00591	55
RW17C	00562	52
RW17L	00524	54
RW17R	00567	52
RW18L	00602	55
RW18R	00607	54
RW31L	00577	54
RW31R	00508	53
RW35C	00562	55
RW35L	00563	58

QUALITY  
15  
CHECKED



**DEPARTURE (DATA RECORD)**

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	
	RW35R 00575	58			
	RW36L 00582	55			
	RW36R 00575	50			

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS



## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW18	N331242.19	W0971151.84	N3312.703	W09711.864
RW36	N331133.92	W0971153.35	N3311.565	W09711.889

## RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW18	00639	53
RW36	00627	50

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	RW16	FUZ	010		IF		FB					
	RW17	FUZ	010		IF		FB					
	RW34	FUZ	010		IF		FB					
	RW35	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	
ZEMMA	ZEMMA 030	TF	FB		
POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ADM	N341241.71	W0971005.62	N3412.695	W09710.094
	FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
	IRW	N352130.95	W0973633.22	N3521.516	W09736.554
	MLC	N345057.99	W0954656.44	N3450.967	W09546.941
	OKM	N354135.15	W0955157.53	N3541.586	W09551.959
	TUL	N361146.51	W0954717.13	N3611.775	W09547.286
	AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
	BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
	DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
	EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
	GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
	LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
	MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
	NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
	ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
	TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
	ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
	RW16	N324948.64	W0972144.95	N3249.811	W09721.749
	RW17	N324929.42	W0972159.47	N3249.490	W09721.991
	RW34	N324835.16	W0972132.57	N3248.586	W09721.543
	RW35	N324850.21	W0972152.86	N3248.837	W09721.881
RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH		
	RW16	00710	56		
	RW17	00668	56		
	RW34	00674	60		
	RW35	00667	43		

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	RW17R	FUZ	010		IF		FB					
	RW35L	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

QUALITY  
12  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	
POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ADM	N341241.71	W0971005.62	N3412.695	W09710.094
	FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
	IRW	N352130.95	W0973633.22	N3521.516	W09736.554
	MLC	N345057.99	W0954656.44	N3450.967	W09546.941
	OKM	N354135.15	W0955157.53	N3541.586	W09551.959
	TUL	N361146.51	W0954717.13	N3611.775	W09547.286
	AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
	BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
	DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
	EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
	GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
	LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
	MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
	NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
	ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
	TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
	ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
	RW17R	N323421.05	W0971834.76	N3234.351	W09718.579
	RW35L	N323321.66	W0971834.89	N3233.361	W09718.582
RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH		
	RW17R	00700	40		
	RW35L	00689	50		

QUALITY  
12  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS





## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW16	N324019.36	W0970546.79	N3240.323	W09705.780
RW34	N323920.51	W0970532.03	N3239.342	W09705.534

## RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW16	00628	42
RW34	00597	56

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	RW17	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW17	N324215.41	W0970248.76	N3242.257	W09702.813

### RUNWAY DATA

	THRESHOLD	
RWY	ELEVATION	TCH
RW17	00582	26

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW18	N324518.74	W0963148.97	N3245.312	W09631.816
RW36	N324419.39	W0963150.05	N3244.323	W09631.834

## RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW18	00446	56
RW36	00442	42

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW13	N323504.13	W0964327.27	N3235.069	W09643.455
RW31	N323414.62	W0964238.75	N3234.244	W09642.646

## RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW13	00501	45
RW31	00475	50

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS

QUALITY  
15  
CHECKED



## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW18	N324708.43	W0972628.88	N3247.141	W09726.481
RW36	N324509.71	W0972630.17	N3245.162	W09726.503

## RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW18	00622	62
RW36	00650	59

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS



## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW13	N324114.36	W0965235.15	N3241.239	W09652.586
RW17	N324108.88	W0965200.45	N3241.148	W09652.008
RW31	N324029.16	W0965141.86	N3240.486	W09651.698
RW35	N324031.28	W0965200.55	N3240.521	W09652.009

## RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW13	00655	50
RW17	00651	43
RW31	00646	52
RW35	00659	45

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	FUZ	010		IF		FB					
	ADM	FUZ	010		IF		FB					
	ADM	LOWGN	020		TF		FB					
	ADM	ADM	030		TF		FB					
	BLECO	FUZ	010		IF		FB					
	BLECO	BLECO	020		TF		FB					
	DECKK	FUZ	010		IF		FB					
	DECKK	BLECO	020		TF		FB					
	DECKK	ZEMMA	030		TF		FB					
	DECKK	NOOGY	040		TF		FB					
	DECKK	DECKK	050		TF		FB					
	EAKER	FUZ	010		IF		FB					
	EAKER	GRABE	020		TF		FB					
	EAKER	EAKER	030		TF		FB					
	GRABE	FUZ	010		IF		FB					
	GRABE	GRABE	020		TF		FB					
	IRW	FUZ	010		IF		FB					
	IRW	BLECO	020		TF		FB					
	IRW	ZEMMA	030		TF		FB					
	IRW	IRW	040		TF		FB					
	MLC	FUZ	010		IF		FB					
	MLC	AKUNA	020		TF		FB					
	MLC	TIKYS	030		TF		FB					
	MLC	MLC	040		TF		FB					
	OKM	FUZ	010		IF		FB					
	OKM	GRABE	020		TF		FB					
	OKM	EAKER	030		TF		FB					
	OKM	OKM	040		TF		FB					
	ROLLS	FUZ	010		IF		FB					
	ROLLS	LOWGN	020		TF		FB					
	ROLLS	ADM	030		TF		FB					
	ROLLS	MRMAC	040		TF		FB					
	ROLLS	ROLLS	050		TF		FB					
	TUL	FUZ	010		IF		FB					
	TUL	BLECO	020		TF		FB					
	TUL	ZEMMA	030		TF		FB					
	TUL	TUL	040		TF		FB					
	ZEMMA	FUZ	010		IF		FB					
	ZEMMA	BLECO	020		TF		FB					
	ZEMMA	ZEMMA	030		TF		FB					

POINT DATA

WAYPOINT

LAT IN SECS

LONG IN SECS

LAT IN MINS

LONG IN MINS

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TEXOMA	FOUR	TEX4.FUZ	THREE	18 SEP 14	

ADM	N341241.71	W0971005.62	N3412.695	W09710.094
FUZ	N325322.02	W0971045.93	N3253.367	W09710.766
IRW	N352130.95	W0973633.22	N3521.516	W09736.554
MLC	N345057.99	W0954656.44	N3450.967	W09546.941
OKM	N354135.15	W0955157.53	N3541.586	W09551.959
TUL	N361146.51	W0954717.13	N3611.775	W09547.286
AKUNA	N332702.48	W0964923.30	N3327.041	W09649.388
BLECO	N332702.70	W0970632.59	N3327.045	W09706.543
DECKK	N345222.12	W0971651.92	N3452.369	W09716.865
EAKER	N341902.72	W0963711.52	N3419.045	W09637.192
GRABE	N332705.25	W0965741.50	N3327.088	W09657.692
LOWGN	N332702.70	W0971459.29	N3327.045	W09714.988
MRMAC	N345028.82	W0980634.32	N3450.480	W09806.572
NOOGY	N342539.22	W0965903.44	N3425.654	W09659.057
ROLLS	N354321.88	W0992814.51	N3543.365	W09928.242
TIKYS	N340359.93	W0962533.53	N3403.999	W09625.559
ZEMMA	N342301.81	W0965924.01	N3423.030	W09659.400
RW18	N331112.05	W0963518.04	N3311.201	W09635.301
RW36	N331002.82	W0963521.08	N3310.047	W09635.351

## RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW18	00576	53
RW36	00589	50

QUALITY  
15  
CHECKED