

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION LOC/DME STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.25								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.								
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO		COURSE AND DISTANCE				ALTITUDE		MAP: WAKIB/I-CBE 0.86 DME FIX CLIMBING LEFT TURN TO 5000 ON HEADING 175.00 AND ON ESL VOR/DME R-046 TO KEYER/ESL 18.80 DME AND HOLD, CONTINUE CLIMB-IN-HOLD TO 5000. ADDITIONAL FLIGHT DATA: HOLD SW, RT, 046.19 INBOUND. FAS OBST: 1419 AAO 393958N/0784142W 2516 AAO: 394322N/0783930W HOLOE TO RW23: 3.48/40. FAC 113L OF RWY C/L EXTENDED 3000 FROM THLD CHART CIRCLING ICON CHART PLANVIEW NOTE: LOC OFFSET 1.57 DEGREES.						
MRB VORTAC		HOLOE INT/I-CBE 7.86 DME		304.84 / 42.54				5000								
ESL VOR/DME		HOLOE INT/I-CBE 7.86 DME		033.43 / 33.03				5000								
HGR VOR		HOLOE INT/I-CBE 7.86 DME		278.77 / 37.30				5000								
1. PT <u> R </u> SIDE OF COURSE <u> 047.50 </u> OUTBOUND <u> 4300 </u> FT WITHIN <u> 10 </u> MILES OF <u> HOLOE </u> (IAF) 2. _____ 3. FAC <u> 227.50 </u> FAF <u> HOLOE INT/I-CBE 7.86 DME </u> DIST FAF TO MAP _____ THLD <u> 7.00 </u> 4. MIN. ALT <u> JUKLA/I-CBE 10.16 DME 3800, HOLOE 3400, JURUP/I-CBE 5.20 DME 2420 </u> 8. MSA FROM: <u> ESL VOR/DME 140-320 6100, 320-140 4600 (27 NM) </u>										MAG VAR: 10W		EPOCH YEAR: 2010				
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A								
CATEGORY =====>		A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
S-23	1680	1 1/4	905	1680	1 1/4	905	1680	2 1/2	905	1680	2 1/2	905				
CIRCLING	1680	1 1/4	905	2140	1 1/2	1365	2260	3	1485	2360	3	1585				
NOTES: <div style="display: flex; justify-content: space-between;"> <div> CHART PLANVIEW NOTE: DME REQUIRED. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE} TCH {FEET}). CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WINCHESTER ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET, INCREASE S-23 CAT B VISIBILITY 1/4 MILE, CATS C AND D 1/2 MILE. (SEE FORM 8260-10) </div> <div> @ NA WHEN CBE FBO CLOSED. @ NA WHEN LOCAL WEATHER NOT AVAILABLE. @ CAT A 1000-2, CAT B 1400-2, CAT C 1500-3, CAT D 1600-3 </div> </div>																
CITY AND STATE CUMBERLAND, MD		ELEVATION: 775 AIRPORT NAME: GREATER CUMBERLAND RGNL		TDZE: 775		FACILITY IDENTIFIER: I-CBE		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: LOC/DME RWY 23, AMDT 7 31 MARCH 2016				SUP				
												AMDT				
												DATE 04/03/2014				

**LOC/DME STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.25**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):**CHART NOTE: NIGHT LANDING: RWY 5, 11, 29 NA.****CHART NOTE: CIRCLING NA NORTHWEST OF RWY 5/23.****CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.****CHART PROFILE NOTE: USE I-CBE DME WHEN ON THE LOCALIZER COURSE.**

CITY AND STATE

CUMBERLAND, MD

ELEVATION: 775

TDZE: 775

AIRPORT NAME:

GREATER CUMBERLAND RGNLFACILITY
IDENTIFIER:**I-CBE**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

LOC/DME RWY 23, AMDT 7

31 MARCH 2016

SUP:

AMDT:

DATED: **04/03/2014**QUALITY
4

CHECKED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

LOC STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KCBE

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ESL	010	ESL	IF	FB										V
ESL	020	HOLOE	TF	FB								AA 05000		E
ESL	030	HOLOE	PI	FB		092.5	PSB		L			AA 04300		E A
ESL	040	JUKLA	CF	FB		227.5	ICBE					AA 03800		EE
HGR	010	HGR	IF	FB										V
HGR	020	HOLOE	TF	FB								AA 05000		E
HGR	030	HOLOE	PI	FB		092.5	PSB		L			AA 04300		E A
HGR	040	JUKLA	CF	FB		227.5	ICBE					AA 03800		EE
MRB	010	MRB	IF	FB										V
MRB	020	HOLOE	TF	FB								AA 05000		E
MRB	030	HOLOE	PI	FB		092.5	PSB		L			AA 04300		E A
MRB	040	JUKLA	CF	FB		227.5	ICBE					AA 03800		EE
	010	JUKLA	IF	FB			ICBE					AA 03800		E I
	020	HOLOE	CF	FB		228.0	ICBE			ESL		AA 03400		E F
	021	JURUP	CF	FB		228.0	ICBE	3.48				AA 02420		E S
	030	WAKIB	CF	FO		228.0	ICBE	3.48				AT 00815		EY M
	040		CA	FB		227.5						AA 01175		M
	050		VI	FB		175.0								
	060	KEYER	CF	FO		226.2	ESL					AA 05000		EY
	070	KEYER	HM	FO		046.2			R			AA 05000		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
ESL	N391331.77	W0785922.20
HGR	N394151.82	W0775120.59
MRB	N392308.06	W0775054.08
PSB	N405458.53	W0775933.78
ICBE (DME)	N393636.87	W0784551.82
KEYER	N392753.29	W0784342.10
HOLOE	N394250.76	W0783939.19
JUKLA	N394440.19	W0783750.07
JURUP	N394044.12	W0784145.20
WAKIB	N393717.41	W0784510.52
ICBE (LOC)	N393638.41	W0784549.22

RUNWAYS

QUALITY
15
CHECKED

CITY AND STATE CUMBERLAND, MD	ELEVATION: 775 TDZE: 775	FACILITY IDENTIFIER: I-CBE	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: LOC/DME RWY 23, AMDT 7 31 MARCH 2016	SUP:
	AIRPORT NAME: GREATER CUMBERLAND RGNL			AMDT: 6C
				DATED: 04/03/2014

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

LOC STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW23	N393718.58	W0784512.49	00775	40

QUALITY
15
CHECKED

CITY AND STATE
CUMBERLAND, MD

ELEVATION: 775 TDZE: 775
AIRPORT NAME:
GREATER CUMBERLAND RGNL

FACILITY
IDENTIFIER:

I-CBE

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
LOC/DME RWY 23, AMDT 7
31 MARCH 2016

SUP:
AMDT: 6C
DATED: 04/03/2014