

PAGE 1 OF 6 PAGES

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
RW26 (MAP)	900 MSL	258.54	900
900 MSL	NIALS (FO)		3500

NOTES, (CONT.):

CIRCLING CAT C VISIBILITY 1/4 MILE.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT PSC VOR/DME ON V187 SOUTHWEST BOUND AND ON V281 SOUTHEAST BOUND.

CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.

CHART NOTE: BARO-VNAV NA WHEN USING PASCO ALTIMETER SETTING.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

CHART NOTE: STRAIGHT-IN MINIMUMS NA AT NIGHT FOR CAT C AND D AIRCRAFT.

CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -15C (4F) OR ABOVE 41C (107F).

CITY AND STATE

RICHLAND, WA

ELEVATION: 394

TDZE: 389

AIRPORT NAME:

RICHLAND

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 26, AMDT 2, 11/13/2014

SUP:

AMDT: 1

DATED: 11/18/2010

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

DATA FIELD

DATA

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KRLD
RUNWAY	RW26
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W26A
LTP/FTP LATITUDE	461821.0300N
LTP/FTP LONGITUDE	1191743.7100W
LTP/FTP ELLIPSOIDAL HEIGHT	+00963
FPAP LATITUDE	461829.4530N
FPAP LONGITUDE	1191951.6590W
THRESHOLD CROSSING HEIGHT (TCH)	00053.1
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

74CA2C05

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K1
LTP ORTHOMETRIC HEIGHT	+01180
FPAP ORTHOMETRIC HEIGHT	+01180

CITY AND STATE

RICHLAND, WA

ELEVATION: 394

TDZE: 389

AIRPORT NAME:

RICHLAND

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 26, AMDT 2, 11/13/2014

SUP:

AMDT: 1

DATED: 11/18/2010

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

CITY AND STATE RICHLAND, WA	ELEVATION: 394	TDZE: 389	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 2, 11/13/2014	SUP:
	AIRPORT NAME: RICHLAND				AMDT: 1
					DATED: 11/18/2010

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

CITY AND STATE
RICHLAND, WA

ELEVATION: 394	TDZE: 389
AIRPORT NAME:	RICHLAND

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 26, AMDT 2, 11/13/2014

SUP:	
AMDT:	1
DATED:	11/18/2010

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	LYLES	LYLES	010	IAF	IF		FB					
	LYLES	CUTAS	020		TF		FB	1.0	277.9(294.9T)	018.0	AA 03000	
	PSC	PSC	010		IF		FB					
	PSC	CUTAS	020		TF		FO	2.0	059.6(076.6T)	004.4	AA 03000	
	PSC	CUTAS	030	IAF	HF	R	FO		258.7(275.7T)	004.0	AA 03000	
	SMITT	SMITT	010	IAF	IF		FB					
	SMITT	CUTAS	020		TF		FB	1.0	186.5(203.5T)	013.7	AA 03000	
		CUTAS	010	FACF	IF		FB				AA 03000	
		HOTGA	020	FAF	TF		FB	0.5	258.7(275.7T)	006.2	AA 02200	
		JILPU	021	SDF	TF		FB	0.3	258.5(275.5T)	003.6	AA 01020 GS 01046	
		RW26	030	MAP	TF		FO	0.3	258.5(275.5T)	001.9	AT 00440	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		258.5(275.5T)		AA 00900	
	NIALS	050		DF	R	FO				AA 03500	
	NIALS	060		HM	R	FO		303.8(320.8T)	004.0	AA 03500	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	PSC	N461612.96	W1190702.27	N4616.216	W11907.038
	CUTAS	N461713.14	W1190056.03	N4617.219	W11900.934
	HOTGA	N461749.30	W1190947.14	N4617.822	W11909.786
	JILPU	N461810.19	W1191500.02	N4618.170	W11915.000
	LYLES	N460940.43	W1183721.85	N4609.674	W11837.364
	NIALS	N463507.32	W1192929.09	N4635.122	W11929.485
	SMITT	N462948.07	W1185303.54	N4629.801	W11853.059
	RW26	N461821.03	W1191743.71	N4618.351	W11917.729

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW26	00387	53

CITY AND STATE RICHLAND, WA	ELEVATION: 394	TDZE: 389	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 2, 11/13/2014	SUP:
	AIRPORT NAME: RICHLAND				AMDT: 1
					DATED: 11/18/2010