

PAGE 1 OF 5 PAGES

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	<u>FROM</u>	<u>TO</u>	<u>ALT</u>
1.	055/30 CW 235/30 (NOPT)	055/22 CW 235/22	2800
2.	055/22 CW 235/22	BAYAS (IF/IAF) (FB)	2000
3.	235/30 CW 055/30	235/22 CW 055/22	3100
4.	235/22 CW 055/22	BAYAS (IF/IAF) (FO)	2000

CITY AND STATE

MOBILE, AL

ELEVATION: 219

TDZE: 215

AIRPORT NAME:

MOBILE RGNL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 15, AMDT 2A

29 MAY 2014

SUP: RNAV (GPS) RWY 14

AMDT: 2

DATED: 07/26/2012

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KMOB
RUNWAY	RW15
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W15A
LTP/FTP LATITUDE	304208.2395N
LTP/FTP LONGITUDE	0881514.3490W
LTP/FTP ELLIPSOIDAL HEIGHT	+00363
FPAP LATITUDE	304055.8000N
FPAP LONGITUDE	0881413.9100W
THRESHOLD CROSSING HEIGHT (TCH)	00054.6
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0160
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0

DDF884A7

CRC REMAINDER**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+00649
FPAP ORTHOMETRIC HEIGHT	+00649

CITY AND STATE

MOBILE, AL

ELEVATION: 219

TDZE: 215

AIRPORT NAME:

MOBILE RGNL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 15, AMDT 2A

29 MAY 2014

SUP. RNAV (GPS) RWY 14

AMDT: 2

DATED: 07/26/2012

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibility which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KMOBK7FR15	ABAYAS	010BAYASK7EA0EE	AR	HF			14510040	+	02000	18000		A	JS
SUSAP KMOBK7FR15	R	010BAYASK7EA0E	I	IF				+	02000	18000		A	JS
SUSAP KMOBK7FR15	R	020CAYATK7EA1E	F	051TF			14510067	+	01800			A	JS
SUSAP KMOBK7FR15	R	020CAYATK7EA2WALPV			ALNAV/VNAV	ALNAV						JS	
SUSAP KMOBK7FR15	R	021DICADK7EA0E	S	031TF			14520024	V	0102001032		-300	A	JS
SUSAP KMOBK7FR15	R	030RW15	K7PGOGY	M	031TF		14520024		00268		-300	A	JS
SUSAP KMOBK7FR15	R	040		M	CA		1452	+	00415			A	JS
SUSAP KMOBK7FR15	R	050JOTENK7EA0E		DF								A	JS
SUSAP KMOBK7FR15	R	060SAINTK7EA0EY		010TF			1867	+	02000			A	JS
SUSAP KMOBK7FR15	R	070SAINTK7EA0EE	R	HM			06420040	+	02000			A	JS

[illegible][illegible]

CITY AND STATE
MOBILE, AL

ELEVATION: 219 TDZE: 215
AIRPORT NAME: MOBILE RGNL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 15, AMDT 2A
 29 MAY 2014

SUP:	RNAV (GPS) RWY 14
AMDT:	2
DATED:	07/26/2012

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	BAYAS	BAYAS	010	IAF	HF	R	FO		145.1 (144.1T)	004.0	AA 02000	
		BAYAS	010	FACF	IF		FB				AA 02000	
		CAYAT	020	FAF	TF		FB	0.5	145.1 (144.1T)	006.7	AA 01800	
		DICAD	021	SDF	TF		FB	0.3	145.2 (144.2T)	002.4	AA 01020 GS 01032	
		RW15	030	MAP	TF		FO	0.3	145.2 (144.2T)	002.4	AT 00268	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		145.2 (144.2T)		AA 00415	
	JOTEN	050		DF		FB					
	SAINT	060		TF		FO	1.0	186.7 (185.7T)		AA 02000	
	SAINT	070		HM	R	FO		064.2 (063.2T)	004.0	AA 02000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	BAYAS	N305130.00	W0882304.20	N3051.500	W08823.070
	CAYAT	N304602.92	W0881830.39	N3046.049	W08818.507
	DICAD	N304405.29	W0881652.09	N3044.088	W08816.868
	JOTEN	N303843.96	W0881223.95	N3038.733	W08812.399
	SAINT	N303302.87	W0881303.38	N3033.048	W08813.056
	RW15	N304208.24	W0881514.35	N3042.137	W08815.239

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW15	00213	55

CITY AND STATE MOBILE, AL	ELEVATION: 219	TDZE: 215	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 15, AMDT 2A 29 MAY 2014	SUP: RNAV (GPS) RWY 14
	AIRPORT NAME: MOBILE RGNL				AMDT: 2
					DATED: 07/26/2012