

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JACCC	ONE	JACCC1.JACCC	NONE		4 FEB 2016

TYPE: RNAV SID

DP ROUTE DESCRIPTION:

TAKEOFF RWY 8L: CLIMB HEADING 094.97 TO INTERCEPT COURSE 083.36 TO RONII, THEN ON DEPICTED ROUTE TO JACCC, THENCE...
TAKEOFF RWY 8R: CLIMB HEADING 094.97 TO INTERCEPT COURSE 082.28 TO RONII, THEN ON DEPICTED ROUTE TO JACCC, THENCE...
TAKEOFF RWY 9L: CLIMB HEADING 094.99 TO 1527, THEN DIRECT LIDAS, THEN ON DEPICTED ROUTE TO JACCC, THENCE...
TAKEOFF RWY 9R: CLIMB HEADING 094.97 TO 1527, THEN DIRECT LIDAS, THEN ON DEPICTED ROUTE TO JACCC, THENCE...
TAKEOFF RWY 10: CLIMB HEADING 094.96 TO INTERCEPT COURSE 105.14 TO GRITZ, THEN ON DEPICTED ROUTE TO JACCC, THENCE...
TAKEOFF RWY 26L: CLIMB HEADING 274.99 TO INTERCEPT COURSE 299.91 TO MPASS, THEN ON DEPICTED ROUTE TO JACCC, MAINTAIN 250 KIAS TO ZELAN, THENCE...
TAKEOFF RWY 26R: CLIMB HEADING 274.99 TO INTERCEPT COURSE 298.72 TO MPASS, THEN ON DEPICTED ROUTE TO JACCC, MAINTAIN 250 KIAS TO ZELAN, THENCE...
TAKEOFF RWY 27L: CLIMB HEADING 274.99 TO INTERCEPT COURSE 250.65 TO FUTBL, THEN ON DEPICTED ROUTE TO JACCC, MAINTAIN 250 KIAS TO ZALLE, THENCE...
TAKEOFF RWY 27R: CLIMB HEADING 275.02 TO INTERCEPT COURSE 249.24 TO FUTBL, THEN ON DEPICTED ROUTE TO JACCC, MAINTAIN 250 KIAS TO ZALLE, THENCE...
TAKEOFF RWY 28: CLIMB HEADING 274.98 TO INTERCEPT COURSE 249.38 TO WLSON, THEN ON DEPICTED ROUTE TO JACCC, MAINTAIN 250 KIAS TO ZALLE, THENCE...

...MAINTAIN 10000. EXPECT CLEARANCE TO FILED ALTITUDE TEN MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
KELLN	JACCC1.KELLN	JACCC	SHUTT	TRACK 062.25	40.65	10000	2500	
			BFOUT	TRACK 062.81	36.06	10000	2100	
			KELLN	TRACK 066.11	10.03	10000	3000	

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: IF UNABLE TO ACCEPT CLIMB RATE, ADVISE CLEARANCE DELIVERY ON INITIAL CONTACT.

NOTE: USE DEPARTURE FREQUENCY DEPICTED, UNLESS OTHERWISE ADVISED.

NOTE: FOR TURBOJET AIRCRAFT ONLY.

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: RNAV 1.

NOTE: RADAR REQUIRED FOR NON-GPS EQUIPPED AIRCRAFT.

NOTE: ACCELERATE TO 250 KIAS, IF UNABLE, ADVISE BOTH TOWER AND DEPARTURE CONTROL ON INITIAL CONTACT.

NOTE: TRANSPONDER CODE WILL BE ISSUED VIA PDC OR ATLANTA CLEARANCE DELIVERY.

NOTE: AIRCRAFT AT MIDFIELD RAMPS WILL ADVISE RAMP TOWERS OF DEPARTURE SID PRIOR TO PUSHBACK. UPON RECEIPT OF ATC CLEARANCE (FROM ATL CLEARANCE DELIVERY), READ BACK ONLY YOUR CALLSIGN AND TRANSPONDER CODE, UNLESS YOU HAVE A QUESTION.

TAKEOFF MINIMUMS:

RWY 8L, 8R, 9L, 9R, 10, 26L, 26R, 27L, 27R, 28, STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 1527.



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JACCC	ONE	JACCC1.JACCC	NONE		4 FEB 2016

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 8L, TREES BEGINNING 855 FT FROM DER, 533 FT LEFT OF CENTERLINE, UP TO 67 FT AGL/1048 FT MSL.

NOTE: RWY 8R, TREES BEGINNING 345 FT FROM DER, 488 FT LEFT OF CENTERLINE, UP TO 68 FT AGL/1013 FT MSL. TOWER 4815 FT FROM DER, 1636 FT RIGHT OF CENTERLINE, 151 FT AGL/1148 FT MSL.

NOTE: RWY 9L, COMMUNICATION TOWER 4808 FT FROM DER, 1727 FT LEFT OF CENTERLINE, 133 FT AGL/1129 FT MSL. POLE 4806 FT FROM DER, 1731 FT LEFT OF CENTERLINE, 141 FT AGL/1137 FT MSL.

NOTE: RWY 10, POLES BEGINNING 58 FT FROM DER, 468 FT RIGHT OF CENTERLINE, UP TO 41 FT AGL/1016 FT MSL.

NOTE: RWY 26L, POLE AND BUILDINGS BEGINNING 1247 FT FROM DER, 751 FT LEFT OF CENTERLINE, UP TO 66 FT AGL/1079 FT MSL. TREES BEGINNING 2797 FT FROM DER, 469 FT LEFT OF CENTERLINE, UP TO 70 FT AGL/1103 FT MSL.

NOTE: RWY 26R, POLE 531 FT FROM DER, 619 FT RIGHT OF CENTERLINE, 36 FT AGL/1032 FT MSL. POLE AND TREES BEGINNING 1749 FT FROM DER, 121 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/1099 FT MSL. TREES BEGINNING 1988 FT FROM DER, 61 FT LEFT OF CENTERLINE, UP TO 59 FT AGL/1097 FT MSL. TREES BEGINNING 2811 FT FROM DER, 748 FT LEFT OF CENTERLINE, UP TO 69 FT AGL/1113 FT MSL. POLES, TREES, AND TOWERS BEGINNING 3414 FT FROM DER, 109 FT RIGHT OF CENTERLINE, UP TO 101 FT AGL/1137 FT MSL.

NOTE: RWY 27L, ELEVATOR 3937 FT FROM DER, 1255 FT RIGHT OF CENTERLINE, 103 FT AGL/1129 FT MSL.

NOTE: RWY 27R, TERRAIN AND SIGNS BEGINNING 17 FT FROM DER, 288 FT LEFT OF CENTERLINE, UP TO 5 FT AGL/1024 FT MSL. POLE 1012 FT FROM DER, 729 FT RIGHT OF CENTERLINE, 32 FT AGL/ 1046 FT MSL. AGRICULTURAL EQUIPMENT, ELEVATOR, TOWER, AND TREES BEGINNING 3657 FT FROM DER, 201 FT RIGHT OF CENTERLINE, UP TO 103 FT AGL/1141 FT MSL.

NOTE: RWY 28, CATENARY, SIGN, AND TREES BEGINNING 1948 FT FROM DER, 770 FT LEFT OF CENTERLINE, UP TO 63 FT AGL/1067 FT MSL. TREES BEGINNING 3157 FT FROM DER, 1209 FT LEFT OF CENTERLINE, UP TO 85 FT AGL/1097 FT MSL.

CONTROLLING OBSTACLES:

RWY 8R: 1353 FT MSL CONTROL TOWER 333830.20N/0842518.15W. (ROUTE DEVELOPMENT)

RWY 9L: 1353 FT MSL CONTROL TOWER 333830.20N/0842518.15W. (ROUTE DEVELOPMENT)

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

CHART: TOP ALTITUDE: 10000.

REFERENCE MAG VAR: KATL 5W EPOCH YEAR 2015.

DME/DME ASSESSMENT: SAT (RNP 2.0).

RECOMMENDED NAVAID: ATL VORTAC (5W).

CHART SPEED ICON MANDATORY SPEED 250 KIAS AT ZALLE.

CHART SPEED ICON MANDATORY SPEED 250 KIAS AT ZELAN.

AIRPORTS SERVED:

HARTSFIELD-JACKSON ATLANTA INTL

ATLANTA, GA



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JACCC	ONE	JACCC1.JACCC	NONE		4 FEB 2016

COMMUNICATIONS:

ATIS, CLEARANCE DELIVERY, GROUND CONTROL, TOWER, DEPARTURE CONTROL

FIXES AND/OR NAVAIDS:

DDUBB, ERWIN, IGEBE, GGOLF, SMOGG



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JACCC	ONE	JACCC1.JACCC	NONE		4 FEB 2016

REMARKS:

SPEED RESTRICTION NOTES ADDED TO DP ROUTE DESCRIPTION PER ATC REQUEST.

REQUIRED EFFECTIVE DATE:

12/04/2015

ROUTINE

07/27/2015

COORDINATED WITH:

ATA, ALPA, APA, AOPA, NBAA, ZTL, ATL APP CON, ATL ATCT, ARPT MGR

CHANGES:

ORIGINAL

REASONS:

REQUESTED BY ATC (ATLANTA METROPLEX)



DEPARTURE (DATA RECORD)

DP Name		Number	DP Computer Code				Superseded Number	Dated	Effective Date
JACCC		ONE	JACCC1.JACCC				NONE		4 FEB 2016
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW08L (AER)	333858.32N/0842620.49W	N	-	-	-	-			
	333858.35N/0842307.06W	-	-	VI	089.97	2.69			CG 500 FT/NM TO 1527
RONII	334105.52N/0841044.73W	Y	FB	CF	078.36	10.54			RECOMMENDED NAVAID: ATL VORTAC
IGEBE	334358.98N/0840214.06W	Y	FB	TF	067.84	7.66			
JACCC	334538.35N/0833859.56W	Y	FB	TF	085.02	19.45			
RW08R (AER)	333848.43N/0842618.10W	N	-	-	-	-			
	333848.46N/0842254.30W	-	-	VI	089.97	2.84			CG 500 FT/NM TO 1527
RONII	334105.52N/0841044.73W	Y	FB	CF	077.28	10.40			RECOMMENDED NAVAID: ATL VORTAC
IGEBE	334358.98N/0840214.06W	Y	FB	TF	067.84	7.66			
JACCC	334538.35N/0833859.56W	Y	FB	TF	085.02	19.45			
RW09L (AER)	333804.94N/0842652.68W	N	-	-	-	-			
1527 MSL		-	-	VA	089.99	-			CG 500 FT/NM TO 1527
LIDAS	333801.09N/0841609.13W	Y	FB	DF	-	-			
ERWIN	333803.00N/0840602.00W	Y	FB	TF	089.74	8.45			
JACCC	334538.35N/0833859.56W	Y	FB	TF	071.31	23.80			
RW09R (AER)	333754.53N/0842652.68W	N	-	-	-	-			
1527 MSL		-	-	VA	089.97				CG 500 FT/NM TO 1527
LIDAS	333801.09N/0841609.13W	Y	FB	DF	-	-			
ERWIN	333803.00N/0840602.00W	Y	FB	TF	089.74	8.45			
JACCC	334538.35N/0833859.56W	Y	FB	TF	071.31	23.80			
RW10 (AER)	333712.98N/0842652.36W	N	-	-	-	-			
	333713.05N/0842349.78W	-	-	VI	089.96	2.54			CG 500 FT/NM TO 1527
GRITZ	333607.72N/0841634.81W	Y	FB	CF	100.14	6.15			RECOMMENDED NAVAID: ATL VORTAC
DDUBB	333401.29N/0840455.25W	Y	FB	TF	102.13	9.96			
JACCC	334538.35N/0833859.56W	Y	FB	TF	061.70	24.55			

QUALITY
3
CHECKED

DEPARTURE (DATA RECORD)

DP Name		Number	DP Computer Code				Superseded Number	Dated	Effective Date
JACCC		ONE	JACCC1.JACCC				NONE		4 FEB 2016
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW26L (AER)	333848.46N/0842419.83W	N	-	-	-	-			
	333848.38N/0842745.78W	-	-	VI	269.99	2.87			CG 500 FT/NM TO 1527
MPASS	334134.94N/0843455.31W	Y	FB	CF	294.91	6.59			RECOMMENDED NAVAID: ATL VORTAC
ZELAN	334840.60N/0843450.50W	Y	FB	TF	000.54	7.08		AT 250K	
SMOGG	334846.99N/0842024.04W	Y	FB	TF	089.43	12.03			
JACCC	334538.35N/0833859.56W	Y	FB	TF	095.00	34.65			
RW26R (AER)	333858.35N/0842434.03W	N	-	-	-	-			
	333858.27N/0842748.18W	-	-	VI	269.99	2.70			CG 500 FT/NM TO 1527
MPASS	334134.94N/0843455.31W	Y	FB	CF	293.72	6.49			RECOMMENDED NAVAID: ATL VORTAC
ZELAN	334840.60N/0843450.50W	Y	FB	TF	000.54	7.08		AT 250K	
SMOGG	334846.99N/0842024.04W	Y	FB	TF	089.43	12.03			
JACCC	334538.35N/0833859.56W	Y	FB	TF	095.00	34.65			
RW27L (AER)	333754.56N/0842506.24W	N	-	-	-	-			
	333754.49N/0842810.29W	-	-	VI	269.99	2.56			CG 500 FT/NM TO 1527
FUTBL	333517.36N/0843504.70W	Y	FB	CF	245.65	6.33			RECOMMENDED NAVAID: ATL VORTAC
ZALLE	332725.53N/0843504.18W	Y	FB	TF	179.95	7.85		AT 250K	
GGOLF	332720.98N/0842010.08W	Y	FB	TF	090.28	12.47			
JACCC	334538.35N/0833859.56W	Y	FB	TF	061.85	38.93			
RW27R (AER)*	333804.93N/0842432.07W*	N	-	-	-	-			*DISPL THLD (500 FT)
	333804.92N/0842810.29W	-	-	VI	270.02	3.04			CG 500 FT/NM TO 1527
FUTBL	333517.36N/0843504.70W	Y	FB	CF	244.24	6.41			RECOMMENDED NAVAID: ATL VORTAC
ZALLE	332725.53N/0843504.18W	Y	FB	TF	179.95	7.85		AT 250K	
GGOLF	332720.98N/0842010.08W	Y	FB	TF	090.28	12.47			
JACCC	334538.35N/0833859.56W	Y	FB	TF	061.85	38.93			



DEPARTURE (DATA RECORD)

DP Name		Number		DP Computer Code		Superseded Number		Dated	Effective Date
JACCC		ONE		JACCC1.JACCC		NONE			4 FEB 2016
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW28 (AER)	333713.03N/0842505.94W	N	-	-	-				
	333712.93N/0842809.96W	-	-	VI	269.98	2.56			CG 500 FT/NM TO 1527
WLSO	333426.31N/0843504.65W	Y	FB	CF	244.38	6.40			RECOMMENDED NAVAID: ATL VORTAC
ZALLE	332725.53N/0843504.18W	Y	FB	TF	179.95	7.00		AT 250K	
GGOLF	332720.98N/0842010.08W	Y	FB	TF	090.28	12.47			
JACCC	334538.35N/0833859.56W	Y	FB	TF	061.85	38.93			
JACCC	334538.35N/0833859.56W	Y	-	IF					JACCC1.KELLN
SHUTT	340733.38N/0825748.64W	Y	FB	TF	057.25	40.65			
BFOUT	342642.33N/0822054.82W	Y	FB	TF	057.81	36.06			
KELLN	343133.22N/0821016.92W	Y	FB	TF	061.11	10.03			

