

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE			ALTITUDE		LNAV: RW35						
CQY VORTAC		YEAGR (FB)		340.66 / 23.27			5000		CLIMB TO 5000 DIRECT FIJWE AND ON TRACK 016.44 TO FINGR AND HOLD.						
YEAGR (IAF)		BONIN (FB)		339.89 / 7.47			4000								
BONIN (IF)		DAJCA (FB)		339.87 / 10.00			2200								
DAJCA (FAF)		RW35 (MAP) (FO)		347.46 / 5.01											
RW35 (MAP)		974 MSL		347.46					ADDITIONAL FLIGHT DATA: HOLD NE, LT, 226.00 INBOUND. CHART FAS OBST: 875 TOWER 325346N/0962646W DAJCA TO RW35: 3.00/40.						
974 MSL		FIJWE (FB)													
FIJWE		FINGR (FO)		016.44 / 15.86			5000								
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)															
2. PROFILE STARTS AT BONIN _____															
3. FAC: 347.46 FAF: DAJCA _____ DIST FAF TO MAP: 5.01 THLD: 5.01															
4. MIN. ALT: BONIN 4000, DAJCA 2200															
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____															
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____															
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR															
8. MSA FROM: RW35 2600															
MAG VAR: 5E EPOCH YEAR: 2000															
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @			
CATEGORY =====>		A		B		C		D		E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1200	1	626	1200	1	626		NA			NA				
CIRCLING	1280	1	706	1280	1	706		NA			NA				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON CQY VORTAC AIRWAY RADIALS 263 CW 040. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DALLAS LOVE FIELD ALTIMETER SETTING AND INCREASE ALL MDA 80 FEET. (SEE FORM 8260-10)															
CITY AND STATE ROCKWALL, TX		ELEVATION: 574 TDZE: 574 AIRPORT NAME: RALPH M HALL/ROCKWALL MUNI		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG-C 30 APRIL 2015				SUP: AMDT: ORIG-B DATED 04/04/2013					

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

CHART NOTE: PROCEDURE NA AT NIGHT.

QUALITY
9
CHECKED

CITY AND STATE
ROCKWALL, TX

ELEVATION: 574 TDZE: 574
AIRPORT NAME:
RALPH M HALL/ROCKWALL MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 35, ORIG-C
30 APRIL 2015


SUP:
AMDT: ORIG-B
DATED: 04/04/2013

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

QUALITY
9
CHECKED

CITY AND STATE ROCKWALL, TX	ELEVATION: 574 AIRPORT NAME: RALPH M HALL/ROCKWALL MUNI	TDZE: 574 RNAV	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
				RNAV (GPS) RWY 35, ORIG-C	AMDT: ORIG-B
				30 APRIL 2015	DATED: 04/04/2013

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE												
FLIGHT STANDARDS SERVICES - FAR PART 97.33												
ARINC SUMMARY - 424-18 - RNAV (GPS)												
ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	CQY	CQY	010		IF		FB					
	CQY	YEAGR	020	IAF	TF		FB	2.0	340.7 (345.7T)	023.3	AA 05000	
	CQY	BONIN	030		TF		FB	1.0	339.9 (344.9T)	007.5	AA 04000	
		BONIN	010	FACF	IF		FB				AA 04000	
		DAJCA	020	FAF	TF		FB	0.5	339.9 (344.9T)	010.0	AA 02200	
		RW35	030	MAP	TF		FO	0.3	347.5 (352.5T)	005.0	AT 00603	
MISSED APPROACH		FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
			040		CA		FB		347.5 (352.5T)		AA 00974	
		FIJWE	050		DF		FB					
		FINGR	060		TF		FO	1.0	016.4 (021.4T)		AA 05000	
		FINGR	070		HM	L	FO		226.0 (231.0T)	005.0	AA 05000	
POINT DATA		WAYPOINT	LAT IN SECS		LONG IN SECS		LAT IN MINS		LONG IN MINS			
		CQY	N321108.60		W0961305.17		N3211.143		W09613.086			
		BONIN	N324057.55		W0962212.77		N3240.959		W09622.213			
		DAJCA	N325037.86		W0962518.68		N3250.631		W09625.311			
		FIJWE	N330100.65		W0962656.50		N3301.011		W09626.942			
		FINGR	N331547.65		W0962001.79		N3315.794		W09620.030			
		YEAGR	N323343.76		W0961954.28		N3233.729		W09619.905			
		RW35	N325536.44		W0962605.56		N3255.607		W09626.093			
RUNWAY DATA			THRESHOLD									
		RWY	ELEVATION		TCH							
		RW35	00563		40							



CITY AND STATE ROCKWALL, TX	ELEVATION: 574	TDZE: 574	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: RALPH M HALL/ROCKWALL MUNI		RNAV	RNAV (GPS) RWY 35, ORIG-C	AMDT: ORIG-B
				30 APRIL 2015	DATED: 04/04/2013