

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE FAR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																	
TERMINAL ROUTES																MISSED APPROACH					
FROM		TO			COURSE AND DISTANCE					ALTITUDE											
JCT VORTAC		CEBDO WP (TF) (FB)			209.28/34.30					4000		LNAV: RW14 CLIMBING LEFT TURN TO 4000 DIRECT TOGUE WP AND HOLD.									
CSI VORTAC		CEBDO WP (TF) (FB)			277.11/53.27					4000											
DLF VORTAC		JODOT WP (TF) (FB)			020.48/45.87					4000		ADDITIONAL FLIGHT DATA: FAS OBST: 2529 TREE 295921/1001124 CONDU TO RW14: 3.00/45									
JODOT WP (IAF)		TOGUE WP (NoPT) (TF) (FB)			048.18/5.00					4000											
CEBDO WP (IAF)		TOGUE WP (NoPT) (TF) (FB)			228.22/5.00					4000											
TOGUE WP (IF/IAF)		CONDU WP (TF) (FB)			138.19/5.00					4000											
RW14 (MAP)		2960 MSL (CA)			138.19																
2960 MSL		TOGUE WP (DF) (FO)								4000											
1. PT <u>NA</u> SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. <u>HOLD NW TOGUE WP, LT, 138.19 INBOUND, 4000FT. IN LIEU OF PT (IAF).</u> 3. FAC: <u>138.19</u> FAF: <u>CONDU WP</u> DIST FAF TO MAP: <u>-</u> THLD: <u>4.99</u> 4. MIN. ALT: <u>TOGUE WP 4000, CONDU WP 4000, HAVIK/2.85 NM TO RW14 3320</u> 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: <u>34:1 IS NOT CLEAR</u> 8. MSA FROM: <u>RW14 3900</u>																FINAL SEGMENT (TF) MAG VAR: 7E EPOCH YEAR: 00					
MINIMUMS																					
TAKEOFF: <input checked="" type="checkbox"/> STANDARD		SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: <input type="checkbox"/> N <input checked="" type="checkbox"/> A													
CATEGORY =====>		A			B			C			D			E							
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA						
LNAV	MDA	2960	1	588	2960	1	588	2960	1 1/2	588		NA									
CIRCLING		3000	1	628	3000	1	628	3000	1 3/4	628		NA									
NOTES: USE KIMBLE CO. ALTIMETER SETTING. GPS OR RNP -0.3 REQUIRED. DME/DME RNP -0.3 NA PROCEDURE NA AT NIGHT.																					
CITY AND STATE ROCKSPRINGS, TX				ELEVATION: 2372 TDZE: 2372 AIRPORT NAME: EDWARDS COUNTY				FACILITY IDENTIFIER: RNAV		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 14, ORIG July 10, 2003				SUP:							
														AMDT: NONE							
														DATED:							