

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33						Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.										
TERMINAL ROUTES											MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE			ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW10 CLIMB TO 3000 DIRECT PICUM AND HOLD. ADDITIONAL FLIGHT DATA: HOLD E, RT, 284.51 INBOUND. CHART FAS OBST: 1076 TREE 401648N/0831036W DISTANCE TO THLD FROM 250 HAT: 0.65 NM. CHART VDP AT 1.04 NM TO RW10* *LNAV ONLY. WAAS CHANNEL # 90506 REFERENCE PATH ID: W10A CHART CIRCLING ICON. LTP HAE: 253.8 M							
ESSIE		KIRRA (TF) (FB) (RNP 2.00)		173.77 / 8.20			2600									
PIZZA		VIBCO (TF) (FB) (RNP 2.00)		338.26 / 6.93			2600									
KIRRA (IAF)		MOSQI (TF) (FB) (RNP 1.00)		194.19 / 6.50			2600									
VIBCO (IAF)		MOSQI (TF) (FB) (RNP 1.00)		014.17 / 6.50			2600									
MOSQI (IF)		ITTOW (TF) (FB) (RNP 0.50)		104.18 / 6.76			2600									
(SEE FORM 8260-10)																
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. PROFILE STARTS AT MOSQI 3. FAC: <u>104.26</u> FAF: <u>ITTOW</u> DIST FAF TO MAP: <u>5.06</u> THLD: <u>5.06</u> 4. MIN. ALT: <u>MOSQI 2600, ITTOW 2600, CODOX/2.30 NM TO RW10 1720*</u> 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: <u>2600</u> GS ALT AT: <u>ITTOW 2600</u> OM: _____ MM: _____ IM: _____ 7. GS ANGLE: <u>3.00</u> TCH: <u>43.4</u> 34:1 IS CLEAR 8. MSA FROM: <u>RW10 3100</u>																
											MAG VAR: 6W			EPOCH YEAR: 2000		
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT											ALTERNATE: N A		STANDARD			
CATEGORY ==>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LPV DA	1195	7/8	250	1195	7/8	250	1195	7/8	250	1195	7/8	250				
LNAV/VNAV DA	1231	1	286	1231	1	286	1231	1	286	1231	1	286				
LNAV MDA	1340	1	395	1340	1	395	1340	1	395	1340	1	395				
CIRCLING	1420	1	475	1420	1	475	1560	1 3/4	615	1560	2	615				
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (4F) OR ABOVE 54C (130F). CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ESSIE ON V279 NORTHWEST BOUND. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT PIZZA ON V12 EASTBOUND.																
CITY AND STATE			ELEVATION: 945 TDZE: 945			FACILITY IDENTIFIER:			PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:			
DELAWARE, OH			AIRPORT NAME:			RNAV			RNAV (GPS) RWY 10, AMDT 1				AMDT: CHECKED			
			DELAWARE MUNI - JIM MOORE FIELD						5 JANUARY 2017				DATED 06/05/2008			

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
ITTOW (FAF)	CODOX/2.30 NM TO RW10 (TF) (FB) (RNP 0.30)	104.26 / 2.76	
CODOX/2.30 NM TO RW10	RW10 (MAP) (TF) (FO) (RNP 0.30)	104.26 / 2.30	
RW10 (MAP)	1195 MSL	104.26	
1195 MSL	PICUM (DF) (FO) (RNP 1.00)		3000

CITY AND STATE
DELAWARE, OH

ELEVATION: 945 **TDZE: 945**
 AIRPORT NAME:
DELAWARE MUNI - JIM MOORE FIELD

FACILITY
 IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 10, AMDT 1
 5 JANUARY 2017

SUP: **4**
 AMDT: **ORIG**
 DATED: **06/05/2008**

QUALITY
 CHECKED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE DELAWARE, OH	ELEVATION: 945 AIRPORT NAME: DELAWARE MUNI - JIM MOORE FIELD	TDZE: 945	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 10, AMDT 1 5 JANUARY 2017	SUP: 4
					AMDT: ORIG
					DATED: 06/05/2008

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KDLZ
RUNWAY	RW10
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W10A
LTP/FTP LATITUDE	401650.5070N
LTP/FTP LONGITUDE	0830725.1995W
LTP/FTP ELLIPSOIDAL HEIGHT	+02538
FPAP LATITUDE	401637.5710N
FPAP LONGITUDE	0830530.0140W
THRESHOLD CROSSING HEIGHT (TCH)	00043.4
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0984
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
 <u>CRC REMAINDER</u>	 3D6E4792

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K5
LTP ORTHOMETRIC HEIGHT	+02877
FPAP ORTHOMETRIC HEIGHT	+02877

CITY AND STATE DELAWARE, OH	ELEVATION: 945	TDZE: 945	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 10, AMDT 1 5 JANUARY 2017	SUP: 4
	AIRPORT NAME: DELAWARE MUNI - JIM MOORE FIELD				AMDT: CHECKED
					DATED: 06/05/2008