

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
NDB STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.27

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP: 1.92 MILES AFTER PFH NDB
ATHOS INT	PFH NDB	097.81 / 3.97	3000	CLIMB TO 1500 THEN CLIMBING LEFT TURN TO 2700 DIRECT PFH NDB AND HOLD.
HIDAL INT	PFH NDB	279.22 / 10.05	4100	
				ADDITIONAL FLIGHT DATA: HOLD SW, LT, 027.28 INBOUND. CHART FAS OBST: 499 TREE 421540N/0734355W PFH NDB TO RW03: 5.80/20

1. PT R SIDE OF COURSE 207.28 OUTBOUND 2700 FT WITHIN 10 MILES OF PFH NDB (IAF)
2. _____
3. FAC 027.28 FAF PFH NDB DIST FAF TO MAP 1.92 THLD _____
4. MIN. ALT ERAYY 2200, PFH NDB 1400
8. MSA FROM: PFH NDB 360-180 3900, 180-360 5300

MAG VAR: 13W

EPOCH YEAR: 1965

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE:	NA	X						
CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
CIRCLING	800	1	602	820	1	622	860	1 3/4	662	920	2 1/4	722			

NOTES:

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ALBANY ALTIMETER SETTING AND INCREASE ALL MDA 80FT, INCREASE CAT C VISIBILITY 1/2 MILE AND CAT D VISIBILITY 1/4 MILE.

CITY AND STATE HUDSON, NY	ELEVATION: 198 TDZE: AIRPORT NAME: COLUMBIA COUNTY	FACILITY IDENTIFIER: PFH	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: NDB-A, AMDT 4 17 DEC 2009	SUP
				AMDT 3
				DATE 03/27/1997