

US DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH			
FROM	TO	COURSE AND DISTANCE	ALTITUDE				
TRACY	OMWAP (FO)	085.46 / 13.01	3000	<b>LNAV: RW26</b>  <b>CLIMBING RIGHT TURN TO 3000 DIRECT OMWAP AND HOLD.</b>  <b>ADDITIONAL FLIGHT DATA:</b> <b>CHART FAS OBST: 280 POLE 374059N/1212629W</b> <b>CHART : R-2531.</b> <b>IVABE TO RW26: 3.05/40.</b>			
ECA VORTAC (IAF)	OMWAP (NOPT) (FB)	171.19 / 8.55	3000				
SHELI (IAF)	OMWAP (NOPT) (FB)	300.60 / 6.68	3000				
OMWAP (IF/IAF)	IVABE (FB)	254.73 / 6.17	2000				

  

1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)							
2. <b>HOLD E OMWAP, RT, 254.73 INBOUND, 3000 FT. IN LIEU OF PT (IAF)</b>							
3. FAC: <b>254.65</b> FAF: <b>IVABE</b> DIST FAF TO MAP: <b>5.53</b> THLD: <b>5.53</b>							
4. MIN. ALT: <b>OMWAP 3000, IVABE 2000</b>							
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____							
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____							
7. GS ANGLE: _____ TCH: <b>34:1 IS NOT CLEAR</b>							
8. MSA FROM: <b>RW26 5600</b>							

  

<b>MINIMUMS</b>															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	X										
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	600	1	415	600	1	415	600	1 1/4	415		NA				
CIRCLING	600	1	407	660	1	467	660	1 1/2	467		NA				

  

NOTES:  
 CHART NOTE: DME/DME RNP-0.3 NA.  
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.  
 CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.  
 CHART NOT: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE STOCKTON METROPOLITAN ALTIMETER SETTING  
 SEE 8260-10

CITY AND STATE	ELEVATION: 193 TDZE: 185	FACILITY IDENTIFIER:	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
TRACY, CA	AIRPORT NAME:	RNAV	RNAV (GPS) RWY 26, ORIG	AMDT: NONE
	TRACY MUNI		22 OCT 2009	DATED

QUALITY  
CHECKED

**RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

AND INCREASE ALL MDA 60 FEET.

CHART NOTE: CIRCLING NA SW OF RWY 12-30.

CITY AND STATE

TRACY, CA

ELEVATION: 193

TDZE: 185

AIRPORT NAME:

TRACY MUNI

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 26, ORIG

22 OCT 2009

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY  
CHECKED

CITY AND STATE  TRACY, CA	ELEVATION: 193      TDZE: 185  AIRPORT NAME:  TRACY MUNI	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 26, ORIG  22 OCT 2009	SUP:
				AMDT:      NONE
				DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY  
1  
CHECKED

CITY AND STATE  TRACY, CA	ELEVATION: 193      TDZE: 185  AIRPORT NAME:  TRACY MUNI	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 26, ORIG  22 OCT 2009	SUP:
				AMDT:      NONE
				DATED:

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	PO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	ECA	ECA	010	IAF	IF		FB				
	ECA	OMWAP	020		TF		FB	1.0	171.2 (186T)	008.6	03000
	SHELI	SHELI	010	IAF	IF		FB				
	SHELI	OMWAP	020		TF		FB	1.0	300.6 (316T)	006.7	03000
	TRACY	TRACY	010		IF		FB				
	TRACY	OMWAP	020		TF		FO	2.0	085.5 (101T)	013.0	03000
	TRACY	OMWAP	030	IAF	HF	R	FO		254.7 (270T)	004.0	03000
		OMWAP	010	FACF	IF		FB				03000
		IVABE	020	FAF	TF		FB	0.5	254.7 (270T)	006.2	02000
		RW26	030	MAP	TF		FO	0.3	254.7 (270T)	005.5	00212

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	PO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	OMWAP	040		DF	R	FO	1.0			03000
	OMWAP	050		HM	R	FO	2.0	254.7 (270T)	004.0	03000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ECA	N375000.97	W1211016.95	N3750.016	W12110.283
	IVABE	N374128.22	W1211913.10	N3741.470	W12119.218
	OMWAP	N374130.22	W1211126.63	N3741.504	W12111.444
	SHELI	N373643.80	W1210533.49	N3736.730	W12105.558
	TRACY	N374353.18	W1212733.49	N3743.886	W12127.558
	RW26	N374125.99	W1212611.04	N3741.433	W12126.184

RUNWAY DATA	THRESHOLD	ELEVATION	TCH
RWY			
RW26	00172		40

QUALITY  
1  
CHECKED

CITY AND STATE <b>TRACY, CA</b>	ELEVATION: 193 TDZE: 185 AIRPORT NAME: <b>TRACY MUNI</b>	FACILITY IDENTIFIER: <b>RNAV</b>	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: <b>RNAV (GPS) RWY 26, ORIG</b> <b>22 OCT 2009</b>	SUP:
				AMDT: <b>NONE</b>
				DATED: