

U.S. Department of Transportation
Federal Aviation Administration

RNAV STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH			
FROM	T O	COURSE AND DISTANCE	ALTITUDE				
RHI VORTAC	JAKPA WP (TF) (FB)	284.74 / 37.19	3300	LNAV:RW36 CLIMB TO 3300 DIRECT FANUM WP AND HOLD.			
RUSSH WP	NUVLE WP (TF) (FB)	138.94 / 7.57	3300				
JAKPA WP (IAF)	FARIM WP (NoPT) (TF) (FB)	274.00 / 5.00	3200	ADDITIONAL FLIGHT DATA: HOLD N, RT, 183.93 INBOUND FAS OBST: 1776 TOWER 455504 / 902659 CEGLA WP TO RW36 3.06 / 40			
NUVLE WP (IAF)	FARIM WP (NoPT) (TF) (FB)	093.83 / 5.00	3200				
FARIM WP (IF/IAF)	CEGLA WP (TF) (FB)	003.91 / 5.00	3200				
RW36 (MAP)	2000 MSL (CA)						
2000 MSL	FANUM WP (DF) (FO)		3300				
PROCEDURE NA FOR ARRIVAL ON	RHI VORTAC AIRWAY RADIAL 225	CW 345					

1. PT NA SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD S FARIM WP, RT, 003.91 INBOUND, 3200 FT. IN LIEU OF PT (IAF)
3. FAC: 003.92 FAF: CEGLA WP DIST FAF TO MAP: - THLD: 5.13
4. MIN. ALT: FARIM WP 3200, CEGLA WP 3200. HABAK WP / 2.40NM TO RW36 2320
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:
7. GS ANGLE: TCH: 34:1 IS CLEAR
8. MSA FROM: RW36 4100

FINAL SEGMENT: (TF)

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.

MAG VAR: 1W EPOCH YEAR: 00

MINIMUMS																
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	X											
CATEGORY =====>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	2000	1	500	2000	1	500	2000	1 1/4	500		NA					
CIRCLING	2060	1	560	2060	1	560	2060	1 1/2	560		NA					

NOTES:
USE PHILLIPS ALTIMETER SETTING.

GPS OR RNP-0.3 REQUIRED. DME/DME RNP-0.3 NA.

CITY AND STATE PARK FALLS, WI	ELEVATION: 1500 TDZE: 1500 AIRPORT NAME: PARK FALLS MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: MAY 15 2003 RNAV (GPS) RWY 36, ORIG	SUP: AMDT: NONE DATED
--------------------------------------	--	------------------------------	--	-----------------------------