

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SKYLARK FIELD ALTIMETER SETTING AND INCREASE ALL DA 65 FEET, AND ALL MDA 80 FEET; INCREASE LPV, LNAV/VNAV ALL CATS, AND LNAV AND CIRCLING CAT C VISIBILITY 1/4 MILE.

| TAA | FROM | TO | ALT |
|-----|-------------------------|---------------------|------|
| 1. | 088/30 CW 268/30 (NOPT) | 088/15 CW 268/15 | 3600 |
| 2. | 088/15 CW 268/15 | SILIW (IF/IAF) (FB) | 3100 |
| 3. | 268/30 CW 088/30 | 268/15 CW 088/15 | 4100 |
| 4. | 268/15 CW 088/15 | SILIW (IF/IAF) (FO) | 3100 |



| | | | | |
|---|--|-------------------------------------|--|--------------------------|
| CITY AND STATE GEORGETOWN, TX | ELEVATION: 790 TDZE: 786 AIRPORT NAME: GEORGETOWN MUNI | FACILITY IDENTIFIER: RNAV | PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 18, AMDT 1 10 DECEMBER 2015 | SUP: |
| | | | | AMDT: ORIG |
| | | | | DATED: 12/17/2009 |

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

| <u>DATA FIELD</u> | <u>DATA</u> |
|--|---------------|
| OPERATION TYPE | 0 |
| SBAS SERVICE PROVIDER IDENTIFIER | 0 |
| AIRPORT IDENTIFIER | KGTU |
| RUNWAY | RW18 |
| APPROACH PERFORMANCE DESIGNATOR | 0 |
| ROUTE INDICATOR | |
| REFERENCE PATH DATA SELECTOR | 0 |
| REFERENCE PATH IDENTIFIER (APPROACH ID) | W18A |
| LTP/FTP LATITUDE | 304109.2435N |
| LTP/FTP LONGITUDE | 0974040.5015W |
| LTP/FTP ELLIPSOIDAL HEIGHT | +02133 |
| FPAP LATITUDE | 303940.1085N |
| FPAP LONGITUDE | 0974046.8805W |
| THRESHOLD CROSSING HEIGHT (TCH) | 00035.0 |
| TCH UNITS SELECTOR (METERS OR FEET USED) | F |
| GLIDEPATH ANGLE (GPA) | 03.00 |
| COURSE WIDTH AT THRESHOLD | 106.75 |
| LENGTH OFFSET | 1224 |
| HORIZONTAL ALERT LIMIT (HAL) | 40.0 |
| VERTICAL ALERT LIMIT (VAL) | 50.0 |
| <u>CRC REMAINDER</u> | 41CCC1BC |

ADDITIONAL PATH POINT RECORD INFORMATION

| | |
|-------------------------|--------|
| ICAO CODE | K4 |
| LTP ORTHOMETRIC HEIGHT | +02395 |
| FPAP ORTHOMETRIC HEIGHT | +02395 |

QUALITY
16
CHECKED

| | | | | |
|----------------------------------|---|---------------------------------|---|------------------------|
| CITY AND STATE GEORGETOWN, TX | ELEVATION: 790 TDZE: 786 AIRPORT NAME: GEORGETOWN MUNI | FACILITY IDENTIFIER: RNAV | PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 18, AMDT 1 10 DECEMBER 2015 | SUP: |
| | | | | AMDT: ORIG |
| | | | | DATED: 12/17/2009 |

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KGTU

ROUTES

| TRANSITION | WPT SEQ | WPT NAME | LEG TYPE | FB/FO | RNP | MAG CRS | REC NAV | ANGLE | TURN DIR | CENTER FIX | TURN RADIUS | ALTITUDE DESCRIPTION & VALUE | SPEED LIMIT DESCRIPTION & VALUE | WPT DESCRIPTION CODE |
|------------|------------|-------------|-------------|-------|-----|------------|------------|-------|-------------|---------------|----------------|------------------------------------|---------------------------------------|----------------------------|
| SILIW | 010 | SILIW | HF | FO | | 177.6 | | | R | | | AA 03100 | | EE A |
| | 010 | SILIW | IF | FB | | | | | | | | AA 03100 | | E I |
| | 020 | FIHNU | TF | FB | 0.5 | 177.6 | | | | | | AA 02400 | | E F |
| | 021 | FORNA | TF | FB | 0.3 | 177.5 | | 3.00 | | | | AA 01480 GS 01489 | | E S |
| | 030 | RW18 | TF | FO | 0.3 | 177.5 | | 3.00 | | | | AT 00821 | | GY M |
| | 040 | | CA | FB | | 177.5 | | | | | | AA 01300 | | M |
| | 050 | DARTE | DF | FO | | | | | L | | | AA 03000 | | EY |
| | 060 | DARTE | HM | FO | | 060.0 | | | R | | | AA 03000 | | EE |

POINTS

| POINT NAME | LATITUDE | LONGITUDE |
|------------|------------|-------------|
| DARTE | N304558.08 | W0972706.60 |
| FIHNU | N304606.91 | W0974019.18 |
| FORNA | N304315.29 | W0974031.38 |
| SILIW | N305307.07 | W0973949.01 |

RUNWAYS

| RUNWAY | THRESHOLD LATITUDE | THRESHOLD LONGITUDE | THRESHOLD ELEVATION | PROCEDURE TCH |
|--------|-----------------------|------------------------|------------------------|------------------|
| RW18 | N304109.24 | W0974040.50 | 00786 | 35 |

QUALITY
16
CHECKED

| | | | | |
|---|---|-------------------------|--|--------------------------|
| CITY AND STATE GEORGETOWN, TX | ELEVATION: 790 TDZE: 786 | FACILITY IDENTIFIER: | PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 18, AMDT 1 10 DECEMBER 2015 | SUP: |
| | AIRPORT NAME: GEORGETOWN MUNI | RNAV | | AMDT: ORIG |
| | | | | DATED: 12/17/2009 |