

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: CIRCLING RWY 25 NA AT NIGHT.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LEXINGTON ALTIMETER SETTING AND INCREASE ALL MDA 80 FEET. INCREASE LP AND LNAV CATS C/D VISIBILITY TO 1 3/8, CIRCLING CAT C TO 1 3/4, AND CAT D VISIBILITY TO 2 1/4 MILES.

TAA

	FROM	TO	ALT
1.	359/30 CW 139/30 (NOPT)	DEXLO (IF/IAF) (FB)	3000
2.	139/30 CW 249/30	CEBUT (IAF) (FB)	3600
3.	249/30 CW 359/30	FAVVI (IAF) (FB)	3100

CITY AND STATE

FRANKFORT, KY

ELEVATION: 812

THRE: 812

AIRPORT NAME:

CAPITAL CITY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 7, AMDT 2

30 MAY 2013

SUP: RNAV (GPS) RWY 6

AMDT: 1

DATED: 05/10/2007

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE 0
SBAS SERVICE PROVIDER IDENTIFIER 0
AIRPORT IDENTIFIER KFFT
RUNWAY RW07
APPROACH PERFORMANCE DESIGNATOR 0
ROUTE INDICATOR
REFERENCE PATH DATA SELECTOR 0
REFERENCE PATH IDENTIFIER (APPROACH ID) W07A
LTP/FTP LATITUDE 381042.2605N
LTP/FTP LONGITUDE 0845455.2585W
LTP/FTP ELLIPSOIDAL HEIGHT +02140
FPAP LATITUDE 381121.5000N
FPAP LONGITUDE 0845313.7800W
THRESHOLD CROSSING HEIGHT (TCH) 00045.0
TCH UNITS SELECTOR (METERS OR FEET USED) F
GLIDEPATH ANGLE (GPA) 03.00
COURSE WIDTH AT THRESHOLD 106.75
LENGTH OFFSET 1072
HORIZONTAL ALERT LIMIT (HAL) 40.0
VERTICAL ALERT LIMIT (VAL) 0.0

CRC REMAINDER

F8A6E84F

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE K5
LTP ORTHOMETRIC HEIGHT +02476
FPAP ORTHOMETRIC HEIGHT +02476

CITY AND STATE FRANKFORT, KY	ELEVATION: 812 THRE: 812 AIRPORT NAME: CAPITAL CITY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 7, AMDT 2 30 MAY 2013	SUP: RNAV (GPS) RWY 6
				AMDT: 1
				DATED: 05/10/2007

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KFFTK5FR07	ACEBUT	010CEBUTK5EA0E	A	IF					18000		A	JS
SUSAP	KFFTK5FR07	ACEBUT	020DEXLOK5EA0EE	B	010TF		13870087	+ 03000				A	JS
SUSAP	KFFTK5FR07	ADEXLO	010DEXLOK5EA0EE	AR	HF		06880050	+ 03000		18000		A	JS
SUSAP	KFFTK5FR07	APAVVI	010FAVVIK5EA0E	A	IF					18000		A	JS
SUSAP	KFFTK5FR07	APAVVI	020DEXLOK5EA0EE	B	010TF		35880087	+ 03000				A	JS
SUSAP	KFFTK5FR07	R	010DEXLOK5EA0E	I	IF			+ 03000		18000		A	JS
SUSAP	KFFTK5FR07	R	020ACETOK5EA1E	F	010TF		06880070	+ 02400				A	JS
SUSAP	KFFTK5FR07	R	020ACETOK5EA2WALP		N	ALNAV							JS
SUSAP	KFFTK5FR07	R	021JAPOLK5EA0E	S	031TF		06880024	V	0162001622		-300	A	JS
SUSAP	KFFTK5FR07	R	030RW07 K5PG0GY	M	031TF		06880024		00857		-300	A	JS
SUSAP	KFFTK5FR07	R	040	0	M	CA	0688	+ 01212				A	JS
SUSAP	KFFTK5FR07	R	050CUKRIK5EA0EY		DF			+ 03000				A	JS
SUSAP	KFFTK5FR07	R	060CUKRIK5EA0EE	R	HM		24900050	+ 03000				A	JS

[illegible][illegible]

CITY AND STATE
FRANKFORT, KY

ELEVATION: 812	THRE: 812
AIRPORT NAME:	CAPITAL CITY

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 7, AMDT 2
30 MAY 2013

SUP:	RNAV (GPS) RWY 6
AMDT:	1
DATED:	5/10/2007

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	CEBUT	CEBUT	010	IAF	IF		FB					
	CEBUT	DEXLO	020		TF		FB	1.0	138.7 (133.7T)	008.7	AA 03000	
	DEXLO	DEXLO	010	IAF	HF	R	FO		068.8 (063.8T)	005.0	AA 03000	
	FAVVI	FAVVI	010	IAF	IF		FB					
	FAVVI	DEXLO	020		TF		FB	1.0	358.8 (353.8T)	008.7	AA 03000	
		DEXLO	010	FACF	IF		FB				AA 03000	
		ACETO	020	FAF	TF		FB	1.0	068.8 (063.8T)	007.0	AA 02400	
		JAPOL	021	SDF	TF		FB	0.3	068.8 (063.8T)	002.4	AA 01620 GS 01622	
		RW07	030	MAP	TF		FO	0.3	068.8 (063.8T)	002.4	AT 00857	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		068.8 (063.8T)		AA 01212	
	CUKRI	050		DF		FO				AA 03000	
	CUKRI	060		HM	R	FO		249.0 (244.0T)	005.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ACETO	N380834.09	W0850026.07	N3808.568	W08500.435
	CEBUT	N381127.52	W0851618.84	N3811.459	W08516.314
	CUKRI	N381620.93	W0844016.40	N3816.349	W08440.273
	DEXLO	N380528.50	W0850823.30	N3805.475	W08508.388
	FAVVI	N375652.01	W0850711.87	N3756.867	W08507.198
	JAPOL	N380938.79	W0845739.21	N3809.647	W08457.654
	RW07	N381042.26	W0845455.26	N3810.704	W08454.921

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW07	00812	45

CITY AND STATE
FRANKFORT, KY

ELEVATION: 812 THRE: 812
 AIRPORT NAME:
 CAPITAL CITY

FACILITY IDENTIFIER:
RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
 RNAV (GPS) RWY 7, AMDT 2
 30 MAY 2013

SUP: RNAV (GPS) RWY 6
 AMDT: 1
 DATED: 5/10/2007