

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION							RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33							Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.						
TERMINAL ROUTES														MISSED APPROACH						
FROM				TO			COURSE AND DISTANCE				ALTITUDE		LNAV: RW26R							
FABAN (IAF)				APUVE (FB)			288.32 / 10.88				6900		CLIMBING RIGHT TURN 7500 DIRECT FABAN AND HOLD.							
PIERS (IAF)				APUVE (FB)			187.26 / 9.54				6900									
APUVE (IF)				EPUPE (FB)			265.44 / 4.40				6900									
EPUPE				HODAK (FB)			265.39 / 2.59				5400									
HODAK (FAF)				RW26R (MAP) (FO)			265.37 / 4.41													
RW26R (MAP)				4361 MSL			265.37						ADDITIONAL FLIGHT DATA: HOLD E, LT, 284.91 INBOUND. CHART FAS OBST: 4148 TOWER 314736N/1061724W CHART VDP AT 1.27 MILES TO RW26R. CHART CIRCLING ICON. CHART ASR. CHART BIGGS AAF. HODAK TO RWY26R: 3.00/45.							
4361 MSL				FABAN (FO)							7500									
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)														MAG VAR: 8E EPOCH YEAR: 2015						
2. PROFILE STARTS AT APUVE																				
3. FAC: 265.37 FAF: HODAK DIST FAF TO MAP: 4.41 THLD: 4.41																				
4. MIN. ALT: APUVE 6900, EPUPE 6900, HODAK 5400																				
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																				
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																				
7. GS ANGLE: _____ TCH: 34:1 IS CLEAR																				
8. MSA FROM: RW26R 8800																				
MINIMUMS																				
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD @											
CATEGORY ==>		A			B			C			D			E						
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA					
LNAV MDA	4400	1	451	4400	1	451	4400	1 3/8	451	4400	1 3/8	451								
CIRCLING	4420	1	459	4420	1	459	4460	1 1/2	499	5820	3	1859								
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. @ CAT D 1900-3 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL AT FABAN ON V66-198 EAST BOUND. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL AT PIERS ON V560 EAST BOUND.																				
CITY AND STATE EL PASO, TX				ELEVATION: 3961 TDZE: 3949 AIRPORT NAME: EL PASO INTL				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 26R, ORIG, 8/20/2015					SUP: AMDT: NONE DATED					



Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.


[illegible][illegible][illegible][illegible]

	1			2			3			4			5			6			7			8			9			0			1			2			3			
MSA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35					

QUALITY
16
CHECKED

CITY AND STATE EL PASO, TX	ELEVATION: 3961	TDZE: 3949	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: EL PASO INTL	RNAV (GPS) RWY 26R, ORIG, 8/20/2015		AMDT: NONE	
				DATED:	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - FAR PART 97.33								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
ARINC SUMMARY - 424-18 - RNAV (GPS)												
ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	FABAN	FABAN	010	IAF	IF		FB					
	FABAN	APUVE	020		TF		FB	1.0	288.3 (296.3T)	010.9	AA 06900	
	PIERS	PIERS	010	IAF	IF		FB					
	PIERS	APUVE	020		TF		FB	1.0	187.3 (195.3T)	009.5	AA 06900	
		APUVE	010	FACF	IF		FB				AA 06900	
		EPUPE	011		TF		FB	0.5	265.4 (273.4T)	004.4	AA 06900	
		HODAK	020	FAF	TF		FB	0.5	265.4 (273.4T)	002.6	AA 05400	
		RW26R	030	MAP	TF		FO	0.3	265.4 (273.4T)	004.4	AT 03994	
MISSED APPROACH		FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
			040		CA		FB		265.4 (273.4T)		AA 04361	
		FABAN	050		DF	R	FO				AA 07500	
		FABAN	060		HM	L	FO		284.9 (292.9T)	007.0	AA 07500	
POINT DATA		WAYPOINT	LAT IN SECS		LONG IN SECS		LAT IN MINS		LONG IN MINS			
		APUVE	N314741.79		W1060746.52		N3147.697		W10607.775			
		EPUPE	N314757.54		W1061255.75		N3147.959		W10612.929			
		FABAN	N314252.11		W1055619.80		N3142.869		W10556.330			
		HODAK	N314806.71		W1061557.50		N3148.112		W10615.958			
		PIERS	N315655.48		W1060449.62		N3156.925		W10604.827			
		RW26R	N314822.18		W1062107.75		N3148.370		W10621.129			
RUNWAY DATA		RWY	THRESHOLD ELEVATION		TCH							
		RW26R	03949		45							



CITY AND STATE EL PASO, TX	ELEVATION: 3961 AIRPORT NAME:	TDZE: 3949	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 26R, ORIG, 8/20/2015	SUP:
	EL PASO INTL	RNAV			NONE
					DATED: