

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

NDB

STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICE - FAR PART 97. 27

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Coilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVII.

TERMINAL ROUTES

MISSED APPROACH

FROM

TO

COURSE AND DISTANCE

ALTITUDE

MAP: PHO NDB

CLIMB TO 1000 THEN CLIMBING RIGHT TURN TO 1600
DIRECT PHO NDB AND HOLD.

ADDITIONAL FLIGHT DATA:

HOLD S, RT, 017.59 INBOUND

FAS OBST: 72 TOWER 682039 / 1664756

FAC CROSSES RWY C/L EXTENDED 3004 FROM THLD.

1. PT L SIDE OF COURSE 197.59 OUTBOUND 1600 FT WITHIN 10 MILES OF PHO NDB (IAF)

2.

3. FAC 017.59 FAF _____ DIST FAF TO MAP _____ THLD _____

4. MIN. ALT _____

8. MSA FROM: PHO NDB 120-360 1100, 360-120 3200

MAG VAR: 16E

EPOCH YEAR: 80

MINIMUMS

TAKEOFF:	<input checked="" type="checkbox"/>	STANDARD	SEE FAA FORM 8260-15 FOR THIS AIRPORT				ALTERNATE:	N	A	<input checked="" type="checkbox"/>						
CATEGORY	A			B			C			D			E			
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/	MDA	VIS	HAT/	MDA	VIS	HAT/	MDA	VIS	HAT/	
S-1	440	1	429	440	1	429	440	1 1/4	429	440	1 1/2	429				
CIRCLING	440	1	428	480	1	468	480	1 1/2	468	580	2	568				

NOTES:

CITY AND STATE

POINT HOPE, AK

ELEVATION:

12

TDZE:

11

AIRPORT NAME:

POINT HOPE

FACILITY

IDENTIFIER:

PHO

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:

MAY 15 2003

NDB RWY 1, AMDT 2

SUP

AMDT

1A

DATED

UNKNOWN