

PAGE 1 OF 5 PAGES

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: DME/DME RNP-0.3 NA.

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON PRX VOR/DME AIRWAY RADIALS 167 CW 341.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON BYP VORTAC AIRWAY RADIALS 114 CW 264.

QUALITY
CHECKED

CITY AND STATE
BONHAM, TX

ELEVATION: 618 THRE: 612
AIRPORT NAME:
JONES FIELD

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 35, AMDT 1
25 AUG 2011

SUP:
AMDT: ORIG
DATED: 10/25/2007

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	F00
RUNWAY	RW35
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W35A
LTP/FTP LATITUDE	333627.3450N
LTP/FTP LONGITUDE	0961046.2500W
LTP/FTP ELLIPSOIDAL HEIGHT	+01604
FPAP LATITUDE	333756.5800N
FPAP LONGITUDE	0961043.1600W
THRESHOLD CROSSING HEIGHT (TCH)	00035.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

BBE04AEA

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+01866
FPAP ORTHOMETRIC HEIGHT	+01866

CITY AND STATE

BONHAM, TX

ELEVATION: 618

THRE: 612

AIRPORT NAME:

JONES FIELD

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 35, AMDT 1

25 AUG 2011

SUP:

AMDT: ORIG

DATED: 10/25/2007

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP F00 K4FR35	ABYP	010BYP	K4D 0V	IF					18000			A JS	
SUSAP F00 K4FR35	ABYP	020FARINK4EA0EY	020TF			15110063	+	02300				A JS	
SUSAP F00 K4FR35	ABYP	030FARINK4EA0EE	AR HF			35570040	+	02300				A JS	
SUSAP F00 K4FR35	APRX	010PRX	K4D 0V	IF					18000			A JS	
SUSAP F00 K4FR35	APRX	020CANBAK4EA0E	A 020TF			25310326	+	02300				A JS	
SUSAP F00 K4FR35	APRX	030FARINK4EA0EE	B 010TF			26570050	+	02300				A JS	
SUSAP F00 K4FR35	R	010FARINK4EA0E	I IF				+	02300	18000			A JS	
SUSAP F00 K4FR35	R	020BOSTEK4EA1E	F 051TF			35570051	+	02200			RW35	K4PGA	JS
SUSAP F00 K4FR35	R	020BOSTEK4EA2WALPV		ALNAV/VNAV	ALNAV								JS
SUSAP F00 K4FR35	R	030RW35	K4PG0GY M	031TF		35570049		00647		-300		A JS	
SUSAP F00 K4FR35	R	040	0 M	CA		3557	+	00950				A JS	
SUSAP F00 K4FR35	R	050UDOCBK4EA0EY	DF				+	02500				A JS	
SUSAP F00 K4FR35	R	060UDOCBK4EA0EE	R HM			17570040	+	02500				A JS	

CITY AND STATE BONHAM, TX	ELEVATION: 618 THRE: 612 AIRPORT NAME: JONES FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, AMDT 1 25 AUG 2011	SUP:	
				AMDT:	ORIG
				DATED:	10/25/2007

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE BONHAM, TX	ELEVATION: 618 THRE: 612 AIRPORT NAME: JONES FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, AMDT 1 25 AUG 201	SUP:	
				AMDT:	ORIG
				DATED:	10/25/2007