

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR OR TACAN STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.								
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO			COURSE AND DISTANCE			ALTITUDE		MAP: EUG 0.90 DME FIX						
EUG VORTAC		WEBST/4.30 DME			347.99 / 4.30			3200		CLIMB TO 800 THEN CLIMBING RIGHT TURN TO 4400 ON EUG VORTAC R-205 TO VAUGN/EUG 14.00 DME AND HOLD. CONTINUE CLIMB IN HOLD TO 4400. ADDITIONAL FLIGHT DATA: HOLD SW, LT, 024.50 INBOUND. 539 AAO 441119N/1231156W CHART VDP AT 2.05 DME DISTANCE VDP TO THLD 1.16 NM. CHART EUG R-064 AT MOHWK. CHART EUG R-012 AT MALBN. WEBST TO RW16R: 3.01/50. CHART CIRCLING ICON CHART PLANVIEW NOTE: DME REQUIRED. FAC CROSSES RWY C/L EXTENDED 1433 FT FROM THLD.						
MOHWK/12.00 DME CCW (IAF)		MALBN/12.00 DME (NOPT)			12.00 DME ARC			5000								
MALBN/12.00 DME CCW		WEKOS/12.00 DME			12.00 DME ARC			3000								
WEKOS/12.00 DME (IF)		WEBST/4.30 DME			167.99 / 7.70 (EUG R-348)			1500								
1. PT <u> L </u> SIDE OF COURSE <u> 347.99 </u> OUTBOUND <u> 2800 </u> FT WITHIN <u> 10 </u> MILES OF <u> WEBST </u> (IAF) 2. _____ 3. FAC <u> 167.99 </u> FAF <u> WEBST/4.30 DME </u> DIST FAF TO MAP _____ THLD <u> 3.41 </u> 4. MIN. ALT <u> WEBST 1500 </u> 8. MSA FROM: <u> EUG VORTAC 190-280 4600, 280-190 5300 </u>										MAG VAR: 20E				EPOCH YEAR: 1980		
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A		STANDARD @						
CATEGORY =====>		A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
S-16R	780	2400	417	780	2400	417	780	4000	417	780	5000	417				
CIRCLING	800	1	426	840	1	466	840	1 1/2	466	1100	2 1/4	726				
NOTES: CHART NOTE: DME REQUIRED. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON EUGENE VORTAC AIRWAY RADIALS 216 CW 357. CHART PLANVIEW NOTE: DME REQUIRED. CHART NOTE: FOR INOPERATIVE ALS, INCREASE S-16R CAT C, D VISIBILITY TO RVR 6000.																
CITY AND STATE EUGENE, OR		ELEVATION: 374 AIRPORT NAME: MAHLON SWEET FIELD		TDZE: 363		FACILITY IDENTIFIER: EUG		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR OR TACAN RWY 16R, AMDT 5B 10 NOVEMBER 2016				SUP VOR/DME OR TACAN RWY 16R				
												AMDT 5A				
												DATE 05/30/2013				