

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
GPS RNAV **STANDARD INSTRUMENT APPROACH PROCEDURE**
FLIGHT STANDARDS SERVICE - FAR PART 97. 33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP: RW31
CAE VORTAC	HIDEE WP	069.13/8.17	2000	CLIMB TO 1200 THEN CLIMBING LEFT TURN TO 2000 DIRECT CAE VORTAC AND HOLD.
ADCOM INT	HIDEE WP	009.27/11.16	2000	
				ADDITIONAL FLIGHT DATA: HOLD SE, LT, 335.00 INBOUND
				FAS OBST: 536 TOWER 335712/805510

- PT NA SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD SE HIDEE WP, RT, 311.42 INBOUND, 2000 FT. IN LIEU OF PT (IAF)
- FAC 311.42 FAF HIDEE WP DIST FAF TO MAP - THLD 5.00
- MIN. ALT HIDEE WP 2000
- MSA FROM: RW 31 3100

MAG VAR: 6W EPOCH YEAR: 1995

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15 FOR THIS AIRPORT					ALTERNATE:	NA	X					
CATEGORY	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S - 31	680	1	490	680	1	490	680	1 1/4	490	680	1 1/2	490			
CIRCLING		NA			NA			NA			NA				

NOTES:

USE COLUMBIA ALTIMETER SETTING.

ASR 

THIS IS A CORRECTED COPY OF A PROCEDURE
PUBLISHED IN TL 97-06

CITY AND STATE COLUMBIA, SC	ELEVATION: 194 AIRPORT NAME: COLUMBIA OWENS DOWNTOWN	TDZE: 190 GPS	FACILITY IDENTIFIER: GPS	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: 22 MAY 97 GPS RWY 31, ORIG	SUP
					AMDT NONE
					DATE