

U.S. Department of Transportation
Federal Aviation Administration

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH			
FROM	TO	COURSE AND DISTANCE	ALTITUDE				
OPANA (40E)	GOYEY (TF)(FB)(40E)(42S)	089.71/10.40	3800	LNAV: IHEPA			
GOYEY (40E)(42S)	SEYOL (TF)(FB)(40E)(43A)	089.71/10.40	3000				
SARDS (40E)	HALEU (TF)(FB)(40E)(43A)	314.68/12.44	3000	CLIMBING RIGHT TURN TO 2500 DIRECT GPYLE AND HOLD.			
PULPS (40E)	HALEU (TF)(FB)(40E)(43A)	004.29/14.85	3000				
SEYOL (IAF)(40E)(43A)	GPYLE (NOPT)(TF)(FB)(40E)(41E)(43B)	169.11/5.00	2500	ADDITIONAL FLIGHT DATA: CHART FAS OBST: 208 SHIP 204754N/1555645W			
HALEU (IAF)(40E)(43A)	GPYLE (NOPT)(TF)(FB)(40E)(41E)(43B)	349.11/5.00	2500				
GPYLE (IF/IAF)(40E)(43I)	INUCU (TF)(FB)(40E)(43F)	259.11/5.13	1700				
IHEPA (MAP)(40E)(41Y)(43M)	478 MSL (CA)(42M)	259.08					

1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)		INUCU TO RW 26: 3.05/40 CHART VDP AT 1.25 MILES TO IHEPA ROUTE TYPE DESCRIPTION: A, R APPROACH ROUTE QUALIFIER 2: S CHART: HANA AWOS -3 118.325 MAG VAR: 11E EPOCH YEAR: 80
2. HOLD E GPYLE, RT, 259.11 INBOUND, 2500 FT. IN LIEU OF PT (IAF)(40E)(41E)(43C)		
3. FAC: 259.08 FAF: INUCU DIST FAF TO MAP: 4.47 THLD: 4.97		
4. MIN. ALT: GPYLE 2500, INUCU 1700		
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____		
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____		
7. GS ANGLE: _____ TCH: 34:1 IS CLEAR		
8. MSA FROM: IHEPA 11300		

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A			STANDARD								
CATEGORY =====>	A			B			C			D			E		
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA
LNAV MDA	660	1	590	660	1	590		NA			NA				
CIRCLING	660	1	582	760	1	682		NA			NA				

NOTES: CHART NOTES: CIRCLING NA S OF RWY 8-26.
 PROCEDURE NA AT NIGHT.
 DME/DME RNP-0.3 NA.

CITY AND STATE HANA, HI	ELEVATION: 78	TDZE: 70	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: SEP 1 2005 RNAV (GPS) RWY 26, ORIG	SUP:
	AIRPORT NAME: HANA				AMDT: NONE
					DATED