

PAGE 1 OF 4PAGES

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	242/30 CW 062/30 (NOPT)	ZOXUM (IF/IAF) (FB)	2400
2.	062/30 CW 242/30	ZOXUM (IF/IAF) (FO)	2400

CITY AND STATE

GIDEON, MO

ELEVATION: 269

THRE: 269

AIRPORT NAME:

GIDEON MEMORIAL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 33, ORIG

2 MAY 2013

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible][illegible]

CITY AND STATE GIDEON, MO	ELEVATION: 269 THRE: 269 AIRPORT NAME: GIDEON MEMORIAL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 33, ORIG 2 MAY 2013	SUP:
				AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ZOXUM	ZOXUM	010	IAF	HF	R	FO		332.1 (330.1T)	004.0	AA 02400	
		ZOXUM	010	FACF	IF		FB				AA 02400	
		WEPKI	020	FAF	TF		FB	0.5	332.1 (330.1T)	007.0	AA 01900	
		ZESBO	021	SDF	TF		FB	0.3	332.0 (330.0T)	003.0	AA 00940 GS 00946	
		RW33	030	MAP	TF		FO	0.3	332.0 (330.0T)	002.0	AT 00309	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		332.0 (330.0T)		AA 00669	
	UMEMY	050		DF		FO				AA 02400	
	UMEMY	060		HM	R	FO		151.9 (149.9T)	004.0	AA 02400	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	UMEMY	N363720.86	W0900154.92	N3637.348	W09001.915
	WEPKI	N362158.21	W0895054.42	N3621.970	W08950.907
	ZESBO	N362434.14	W0895245.67	N3624.569	W08952.761
	ZOXUM	N361553.57	W0894634.83	N3615.893	W08946.581
	RW33	N362618.21	W0895400.00	N3626.304	W08954.000

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW33	00269	40

QUALITY
4
CHECKED

CITY AND STATE GIDEON, MO	ELEVATION: 269	THRE: 269	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 33, ORIG 2 MAY 2013	SUP:
	AIRPORT NAME: GIDEON MEMORIAL				AMDT: NONE
					DATED: